STUDIES ON THE FAUNA OF CURAÇAO AND OTHER CARIBBEAN ISLANDS: No. 160.

PRELIMINARY LIST OF THE CETACEANS OF THE SOUTHERN CARIBBEAN

by

P. J. H. VAN BREE

(Instituut voor Taxonomische Zoölogie [Zoölogisch Museum], Amsterdam)

Students working at the Caribbean Marine Biological Institute (CARMABI) on the island of Curação asked the present author to provide them with a list of Cetacea occurring in the Caribbean. Until recently, compiling such a list was of little use as our knowledge concerning the cetaceans in the area was very poor indeed. During the last few years, however, mainly through the studies by D. K. CALDWELL, M. C. CALDWELL and their collaborators on the lesser cetaceans taken by the small whaling industry on the island of St. Vincent, so much information has become available that it may be now useful to publish a preliminary checklist and a selected bibliography. The preliminary character of this publication must be emphasized, however, and the paper must be seen as a short introduction to the subject for the use of local students. In connection with the last mentioned use, in addition to the Latin and English names, the Dutch names of the cetaceans are given.

Because of inadequate knowledge, the northern part of the Caribbean (the area between Cuba, Jamaica, the coasts of Honduras, Guatemala, Belize and the eastern side of Mexican Yucatán) has not been included.

Besides using published records and his own notes, the author has made use of unpublished sight-records by Captain W. F. J. MÖRZER BRUYNS, Drs. R. VAN HALE-WIJN, and Drs. D. M. C. POPPE. I gratefully acknowledge the cooperation of these gentlemen. I also want to thank Dr. W. F. PERRIN and Prof. D. K. CALDWELL for critically reading an early draft of this paper.

It is evident that we are still in the initial phases of the study of Cetacea in the Caribbean. It is therefore of great importance that biologists and interested laymen

in close cooperation collect as much information as possible about whales and dolphins from the area. It also should be made clear to the local authorities that stranded cetaceans represent important scientific material from which much can be learned instead of being only odiferous sources of possible hazards to public health. Furthermore it would be most useful if the work on Cetacea by zoologists of all the nations situated around the Caribbean could be coordinated by an international organization as, for example, A.I.M.L.C. (Association Island Marine Laboratories in the Caribbean) or C.I.C.A.R. (Cooperative Investigations of the Caribbean and Adjacent Regions); the latter being a UNESCO-sponsored organization, which has done much useful work in the area recently.

MYSTICETI

Balaenoptera musculus (Linnaeus, 1758)

Blue Whale, Blauwe Vinvis.

Cristóbal, Panamá (HARMER, 1923).

Balaenoptera physalus (Linnaeus, 1758)

Fin Whale, Gewone Vinvis.

Sightings at sea (SLIJPER et al., 1964).

Balaenoptera borealis Lesson, 1828

Sei Whale, Noordse Vinvis.

Sightings at sea (SLIJPER et al., 1964; ERDMAN, 1970 and ERDMAN et al., 1973).

Balaenoptera edeni Anderson, 1878 (Synonym: Balaenoptera brydei Olsen, 1912)

Bryde's Whale, Bryde's Vinvis.

Caught near Grenada, stranded on Curação (SOOT-RYEN, 1961).

Balaenoptera acutorostrata Lacépède, 1804

Minke Whale or Piked Whale, Dwergvinvis.

Not yet observed but may occur. A stranding known from the Surinam coast (SLIJPER et al., 1964).

Megaptera novaeangliae (Borowski, 1781)

Humpback Whale, Bultrug.

Sightings at sea (SLIJPER et al., 1964), observed near Puerto Rico and the Virgin Islands (ERDMAN, 1970; ERDMAN et al., 1973), observed and caught near St. Vincent (CALDWELL et al., 1971).

ODONTOCETI

Physeter macrocephalus Linnaeus, 1758

Sperm Whale, Potvis.

Sightings at sea (SLIJPER et al., 1964), observed near Puerto Rico (ERDMAN, 1970), stranded on Puerto Rico and Hispaniola (ERDMAN et al., 1973), caught near St. Vincent (CALDWELL et al., 1971), stranded on Curação.

Kogia breviceps (de Blainville, 1838)

Pygmy Sperm Whale, Dwergpotvis.

Not yet observed but may occur.

Kogia simus (Owen, 1866)

Dwarf Sperm Whale, no Dutch name.

Caught near St. Vincent (CALDWELL et al., 1973).

Ziphius cavirostris G. Cuvier, 1823

Cuvier's Beaked Whale, Dolfijn van Cuvier.

Sightings at sea, strandings on Puerto Rico (ERDMAN, 1970; ERDMAN et al., 1973), on Barbados (CALDWELL et al., 1971), St. Martin (VAN BREE et al., 1973), Curaçao (VAN BREE et al., 1973), Bonaire (VAN BREE & KRISTENSEN, 1974), caught near St. Vincent (CALDWELL et al., 1971).

Mesoplodon europaeus (Gervais, 1855)

Gervais' Beaked Whale, no Dutch name.

Stranding on Trinidad (Fraser, 1955), strandings on Jamaica (Rankin, 1953; Caldwell, 1965).

Mesoplodon densirostris (de Blainville, 1817)

Blainville's Beaked Whale, no Dutch name. Not yet observed but may occur.

Orcinus orca (Linnaeus, 1758)

Killer Whale, Zwaardwalvis.

Sightings at sea, observed near St. Thomas (ERDMAN, 1970), caught near St. Vincent (CALDWELL et al., 1971).

Pseudorca crassidens (Owen, 1846)

False Killer Whale, Zwarte Zwaardwalvis.

Sightings at sea, stranded on one of the Islas Las Aves (MILLER, 1912), caught near St. Vincent (CALDWELL et al., 1971).

Globicephala macrorhynchus Gray, 1846

Short-finned Pilot Whale, Tropische Griend.

Sightings at sea (see e.g. CALDWELL & ERDMAN, 1963; ERDMAN et al., 1973), mass stranding on Nevis (CALDWELL et al., 1970), caught near or stranded on Barbados (TURNER, 1912), caught near or stranded on Guadeloupe, caught in large numbers near St. Lucia, Dominica and St. Vincent (MORICE, 1958; CALDWELL et al., 1971).

Feresa attenuata Gray, 1875

Pygmy Killer Whale, Dwerg Zwaardwalvis.

Caught near St. Vincent (CALDWELL et al., 1971).

Peponocephala electra (Gray, 1846)

Melon-headed Dolphin, no Dutch name.

Not yet observed but may occur.

Delphinus delphis Linnaeus, 1758

Common Dolphin, Gewone Dolfijn.

Sightings at sea, observed near Antigua (ERDMAN, 1970), caught near or stranded on Jamaica (TRUE, 1889), stranded on or caught near Isla de Barlovento (Las Aves) (VAN HALE-WIJN & VAN BREE, 1972).

Stenella coeruleoalba (Meyen, 1833)

Striped Dolphin, Gestreepte Dolfijn.

Sightings at sea (e.g. between Curação and Bonaire on March 13, 1972 – see Figure 174), caught near or stranded on Jamaica (TRUE, 1889).

Stenella species

Spotted Dolphins, Gevlekte Dolfijnen.

At least two taxa of Spotted Dolphins can be recognized in the Atlantic and the Caribbean. The available names are Stenella attenuata (Gray, 1846), Stenella dubia (G. Cuvier, 1812), Stenella frontalis (G. Cuvier, 1829), and Stenella plagiodon (Cope, 1866), but as long as the taxonomic problems concerning the taxa are not solved it is better to refrain from using latin names.

Sightings at sea, observed near St. Croix (see Figure 175), observed near Puerto Rico and near the Virgin Islands (ERDMAN, 1970; ERDMAN et al., 1973), caught near or stranded on Barbados (TURNER, 1912), caught off the coast of Venezuela (MITCHELL, 1970), stranded on the coast of Venezuela, caught near St. Vincent (CALDWELL et al., 1971).





Stenella longirostris (Gray, 1828)

Spinner Dolphin, no Dutch name.

Sightings at sea, observed near Puerto Rico (ERDMAN et al., 1973), caught near or stranded on Isla de Margarita (VAN HALEWIJN & VAN BREE, 1972), caught near St. Vincent (CALDWELL et al., 1971).

A closely related and possibly still undescribed taxon may also occur in the Caribbean (Leatherwood et al., in press). It is too early yet to take that taxon into account in this preliminary review.

Tursiops truncatus (Montagu, 1821)

Bottle-nosed Dolphin, Tuimelaar.

Sightings at sea, observed around Puerto Rico and the Virgin Islands (ERDMAN, 1970; ERDMAN et al., 1973), caught near or stranded on Barbados (TURNER, 1912), stranded on Trinidad (BACON & VAN BREE, in Ms), caught near St. Vincent (CALDWELL et al., 1971), caught near La Blanquilla off Venezuela (CALDWELL & CALDWELL, 1971).

Grampus griseus (G. Cuvier, 1812)

Risso's Dolphin, Grijze Dolfijn.

Sightings at sea, observed near St. Croix (ERDMAN, 1970), caught near St. Vincent (CALDWELL et al., 1971).

Steno bredanensis (Lesson, 1828)

Rough-toothed Dolphin, Snaveldolfijn.

Caught near St. Vincent (CALDWELL et al., 1971).

Fig. 174. Striped Dolphins (Stenella coeruleoalba) observed between Curação and Bonaire on March 13, 1972.

Fig. 175. Spotted Dolphins (Stenella spec.) observed N.E. of St. Croix (about 17°45' N, 64°16' W) on October 5, 1972.

[Both photographs taken by Mr. D. M. C. POPPE, Free University, Amsterdam.]

Sotalia fluviatilis (Gervais, 1855)

Tucuxi, Suriname Dolfijn.

Stranded at the border of Lake Maracaibo (HERSHKOVITZ, 1963), stranded on Trinidad (BACON & VAN BREE, in Ms).

INCERTA SEDIS

Inia geoffrensis (de Blainville, 1817)

Boutu, Zuid Amerikaanse Rivierdolfijn.

A lower jaw of a specimen is said to have been found on Isla de Margarita (Trebbau & van Bree, 1974).

REFERENCES

- BACON, P. & BREE, P. J. H. VAN. New records for the species of dolphins Sotalia fluviatilis and Tursiops truncatus from Trinidad (in manuscript).
- Bree, P. J. H. van & Creutzberg, F. & Kristensen, I., 1973. On strandings of Cuvier's Whale, Ziphius cavirostris G. Cuvier, 1823, on the Lesser Antillean Islands of St. Maarten and Curação. Lutra 15: 6–8, 1 pl.
- BREE, P. J. H. VAN & KRISTENSEN, I., 1974. On the intriguing stranding of four Cuvier's Beaked Whales, Ziphius cavirostris G. Cuvier, 1823, on the Lesser Antillean Island of Bonaire. Bijdr. Dierk. 44 (2): 235-238.
- Caldwell, D. K., 1965. A new record for the Beaked Whale, Mesoplodon europaeus, from Jamaica. Carib. J. Sci. 4 (4): 547.
- Caldwell, D. K. & Caldwell, M. C., 1971. Porpoise fisheries in the southern Caribbean present utilization and future potentials. *Proc. 23rd Annu. Sess. Gulf Carib. Fish. Inst.*: 195–206.
- CALDWELL, D. K. & CALDWELL, M. C. & ARRINDELL, W., 1973. Dwarf Sperm Whales, Kogia simus, from the Lesser Antillean Island of St. Vincent. J. Mamm. 54 (2): 515-517.
- CALDWELL, D. K. & CALDWELL, M. C. & RATHJEN, W. F. & SULLIVAN, J. R., 1971. Cetaceans from the Lesser Antillean Island of St. Vincent. Fish. Bull. 69 (2): 303-312.
- CALDWELL, D. K. & ERDMAN, D. S., 1963. The Pilot Whale in the West Indies. J. Mamm. 44 (1): 113-115.
- CALDWELL, D. K. & RATHJEN, W. F. & CALDWELL, M. C., 1970. Pilot Whales mass stranded at Nevis, West Indies. Quart. J. Florida Acad. Sci. 33 (4): 241-243.
- CALDWELL, D. K. & RATHJEN, W. F. & CALDWELL, M. C., 1971. Cuvier's Beaked Whale, Ziphius cavirostris, from Barbados. *Bull. So. Calif. Acad. Sci.* 70 (1): 52-53.
- ERDMAN, D. S., 1970. Marine mammals from Puerto Rico to Antigua. J. Mamm. 51 (3): 636-639.
- ERDMAN, D. S. & HARMS, J. & MARCIAL FLORES, M., 1973. Cetacean records from the northeastern Caribbean region. *Cetology* 17: 1-14.

- Fraser, F. C., 1955. A skull of Mesoplodon gervaisi (Deslongchamps) from Trinidad, West Indies. *Ann. Mag. Nat. Hist.* (12) 8 (92): 624-630.
- HALEWIJN, R. VAN & BREE, P. J. H. VAN, 1972. On the occurrence of the Common Dolphin, Delphinus delphis, and the Spinner Dolphin, Stenella longirostris, off the coast of Venezuela. *Invest. Cetacea* (Ed. G. Pilleri) 4: 187-188.
- HALEWIJN, R. VAN & POPPE, D. M. C. (in press). Observations of Delphinidae in the eastern Caribbean, 1970–1972. Cetology.
- HARMER, S. F., 1923. Cervical vertebrae of a gigantic Blue Whale from Panama. Proc. Zool. Soc. London 1923: 1085-1089.
- HERSHKOVITZ, PH., 1963. Notes on South American dolphins of the genera Inia, Sotalia and Tursiops. J. Mamm. 44 (1): 98-99.
- HERSHKOVITZ, Ph., 1966. Catalog of living whales. Bull. U.S. Nat. Mus. 246, viii + 259 pp.
- LEATHERWOOD, S. & CALDWELL, D. K. & WINN, H. E. (in press). The whales, dolphins and porpoises of the western North Atlantic. A guide to their identification. U.S. Nation. Mar. Fish. Serv. Spec. Publ.
- MILLER, G. S., 1920. American records of whales of the genus Pseudorca. Proc. U.S. Nat. Mus. 57 (2311): 205-207, 5 pls.
- MITCHELL, E. D., 1970. Pigmentation pattern evolution in delphinid cetaceans: an essay in adaptive coloration. Can. J. Zool. 48 (4): 717-740.
- MÖRZER BRUYNS, W. F. J., 1971. Field guide of whales and dolphins. Tor, Amsterdam, 258 pp.
- MORICE, J., 1958. Animaux marins comestibles des Antilles françaises. Rev. Trav. Inst. Pêches Marit. 22 (1): 85-104.
- NORMAN, J. R. & FRASER, F. C., 1948. Giant fishes, whales and dolphins. Putnam, London, xii + 360 pp., 8 pls.
- RANKIN, J. J., 1953. First record of the rare Beaked Whale, Mesoplodon europaeus Gervais, from the West Indies. *Nature* 172: 873-874.
- SLIJPER, E. J., 1958. Walvissen. Centen, Amsterdam, 524 pp.
- SLIJPER, E. J., 1962. Whales. Hutchinson, London, 475 pp. (Also published by Basic Books, New York)
- SLIJPER, E. J. & UTRECHT, W. L. VAN & NAAKTGEBOREN, C., 1964. Remarks on the distribution and migration of whales, based on observations from Netherlands ships. *Bijdr. Dierk.* 34: 1-93.
- Soot-Ryen, T., 1961. On a Bryde's Whale stranded on Curação. Norsk Hvalfangst Tid. 50 (7): 323-332.
- TREBBAU, P. & BREE, P. J. H. VAN, 1974. Notes concerning the freshwater dolphin Inia geoffrensis (de Blainville, 1817) in Venezuela. Z. Säugetierk. 39 (1): 50-57.
- True, F. W., 1889. Contributions to the natural history of the cetaceans a review of the family Delphinidae. Bull. U.S. Nat. Mus. 36: 1-191, 47 pls.
- Turner, W., 1912. The marine mammals of the Anatomical Museum of the University of Edinburgh. MacMillan, London, xv + 207 pp., 17 pls.