

NOTE XXVII.

ALPHABETICAL LIST OF THE DESCRIBED SPECIES
OF THE LONGICORN GENUS BATOCERA, CAST.
WITH INDICATION OF THE SYNONYMS¹).

BY

C. RITSEMA Cz.

- Adelpha* Thoms. — E. India.
Aeneonigra Thoms. — Ternate, Halmaheira, Morty, Waigiou.
Ajax (Dej.) Thoms. — Java, Banka, Celebes.
 (*Albertiana* Thoms. — Gaboon) = *Wyliei* Chevr. — Old Calabar.
Albofasciata de Geer. — E. India, E. I. Archipelago.
Ammon Pasc. — Amboyna..... probably = *Armata* Oliv.
Andamana Thoms. — Andaman islands. — Revue et Mag. de Zool. 1878. p. 54.
Aphetor Newm. — Philippine islands..... will probably prove to belong to the genus *Apriona* Chevr.
Armata Oliv. — Amboyna, Ceram, Aru islands, Celebes. (*Attila* Pasc. — Sumatra) = *Helena* Thoms. — Siam (teste van Lansberge).
Boisduvali Hope. — Australia.
Browni Bates. — Duke-of-York island, N. Australia. — Proc. Zool. Soc. Lond. 1877. p. 157; tab. 25, fig. 1.

1) The synonyms are *in parenthesis*.

Batocera Deyrollei Kaup (from Sylhet) and *pulchellator* Westw. (from the Philippine islands) of the Munich Catalogue do not belong to this genus. The former is an *Apriona*, the latter a *Psaromaiia*-species.

- Bruyni* Lansb. — Saughir islands. — Ann. Soc. Ent. Belge. 1880. Bull. p. 138.
- Calanus* Parry. — Assam not = *Roylei* Hope, but a distinct species (*vide* Notes Leyden Museun. 1886. p. 29). (*Catenata* (de Haan) Voll. — Japan) = *Lineolata* Chevr. — Japan.
- Celebiana* Thoms. — North Celebes.
- Chevrolati* Thoms. — E. India.
- (*Chinensis* Thoms. — China) = *Lineolata* Chevr. — Japan.
- (*Chlorinda* Thoms. — E. India) = *Rubus* Linn. var. (teste van Lansberge).
- Cinnamomea* Pasc. — Sula probably = *Armata* Oliv.
- Claudia* Pasc.¹⁾ — locality unknown.
- (*Cruentata* Gmel. — E. India) = *Rubus* Linn., in the Munich Catalogue.
- Davidis* H. Deyr. — China. — Ann. Soc. Ent. France. 1878. p. 131.
- (*Downesi* Hope. — Sylhet) = *Albofasciata* de Geer, in the Munich Catalogue.
- Eurydice* Thoms. — Java. — Revue et Mag. de Zool. 1878. p. 53.
- (*Fabricii* Thoms. — Java. — Revue et Mag. de Zool. 1878. p. 54) = (*Megacriodes*) *Guttata* Voll. — Sumatra.
- (*Ferruginea* Thoms. — Ceylon) = *Titana* Thoms. — E. India (teste van Lansberge).
- Frenchi* v. d. Poll. — Australia. — Notes Leyden Museum. 1886. p. 30; pl. 1, fig. 4.
- Gerstaeckeri* Thoms. — Sula.
- Gigas* Drap. — Java, Borneo.
- Guttata* Voll. — Sumatra, Java. — (Described as a species of the genus *Megacriodes* Pasc.).
- Hector* Thoms. — Java.
- Helena* Thoms. — Siam, Sumatra.
- Hercules* Boisd. — Celebes.

1) Only occasionally mentioned by the author.

- Horsfieldi* Hope. — Assam.
- Humeridens* Thoms. — Timor (not Java, teste van Lansberge).
- Irregularis* Voll. — Celebes, Sanghir islands. — (Belongs to the genus *Abatocera* Thoms.).
- (*Javanica* Thoms. — Java) = *Titana* Thoms., var. with inconspicuous red spots on the thorax (teste van Lansberge, who possesses the type specimen).
- (*Lacordairei* Thoms. — E. I. Archipelago) = *Armata* Oliv. ♀ (teste van Lansberge).
- Lactiflua* Fairm. — New Britain. — Ann. Soc. Ent. Belge. XXVII (2). p. 50.
- Laena* Thoms. — Aru islands, New Guinea.
- Leonina* Thoms. — Celebes, Sanghir islands. — (Type of the genus *Abatocera* Thoms.).
- Lineolata* Chevr. — Japan, China.
- (*Magica* Thoms. — Java) = *Albofasciata* de Geer, var. without the red spots on the thorax (teste van Lansberge, who possesses the type specimen).
- Meleager* Pasc. — Bouru.
- Metallescens* Pasc. — South Celebes probably variety of *Celebiana* Thoms.
- Mniszechii* Thoms. — Philippine islands.
- Nebulosa* Bates. — Duke-of-York island. — Proc. Zool. Soc. Lond. 1877. p. 158. tab. 24, fig. 1.
- Numitor* Newm. — Philippine islands.
- Obliqua* Voll. — Bouru, Boano.
- (*Octomaculata* Fabr. — E. India) = *Albofasciata* de Geer.
- (*Orcus* Pasc. — Ceram) = *Armata* Oliv. var. ♂ (teste van Lansberge).
- (*Orpheus* Pasc. — Morty) = *Plutonica* Thoms. — Morty.
- (*Parryi* Hope. — Sylhet) = *Roylei* Hope, in the Munich Catalogue
- Plutonica* Thoms. — Morty.
- (*Porus* Parry. — Assam) = *Roylei* Hope (vide Notes Leyden Museum. 1886. p. 30).
- (*Princeps* Redtenb. — Himalaya) = *Roylei* Hope, in the Munich Catalogue.

(*Proserpina* Thoms. — New Guinea) = *Wallacei* Thoms. var.
 (*Pulverosa* Pasc. — Timor) = *Humeridens* Thoms. (teste
 van Lansberge, who possesses the type specimen of the
 latter).

Rixator Newm. — Philippine islands will probably
 prove to belong to the genus *Apriona* Chevr.

Rosenbergi Kaup. — Flores.

Roylei Hope. — E. India. (= *Megacriodes ebenina* Voll.).

(*Rubiginosa* Voet. — E. India) = *Rubus* Linn., in the
 Munich Catalogue.

Rubus Linn. — Mauritius, Bourbon, Reunion, E. India.

(*Rubus* Fabr. — Timor) = *Wieneckeï* Kaup — Timor, in the
 Munich Catalogue (*forte*).

(*Rufomaculata* de Geer. — E. India) = *Rubus* Linn., in the
 Munich Catalogue.

Sabina Thoms. — Borneo, Sumatra. — *Revue et Mag. de*
Zool. 1878. p. 52.

(*Sappho* Thoms. — Cape York. — *Revue et Mag. de Zool.*
 1878. p. 51) = *Luena* Thoms. var.

(*Sarawakensis* Thoms. — Borneo) = *Albofasciata* de Geer, var.

(*Stigma* Voet. — Tranquebar) = *Albofasciata* de Geer, in the
 Munich Catalogue.

(*Thomae* Voet. — Asia orient.) = *Armata* Oliv.

Thomsoni Javet. — Borneo, Banka, Sumatra, Riouw.

(*Thysbe* Thoms. — Cochinchina. — *Revue et Mag. de Zool.*
 1878. p. 52) = *Rubus* Linn. var. (teste van Lansberge).

Titana Thoms. — E. India, Ceylon, Sumatra, Java.

Una White. — New Hebrides.

Victoriana Thoms. — Borneo.

Wallacei Thoms. — Aru islands.

(*Whitei* Kaup. — Celebes) = *Armata* Oliv., but neither =
Leonina Thoms. (Munich Catalogue), nor = *Ajax* (Dej.)
 Thoms. (*Tijdschr. v. Entom.* XXVIII. p. 103).

Wieneckeï Kaup. — Timor.

(*Woodlarkiana* Montrouz. — Woodlark) = *Boisduvali* Hope
 — Australia, in the Munich Catalogue.

Wyliei Chevr. — Old Calabar, Gaboon, Congo.