

INDEX TO SCIENTIFIC PLANT NAMES

compiled by

M. J. VAN STEENIS-KRUSEMAN

Families and higher taxa have been entered under their name.

Names of families which have been revised in volumes 4, 5, 6, and 7 have been entered and are printed in **bold type**, so that as far as this is concerned this index is complete for all preceding volumes as well.

Suprageneric epithets have been entered under the family name to which they belong preceded by the indication of their rank (subfamilies, tribes, *etc.*).

Infrageneric epithets have been entered immediately under the generic name to which they belong preceded by the indication of their rank (subgenera, sections, series, *etc.*).

Infraspecific epithets have been entered under the specific name to which they belong preceded by the indication of their rank (subspecies, variety, forma, *etc.*).

New names and *new combinations* have been printed in **bold type**, *synonyms* in *italics*.

'Map' printed behind a page number denotes that a map of the concerned taxon is present on that page.

An *asterisk* behind a page number denotes the presence of a figure of the concerned taxon.

Page numbers in **bold type** denote main treatment.

Some minor printing errors in plant names have been corrected.

Of synonyms with a double authority, the latter has not always been cited in full. The full authority can easily be derived from the text.

- Abildgaardia* Vahl 542, 565
brevifolia Steud. 589
compressa Presl 565
cyperoides Nees 567
eragrostis Nees & Mey. ex Nees 567
fimbristyloides F.v.M. 569
fulvescens Thw. 569
fusca Nees 565, 567
var. *longifolia* Boeck. 567, 569
javana Nees 565, 586
javanensis Gandoger 592
javanica Steud. 586
monostachya Vahl 565
var. *rigidior* Steud. 565
nervosa Presl 573
pauciflora Kunth 567
pubescens Presl 560, 561
Abilgardia 586
Acacia melanoxylon R.Br. 795
Acer caesium Brandis 820
caesium (Reinw. ex Bl.) Kosterm. 820
laurinum Hassk. 820
niveum Bl. 820
Aceraceae 4: 3-4, 592; 6: 915; 7: 820
Acorus 536
Acroblastum Soland. 791
fawcettii (Elm.) Setch. 802
insulare (Ridl.) Setch. 802
subglobosum (Elm.) Setch. 802
Actinidiaceae s.str. 4: 37-39
Actinoschoenus Benth. 447, 543, 591
chinensis Benth. 591
filiformis (Thw.) Benth. 591
var. *rupestris* Ridl. 591
filiformis Ridl. 591
thouarsii Benth. 591
Adenia Forsk. 405, 406, 417, 430, 434
sect. *Blepharantes* 418, 424
sect. *Erythrocarpus* (Roem.) de Wilde 418, 424
sect. *Microblepharis* (W. & A.) Engl. 418, 419, 424
sect. *Microblepharis* Hall. f. 424
acuminata (non Bl.) King 426, 428
angustisepala Craib 423
australia Engl. 427
borneensis Hall. f. 429
var. *microcarpa* Hall. f. 429
cardiocalpa Koord. 426
cardiophylla (Mast.) Engl. 418
catharinae Merr. 423
celebica Koord. 427
chevalieri Gagn. 426
clementis Merr. 429
coccinea Merr. 426
cordifolia (Bl.) Engl. 418, 419, 420*, 430 map, 431
cordifolia (non Bl.) Gagn. 426
crassa Merr. 419, 430 map, 431
digitata 406
diversifolia Hall. f. 426
formosana Hayata 426, 427
grandifolia Ridl. 429
heterophylla (Bl.) Koord. 418, 424, 425 map, 426
ssp. *andamanica* de Wilde 426
ssp. *arcta* (Craib) de Wilde 426
ssp. *australis* (R.Br. ex DC.) de Wilde 425 map, 427
ssp. *heterophylla*
var. *celebica* (Koord.) de Wilde 425 map, 427
var. *heterophylla* 425 map, 426
kinabaluensis de Wilde 405, 419, 425 map, 429
linearis Craib 423
longifolia Merr. 426
longipedunculata Merr. 429
maclurei Merr. 426
macrophylla (Bl.) Koord. 419, 427, 428 map
var. *macrophylla* 428 map, 430
var. *singaporeana* (Wall. ex G. Don) de Wilde 428 map, 429
var. *smilacina* (Hall. f.) de Wilde 428 map, 429, 430
nicobarica (non Kurz) Gagn. 426
nicobarica (Kurz) King ex Ridl. 423
var. *obliqua* Craib 423
oblonga Koord. 426
obtusa Engl. 430
palmata (non Lamk) Steen. 429
palmatifolia Merr. 426
pandurata Hall. f. 426
parviflora Cusset 426
parviflora Pierre ex Gagn. 423
var. *insularis* Craib 423
var. *nervosa* Craib 423
penangiana (Wall. ex G. Don) de Wilde 418, 419, 423 map

- var. *parvifolia* (Pierre ex Gagn.) de Wilde 421*, 422*, 423 map
var. *penangiana* 421*, 422*, 423 map
pinnatisecta (non Craib) Pham-Hoang-Hô 426
populifolia Engl. 427
var. *pentamera* King 430
populifolia (non Bl.) Ridl. 430
populifolia (non Bl.) K.Sch. & Laut. 426
quadrifida Merr. 430, 431
quadrifida (non Merr.) Merr. 431
quintuplinervia Hall. f. 428
singaporeana Engl. 429
smilacina Hall. f. 429
sumbawana Hall. f. 426
vespertilio Hall. f. 430, 431
viridiflora Craib 418
zucca Merr. 426
- Aerva** 820
cochinchinensis Gagn. 820
curtisii Oliv. 820
- Agapetes** D. Don 827
subg. *Paphia* Seem. 827
sect. *Paphia* 827
sect. *Pseudagapetes* Shaw 827
- Agatea** A.Gray 179, 180, 192
sect. *Euagatea* Melch. 194
sect. *Macrobotrys* Melch. 194
macrobotrys K.Sch. & Laut. 194
salomonensis Merr. & Perry 192, 194
violaris A.Gray 193*, 194
- Agathaea** 194
- Agathis** 268, 269, 270, 488
alba 403
dammara 270
- Agation** Brongn. 192, 194
- Aizoaceae** 4: 267–275; 7: 133
- Alangium villosum** (Bl.) Wang. 73
- Albikia** Presl 489
schoenoides Presl 490
scirpoides Presl 490, 492
- Albizia lophanta** (Willd.) Benth. 788, 795, 798
- Aldrovanda** 135
- Alismataceae** 5: 317–334; 6: 915
- Allexis** 179
- Alseodaphne lucida** Nees 318
- Alsodeia** Thouars 180, 182
sect. *Doryctandra* (Hassk.) Hook. f. & Th. 182
sect. *Pentaloba* (Wall.) King 182
sect. *Prosthesis* (Bl.) King 182
sect. *Scyphellandra* Hook. f. & Th. 182
astrolabes K.Sch. & Laut. 185
- bengalensis* Wall. 184
Brownei 185
brownei (non Korth.) Hassk. 187
brownii Korth. 185
Brownii 185
capillata Ling 183
chrysodasys Miq. 191
cinerea King 189
var. *hirsutiflora* King 189
comosa King 183
condensa King 186
corylifolia (Turcz.) Turcz. 183
cymulosa Miq. 187
dasycaula Miq. 190
dasypryxis 187
dasypryxis Miq. 187
dubia Elm. 192
echinocarpa Korth. 183
var. *nervosa* Capit. 183
var. *zollingeri* Boerl. ex Capit. 183
floribunda King 187
formicaria Elm. 188, 189
glabra Burgersd. 192
grandiflora Ridl. 187
grandis Miq. 192
haplobotrys Hassk. 188
hirtella Ridl. 185
hispidia Ridl. 190
hookeriana King 188
horneri Korth. 185
horsfieldii Miq. 190
horsfieldii Turcz. 190
javanica (Bl.) Miq. 187, 188
kunstleriana King 185
lanceolata Oudem. 187
lankawiense Ridl. 184
longiracemosa Kurz 189
macrophylla Decne 190
macropyxis Capit. 189
maingayi Hook. f. & Th. 187
membranacea King 190
minahassae Koord. 188
minutiflora Ridl. 190
mollis Hook. f. & Th. 187
obtusata Korth. 184, 187
pachycarpa King 186
paradoxa Bl. ex Oudem. 184
pruinosa Pulle 184
rugosa Miq. 186, 187
salomonensis Rech. 184
sclerocarpa Burgersd. 186
scortechinii King 186
semigyrate (Turcz.) J.J.S. 184
wallichiana Hook. f. 184
wrayi King 188
- Alternanthera bettzickiana** (Regei) Nichols. 820
ficoidea (L.) R.Br. 820
manillensis (Walp.) Kanis 820
- Altingia** 268
- Amaranthaceae** 4: 69–98, 593; 5: 554; 6: 915–917; 7: 820
- Amaryllidaceae** 806
- Amentiferae** 267
- Ammannia pinnatifida** L. f. 259
- Amorphophallus** 809, 811
- Ampelopsis latifolius** (Wall.) Planch. 782
- Amphirrhox** 179
- Anabaena** 221
- Anacamperos** 121
- Anchieta** 180
- Ancistrocladaceae** 4: 8–10; 5: 553
- Andresia** 827
- Andropogon dulce** Burm. f. 529
- Androya** 828
- Anisomallon** 2
- Anisophyllea disticha** (Jack) Baill. 246
- Anisoptera** 296, 309, 375
- Anosporum** Nees 633, 634
cephalotes Kurz 633
pallidum Boeck. 618
- Anthactinia** Bory 407
- Anthactinia** (non Bory) Roem. 412
horsfieldii Roem. 413
moluccana Roem. 412
penangiana Roem. 423
singaporeana Roem. 429
sumatrana Roem. 414
timorensis Roem. 413
- Antidesma megalocarpum** Sp. Moore 39
- Apodytes** E.Meyer ex Arn. 1, 2, 3, 47
beddomei Mast. 3
brachystylis F.v.M. 49 map
cambodiana Pierre 48
dimidiata E.Meyer ex Arn. 3, 48*, 49 map
javanica K. & V. 48
sp. 49
- Aponogeton** L. f. 213
crispus (non Thunb.) Hook. f. p.p. 213
crispus (non Thunb.) F.v.M. 216
crispus Thunb. 213
lakhonensis A.Camus 213, 214*, 216*
loriae Martelli 213, 214*, 216, 217*, 218*
loriae (non Martelli) Steen. 216
luteus A.Camus 216
microphyllum Roxb. 213
monostachyon (non L. f.) Andr. 213
monostachyon (non L. f.) A. Camus 216
monostachyon (non L. f.) Hemsl. 216
pygmaeus Krause 216
stachyosporus de Wit 213, 214

- undulatus Roxb. 213, 214*,
 215*, 222
 womersleyi Bruggen 214*,
 217*, 218
Aponogetonaceae 4: 11-12; 5:
 553; 7: 213-218
Aquilia L. 755
otillia Gaertn. 779
sambucina L. 779
Araceae 222
Aralia capitulata Jungh. & De
 Vriese 24
chinensis L. 782
Araliaceae 760
Araucaria 269, 281, 291
Arcaula Rafin. 318
spicata (Sm.) Rafin. 367
Arthropphyllum 760
Arthrostylis
 subg. *Actinoschoenus* Kük. 591
chinensis Benth. 591
 var. *filiformis* Kük. 591
filiformis Thw. 591
thouarsii Kunth 591
Ascolepis kyllingioides Steud.
 522
tenuior Steud. 516
Asephananthes Bory 407
Aspidocarya kelidophylla K.
 Sch. & Laut. 96
Asterochaete 666
arundinacea Kunth 666
Astrophea (DC.) Roem. 407
Atacca 811
Ataccia Presl 806
aspera Kunth 811
cristata Kunth 811
integrifolia Presl 811
laevis Kunth 811
lancaefolia Kunth 811
Averrhoa L. 151, 152, 153, 174
 sect. *Bilimbi* Endl. 174
 sect. *Carambola* Endl. 174
acida L. 178
acutangula Stokes 175
bilimbi L. 151, 152, 175, 177
 f. *papuana* Knuth 177
carambola L. 152, 174, 175,
 176*, 177
 f. *acida* Koord. 177
 f. *dulcis* Koord. 177
 var. *angustispala* Progel
 175
frondosa Salisb. 178
microphylla Tard.-Blot 178
minima Perrottet 178
obtusangula Stokes 177
pentandra Blanco 175
sinica Hance 178
Averrhoaceae 174
Azolla 220
Baeothyron A.Dietr. 505
confervoides A.Dietr. 505
Balanaulax Rafin. 318
molucca (Rumph. ex L.) Ra-
 fin. 385
Balaniella Tiegh. 791
abbreviata (Bl.) Tiegh. 802
alutacea (Jungh.) Tiegh. 802
elongata (Bl.) Tiegh. 797
forbesii (Fawc.) Tiegh. 797
globosa (Jungh.) Tiegh. 795
junghuehnii Tiegh. 795
latispala Tiegh. 803
lowii (Hook. f.) Tiegh. 800
maxima (Jungh.) Tiegh. 797
multibrachiata (Fawc.) Tiegh.
 797
papuana (Schltr) Hosok. 798
ramosa (Fawc.) Tiegh. 795
reflexa (Becc.) Tiegh. 800
Balanophora J.R. & G.Forst.
 783, 784, 785, 791
abbreviata Bl. 783, 784, 793,
 794, 801*, 802 map
alutacea Jungh. 801
bulbosa Jungh. 784
celebica Warb. 798
decurrens Fawc. 794
decurrens (non Fawc.) Merr.
 798
dioica Ridl. 794
dioica (non R.Br. ex Royle)
 Unger 797
elongata Bl. 784, 785, 793,
 797, 798 map, 800
 var. *elongata* 793, 796*,
 797*, 798*
 var. *macropancis* Val. 797
 var. *maxima* (Jungh.) Hook.
 f. 797
 var. *ungariana* (Val.) Han-
 sen 793, 796*, 798
elongata (non Bl.) Hook. f. 794
elongata (non Bl.) Stapf 798
fasciculigera Suesseng. & Hei-
 ne 800
fawcettii Elm. 802
forbesii Fawc. 797
fungosa J.R. & G.Forst. 783,
 784, 793, 794, 805
 ssp. *fungosa* 783, 792*, 794
 map, 803
 ssp. *indica* (Arn.) Hansen
 783, 793, 794
 var. *globosa* (Jungh.)
 Hansen 784, 792*, 793,
 794 map, 795*
 var. *indica* 793, 794 map,
 795*
gigantea Wall. ex Fawc. 795
globosa Jungh. 784
incarnata Elm. 798
indica (Arn.) Griff. 794
insularis Ridl. 802
japonica Makino 784
latispala (Tiegh.) Lecomte
 793, 803* map
lowii Hook. f. 793, 799, 800*
maxima Jungh. 797
micholitzii Ridl. 794
micrantha Warb. 802
multibrachiata (non Fawc.)
 Burk. & Holtt. 798
multibrachiata Fawc. 797
multibrachiata (non Fawc.)
 Hend. 803
oosterzeeana Val. 798
papuana Schltr 793, 796*, 798,
 799* map, 800
polyandra Griff. 803
ramosa Fawc. 795
reflexa Becc. 783, 792*, 793,
 800, 801*, 803 map
sarasinorum Warb. ex Harms
 802
subglobosa Elm. 802
trimera Tiegh. 802
truncata Ridl. 803
ungariana Val. 798
wilderi 783
zollingeri Fawc. 802
Balanophoraceae 783-805
 subfam. *Balanophoroideae*
 785
 subfam. *Helosidoideae* 787,
 790
Bambusa 793, 803
Barringtonia
asiatica (L.) Kurz 795
Barteria fistulosa 406
Basellaceae 5: 300-304
Batidaceae 5: 414-415; 6: 917
Baumea Gaud. 690
aspericaulis S.T.Blake 696
crassa Thw. 701
disticha S.T.Blake 699
falcata Nees 694
glomerata Gaud. 698
gunnii S.T.Blake 701
loculata Boeck. 700
mariscooides Gaud. 698
meyenii Kunth 698
rubiginosa Boeck. 701
teretifolia Palla 700
Beera Lestib. 489
Betulaceae 5: 207-208; 6: 917:
 7: 272, 274, 275
Bilimbi Rheede 177
Biophytum DC. 151, 152, 153,
 154, 159
 sect. *Prolifera* Knuth 161
 sect. *Sensitiva* Knuth 161
adiantoides Wight ex Edgew.
 & Hook. f. 152, 160, 161,
 165 map, 166
albiflorum F.v.M. 166
apodiscias (Turcz.) Edgew. &
 Hook. f. 161
candolleianum 161
cumingianum (Turcz.) Edgew.
 163

- cumingii* Klotzsch 162
dendroides (H.B.K.) DC. 152, 160, 161, 162, 163*
esquirolii Lév. 166
fruticosum Bl. 152, 160, 161, 165 map, 166
 var. *fruticosum* 166
 var. *papuanum* Veldk. 166
intermedium 161, 166
microphyllum Veldk. 152, 160, 161, 162*, 164, 165 map, 166
nudum 166
petersianum Klotzsch 152, 161, 162*
polyphyllum 166
proliferum 161, 166
reinwardtii (Zucc.) Klotzsch 152, 160, 161, 162*, 164
sensitivum (non L.) F.M. Bailey 164
sensitivum (L.) DC. 152, 160, 161, 162*
 var. *cumingianum* (Turcz.) Edgew. & Hook. f. 162
 var. *nervifolia* (non Edgew. & Hook. f.) F.-Vill. 163
 var. *reinwardtii* (Zucc.) Guillaum. 164
sessile (Buch.-Ham. ex Baill.) Knuth 161
thorelianum Guillaum.
 var. *sinensis* Guillaum. 166
Bixaceae s.str. 4: 239–241
Bleasdealea F.v.M. 830
Blephistelma Raf. 412
 aurantia Raf. 415
Blimbing bula Rumph. 177
Blimbingun teres Rumph. 177
Bolboschoenus Palla 499
Brackenridgea A.Gray 97, 98, 101, 105
 sect. *Brackenridgea* 98, 101
 sect. *Notochnella* (Tiegh.) Kanis 97, 98, 101, 104
 corymbosa (King) Tiegh. 102
 denticulata Furtado 102
 elegantissima (Wall.) Kanis 104
 fascicularis (Blanco) F.-Vill. 101, 104
 ssp. *fascicularis* 104
 ssp. *mindanaensis* (Merr.) Kanis 104
 forbesii Tiegh. 101, 103
 foxworthyi (Elm.) Furtado 102
 hookeri (Planch.) A.Gray 101, 102, 103*, 104
 var. *leucocarpa* Scheff. 102
 kingii Tiegh. 102
 palustris Bartell. 101, 102, 103*, 104
 ssp. *foxworthyi* (Elmer) Kanis 102, 103
 ssp. *kjellbergii* Kanis 102, 103
 ssp. *palustris* 102
 perakensis Tiegh. 102
 rubescens Tiegh. 102
 serrulata Bartell. 102
Bruniera Franch. 235
Buchanania novoguineensis Warb. 36
Bulbostylis Kunth 435, 446*, 447, 448, 449, 452, 454, 523, 537, 542, 561
 barbata (Rottb.) Clarke 436, 438, 538, 539, 540, 561
 f. *paupercula* Kük. 539
 capillaris (non Clarke) Camus 538
 capillaris (L.) Clarke 538, 539, 561
 var. *trifida* Clarke 538
 densa (Wall. in Roxb.) Hand.-Mazz. 440, 538
 puberula (Poir.) Clarke 438, 538, 539*, 540
 pubescens Svens. 560
 trifida Nelves 538
Burmanna L. 820
coelestis Don 820
Burmanniaceae 4: 13–26, 592; 5: 553; 7: 820
Burseraceae 5: 209–296, 567; 6: 917–928; 7: 820–822
Butomaceae 5: 118–120, 566
Byblidaceae 135–137
Byblis Salisb. 135
 gigantea Lindl. 136
 liniflora Salisb. 136*, 137
Calandrinia H.B.K. 121, 122, 123
 grandiflora Lindl. 122*, 123
Callaeocarpus Miq. 294
 rhamnifolia (Miq.) Miq. 299
 sumatrana Miq. 315
Callitrichaceae 4: 251–252; 7: 240
Callitriche 239, 240
Calophyllum vidalii F.-Vill. 116
Calpidia macrophylla Bojer 829
Calucechinus Hombr. & Jacq. 277, 278
Calusparassus Hombr. & Jacq. 278, 280
Calyptrostylis Nees & Mey. ex Nees (Div.) 713
 sect. *Aureae* Clarke 713
 articulata Nees 714
Campanulaceae 6: 107–141, 928
Campylocerum Tiegh. 105
 neriifolium (Bartell.) Tiegh. 105
 zollingeri Tiegh. 107
Campylopora Tiegh. 101
Campylospermum Tiegh. 105
 abbreviatum Tiegh. 107
 beccarianum (Bartell.) Tiegh. 105
 borneense (Bartell.) Tiegh. 105
 cumingii Tiegh. 107
 kingii Tiegh. 107
 perakense Tiegh. 107
 plicatum Tiegh. 107
 strictum Tiegh. 107
 sumatranum (Jack) Tiegh. 105
 wallichianum Tiegh. 107
Canarium expansum Ridl. 821
 pseudosumatranum Leenh. 822
 vitiense A.Gray 822
Cannabinaceae 4: 222–223
Cantleya Ridl. 1, 2, 3, 4, 51
 corniculata (Becc.) Howard 3, 51, 52*, 53* map, 59
 johorica Ridl. 51
Capitularia Flörke 458
Capitularia Rabenh. 458
Capitularia Valck.Sur. 458
 foliata Uittien 460
 var. *archboldii* Uittien 460
 involutrata Valck.Sur. 460
Capitularina Kern 435, 448, 449, 452, 458
 involutrata (Valck.Sur.) Kern 437, 438, 454, 459*, 460
Cappar(id)aceae 6: 61–105; 7: 822
Capparis magna Lour. 822
Caprifoliaceae 4: 175–194; 6: 928–930
Cardiopteridaceae 93–96
Cardiopteris (Wall. ex) Royle 93
 celebica R.Br. ex Koord. 96
 javanica Bl. 95
 lobata (non R.Br.) Becc. 95
 lobata R.Br. 95
 var. *moluccana* (Bl.) Mast. 95
 moluccana Bl. 94*, 95 map
 moluccana (non Bl.) Wu & Wang 95
 platycarpa Gagnep. 95
 quinqueloba (Hassk.) Hassk. 95 map, 96
 rumphii Baill. 95
 var. *blumeana* Baill. 95
 var. *integrifolia* Baill. 95
 var. *lobata* Baill. 95
 var. *subhamata* Baill. 95
Cardiopterygaceae 93
Cardiopteryx Engl. 93
Carex 435, 436, 441, 443, 444, 445*, 446*, 447, 449, 450, 451, 452, 453, 455, 456, 591, 724, 752, 753, 823
 aggregata 450
 anemocarya 440
 baccans 440, 443
 brachyathera 440

- brevicollis* 450
breviculmis 440
breviscapa 440
brownii 440
brunnea 440
capillacea 440
celebica 440
commixta 440
cryptostachys 439
curta 436
divulsa 436, 606
dolichostachya 440
duriuscula 437
echinata 436, 440
eremostachya 437
filicina 440
finitima 440
flava 450
gajonum 437, 440
gaudichaudiana 440
glomerata (non Thunb.) Blanco 513
graeffeana 440
helferi 440
horsfieldii 439
indica 439
jackiana 440
laevis major Rumph. 470
laevis minor Rumph. 490
lamprochlamys 440
lateralis 440
loheri 437, 440
longipes 440
macrothyrsa Miq. 516
maculata 440
malaccensis 437, 440
maubertiana 439
merrillii 437
michauxiana 436, 437, 440
montivaga 441
muricata 436, 606
mysurus 440
nodiflora 437
nubigena 441, 549
oedorrhapha 441
ovata Burm. f. 565
pairaei 436, 606
palawanensis 437
perciliata 440
phacelostachys 440
phacota 441
pruinosa 441
pseudocyperus 436, 441
rafflesiana 439
ramosii 440
remota 436
rhynchchaenium 440
sarawaketensis 437, 440
satzumensis 439, 440
spathaceo-bracteata 437, 440
speciosa 439
stramentitia 442
teinogyna 440
teres 441
tricephala 442
tuberosa (non Degl.) Blanco 530
turrita 440
verticillata 440
vesiculosa 441
vietnamica Raym. 480
Carices 436, 439, 440, 446
Carissa carandas L. 795
Carpha Banks & Sol. 436, 448, 452, 453, 666, 673
alpina R.Br. 437, 441, 444, 455, 666, 667*
arundinacea Brongn. 666
junciformis Boeck. 672
paniculata Phil. 668
urvilleana Gaud. 666
Cassinopsis Sonder 93
Castanea Mill. 266, 267, 268, 271, 272, 273, 274, 275, 276
acuminatissima Bl. 307
argentea Bl. 311
 var. *rigida* Bl. 311
 brevicuspis Miq. 312
 buruana (Miq.) Oerst. 307
 cooperta (Blanco) Oerst. 335
 costata Bl. 312
 furfurella Miq. 384
 glomerata (non Roxb.) Wall. ex Bl. 315
 inermis Lindl. ex Wall. 315
 javanica Bl. 306
 var. *306*
 var. *fuscescens* Bl. 306
 var. *montana* Bl. 306
 latifolia Bl. 375
 montana Bl. 306
 rhamnifolia (Miq.) Oerst. 299
 sativa 270, 272, 273
 sessilifolia Bl. 307
 spectabilis Miq. 313
 sumatrana (Miq.) Oerst. 315
 tungurrut Bl. 303
 f. *sumatrana* Miq. 303
Castanopsis Spach 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 281, 283, 285, 289, 294, 296 map, 298 map
acuminatissima (Bl.) A.D.C. 267, 268, 269, 291, 296, 297, 307, 308*, 311
andersoni 310
andersonii Gamble 310
argentea (Bl.) A.D.C. 267, 268, 270, 297, 311
armata Spach 299
bejaudii A. Camus 309
blumeana (Korth.) Rehd. 339
borneensis King 267, 296, 299
brevicuspis (Miq.) A.D.C. 313
brevispina Hayata 309, 315
brevispina Schottky 315
buruana Miq. 267, 296, 297, 307, 309
 f. *grandifolia* Miq. 307
catalpaefolia 311
catappaefolia King ex Hook. f. 296, 297, 311
chinensis 309
chrysophylla 295
clemensii Soepadmo 297, 302
conspersispina Merr. 303, 305
costata (Bl.) A.D.C. 267, 270, 297, 307, 312, 313*
 β *bancana* Scheff. 313
costata (non A.D.C.) F.-Vill. 335
curtisii King 296, 298
cuspidata 309
densinervia Soepadmo 297, 301
discocarpa (Hance) Hance 306, 307
dispersispina Merr. 305
echidnocarpa 307, 309
elmeri Merr. 305
enclisacarpa (Korth.) Redh. 338
endertii Hatus. ex Soepadmo 297, 301
evansii Elmer 297, 305
ferox 307, 309
foxworthyi Schottky 267, 297, 309, 313*, 314
fulva Gamble 267, 296, 297, 312, 314
hullettii King ex Hook. f. 318
hypophoenicea (Seemen) Soepadmo 297, 304*, 305
hystrix 312
inermis (Lindl. ex Wall.) B. & H. 270, 296, 298, 315, 316, 318
inermis (non B. & H.) Merr. 315
javanica (Bl.) A.D.C. 268, 270, 297, 306, 310
 var. *montana* (Bl.) A.D.C. 306
javanica (non A.D.C.) Elmer 314
javanica (non A.D.C.) Merr. 305
johorensis Soepadmo 296, 300
junghuhnii (Miq.) Markgr. 309
kinabaluensis A.Camus 309, 310
lancaefolia 316
lentiginosa E.F.Warb. 306
longispicata Hu 309
lucida (Nees) Soepadmo 269, 296, 298, 316, 318
malaccensis Gamble 296, 297, 303
megacarpa Gamble 269, 297, 305
microphylla Soepadmo 297, 310

- mitifica* Hance 315
motleyana King 296, 298, 314
mottleyana 314
nebularum Hickel & A. Camus 309
nephelioides King ex Hook. f. 296, 298
oligoneura Soepadmo 296, 297, 300
oviformis Soepadmo 297, 302, 303
pachycarpa A. Camus 299
paucispina Soepadmo 297, 301
pearsonii Merr. 314
pedunculata Soepadmo 296, 298, 315
penangensis A. Camus 306
philipensis (Blanco) Vidal 298, 315, 316, 317*
psilophylla Soepadmo 298, 315, 316, 317*, 318
reflexa (King) Rehd. 335
rhamnifolia (Miq.) A. DC. 296, 298, 299, 317*
ridleyi Gamble 303, 306
schefferiana Hance 297, 310
schenkeriae Bail. 309
scortechinii Gamble 297, 312
spectabilis (Miq.) A. DC. 313
sumatrana (Miq.) A. DC. 315
tribuloides 309
trisperma Scheff. 313
tungurrut (Bl.) A. DC. 268, 270, 297, 303
turbinata Stapf 329
wallichii King ex Hook. f. 296, 297, 300
woodii Merr. 305
Castanoxylon 266
Casuarina equisetifolia 606
Casuarinaceae 272
Celastraceae 6: 227–291, 389–421, 930–932; 7: 89
Celastrales 93
Celastrus paniculatus Willd. 192
Celosia argentea L. 820
var. cristata 820
Centrolepidaceae 5: 421–427
Centrolepis 441
Cephaloschoenus longisetis Nees 717
zeylanicus Nees 714
Cephaloscirpus Kurz 468
macrocephalus Kurz 470
Ceratophyllaceae 4: 41–42
Cercinia Tiegh. 105
Chaetocyperus Nees 523, 534
arenicola Steud. 534
limnocharis Nees 534
setaceus (non Nees) Kurz 564
setaceus Nees 534
Chaetospora R. Br. 672
alpina F. v. M. 666
axillarix R. Br. 679
calostachya R. Br. 675
fimbristylloides F. v. M. 672
nitens R. Br. 680
paludosa R. Br. 672
Chapelliera Nees 691
Chariessa Miq. 4
cauliflora (Pulle) Sleum. 9
latifolia (Merr.) Sleum. 6
philippinensis (Merr.) Sleum. 7
suaveolens (Bl.) Miq. 6
Cheilothea Keng 827
Cheiranthra 135
Chenopodiaceae 4: 99–106, 594; 6: 932; 7: 822
Cherodendron 813
Chionanthus ghaeri Gaertn. 456
Chlorocarpa 827
Chlorocharis Rikli 523
Chlorocyperus Rikli 592
compressus Palla 617
globosus Palla 648
var. oblonginux Kük. 648
iria Rikli 616
latispicatus Rikli 653
malaccensis Palla 615
nilagiricus Rikli 648
polystachyus Rikli 649
rotundus Palla 604
Chondrache R. Br. 460
articulata R. Br. 462
Choricarpha Boeck. 460
aphylla Boeck. 462
Chorizandra R. Br. 449, 451, 458
Chroococcus 261
Chrysithrix 449
Chrysolepis Hjelmqvist 276, 294, 295
Cieca Medik. 407
Cinnamomum 289
Cintractia leucoderma (Berk.) P. Henn. 714
Cissus flexuosa Turcz. 46
sp. 795
Citriobatus Cunn. ex Putterl. 829
papuanus Schodde 829
spinescens (F. v. M.) Druce 829, 830
Citronella D. Don 1, 2, 3, 4, 6
map brassii Howard 6
latifolia (Merr.) Howard 5, 6
philippinensis (Merr.) Howard 5, 7
suaveolens (Bl.) Howard 5*, 6
Citrus *sp.* 794
Cladium P. Browne 436, 447, 448, 452, 453, 670, 688, 691, 706
sect. Baumea B. & H. 691
sect. Eucladium Benth. 688
sect. Vincentia B. & H. 691
subg. Baumea Clarke 672, 691
subg. Baumea Kük. 691
subg. Eucladium Clarke 688
subg. Machaerina Clarke 691
subg. Machaerina Kük. 691
subg. Vincentia Clarke 691
anceps Hook. f. ex Chermesz. 694
angustifolium Drake 696
angustifolium (non Drake) Kük. 694
arfakense Rendle 668, 700
aromaticum Merr. 677
articulatum R. Br. 700
aspericaule Kük. 696
asperum F. v. M. 708
borneense Clarke 668
brevipaniculatum Kük. 701, 703
chinense Nees 690
colpodes Laut. 698
crassum Kük. 701
crinitum Merr. 694
cyperoides Merr. 566, 567
distichum Clarke 699
falcatum Clarke 694, 696
var. celebicum Kük. 696
var. sumatrense Clarke 696
filiforme Merr. 678
gaudichaudii (non W. F. Wight) Ohwi 698
gaudichaudii W. F. Wight 698
germanicum (non Schrad.) Rendle 690
germanicum Schrad. 690
globiceps Clarke 698
var. colpodes Kük. 698
glomeratum R. Br. 701
glomeratum F.-Vill. 698
gunnii Hook. f. 701
var. brevipaniculatum Kük. 701
iris Ohwi 694
jamaicense Crantz 690
juncooides Elmer 698
lamii Kük. 696
latifolium Merr. 694
laxiflorum Hook. f. 701
leptostachyum Nees & Mey. 690
maingayi C. B. Clarke 693
var. subsetosum Kük. 694
maingayi (non Clarke) Koord. 694
mariscoides (Mühl.) Torr. 688
mariscoides F.-Vill. 698
mariscus (L.) Pohl 436, 439, 443, 454, 677, 688, 689*, 690, 691
ssp. intermedium Kük. 690
ssp. jamaicense (Crantz) Kük. 689*, 690
ssp. mariscus 690
meyenii Drake 698, 699
var. gaudichaudii Kük. 698
var. juncooides Kük. 698
f. atrofusum Kük. 694, 698

- micranthes* Clarke 699
nipponicum Ohwi 701
nudum 701
philippinense Merr. 699
procerum S.T.Blake 690
pulchrum Ridl. 672
riparium Benth. 701
 var. *crassum* Clarke 701
riparium Merr. 701
rubiginosum Domin 701
 var. *subriparium* Kük. 701
 var. *subseptatum* Kük. 701
samoense Clarke 694, 696
sinclairii Hook. f. 694
 var. *crinitum* Kük. 694
sinuatum Ridl. 698
tenax 703
teretifolium R.Br. 700
 var. *typicum* Domin 700
tetragonum (Labill.) Black 700
undulatum Thw. 672
 var. *fimbristylodes* Domin 672
 var. *pulchrum* Kük. 672
Cladonia 458
Claudonia 121, 126
Clerodendron esquirolii Lévl. 813
Clethra Linné 139, 141, 142 map
 sect. *Clethra* 141, 142 map
 sect. *Cuellaria* 141
 acuminata Michx 139
 alnifolia (non L.) Blanco 146
 alnifolia L. 139
 var. *pubescens* Ait. 139
arborea 141
arfakana Sleum. 142, 148
canescens Reinw. ex Bl. 141, 145
 var. *canescens* 145
 var. *clementis* (Merr.) Sleum. 145
 var. *ledermannii* (Schltr) Sleum. 145, 146
 var. *luzonica* (Merr.) Sleum. 145
 var. *novoguineensis* (Kaneh. & Hatus.) Sleum. 145, 146
canescens (non Reinw. ex Bl.) Miq. 144
canescens (non Reinw. ex Bl.) Ridl. 143
canescens (non Reinw. ex Bl.) Stapf 145
canescens (non Reinw. ex Bl.) F.-Vill. 146
castanea Elmer 146
clementis Merr. 145
elongata J.J.S. 148
hendersonii Sleum. 141, 143*
javanica Turcz. 141, 144
 var. *javanica* 144
 var. *lombokensis* Sleum. 144
 var. *558*; 6: 936-941; 7: 823
Corylaceae 274, 275
Corynocarpaceae 4: 262-264; 5: 557; 6: 941
Costularia Clarke 436, 447, 448, 449, 452, 453, 664, 670, 672, 673
 subg. *Lophoschoenus* (Stapf) Kük. 666
 paludosa Clarke 672, 678
 pilispala (Steud.) Kern 437, 455, 664, 665*, 666
 urvilleana Kük. 666
Courtoisia 593
cyperoides (non Nees) Miq. 661
Crassulaceae 4: 197-202
Cratva magna (Lour.) DC. 822
 var. *magna* 822
 nurvala Ham. 822
Crossostemma 405
Croton laurifolius Nor. 59
Cryptocarya 281
Cryptonema malaccensis Turcz. 820
Cupuliferae 274
Cyanophyceae 261
Cyclandrophora scabra Hassk. 398
Cyclobalanopsis Oerst. 274, 276, 385
 argentata (Korth.) Oerst. 389
 horsfieldii (Miq.) Oerst. 396
 lineata (Bl.) Oerst. 396
 lowii (King) Schottky 393
 merkusii (Endl.) Oerst. 396
 merrillii (von Seemen) Schottky 394
 muricata (Roxb.) Oerst. 375
 oidocarpa (Korth.) Oerst. 392
 sericea (Scheff.) Schottky 393
 treubiana (von Seemen) Schottky 398
 turbinata (Bl.) Schottky 396
Cyclobalanus (Endl.) Oerst. 274, 276, 318
 bennettii (Miq.) Oerst. 356
 blancoi (A.DC.) Oerst. 361
 blumeana (Korth.) Oerst. 339
 celebica (Miq.) Oerst. 374
 conocarpa (Oudem.) Oerst. 349
 costata (Bl.) Oerst. 325
 cyrtopoda (Miq.) Oerst. 384
 daphnoidea (Bl.) Oerst. 352
 diepenhorstii (Miq.) Oerst. 362
 encleisacarpa (Korth.) Oerst. 338
 ewyckii (Korth.) Oerst. 351
 gracilis (Korth.) Oerst. 362
 hystrix (Korth.) Oerst. 384
 induta (Bl.) Oerst. 344
 javanis (Bl.) Oerst. 325
 lamponga (Miq.) Oerst. 375
 kebarensis Sleum. 141, 146, 147*
 lancifolia Turcz. 146
 ledermannii Schltr 146
 longipedicellata Merr. 142
 longispicata J.J.S. 142, 148
 var. *novoguineensis* Kaneh. & Hatus. 146
 luzonica (Merr.) Sleum. 145
 pachyphylla Merr. 140*, 142, 150
 papuana J.J.S. 142, 149*
 var. *papuana* 149
 var. *trichostyla* Sleum. 150
 papuana Schltr 146
 pubifolia Merr. 142
 pulcherrima Ridl. 142
 pulgarensis Elmer 142, 150
 sp. 144
 sumatrana J.J.S. 141, 142
 sumbawaensis Sleum. 142, 147
 symingtonii Sleum. 141, 144
 tomentella Rolfe ex Dunn 142, 148
 williamsii C.B.Rob. 146
Clethraceae 139-150
Cobresia 751
Cochlospermaceae 4: 61-63
Codiocarpus Howard 1, 2, 3, 42
 andamanicus (Kurz) Howard 43 map
 merrittii (Merr.) Howard 43 map, 44*
Coleochloa 451
Coleochloaceae 451
Combretaceae 4: 533-589; 5: 564; 6: 932-933; 7: 823
Combretopsis K.Sch. 89
 pentaptera K.Sch. & Hollr. 91
Coniferae 267
Connaraceae 5: 495-541; 6: 933-936; 7: 152, 153, 823
Connaropsis Planch. ex Hook. f. 168
 acuminata Pearson 170
 diversifolia Kurz 170
 glabra Ridl. 171
 *glauc*a Hook. f. 172
 grandiflora Ridl. 170
 griffithii Planch. ex Hook. f. 170
 laxa Ridl. 171
 macrophylla King 170, 174
 monophylla Planch. ex Hook. f. 172
 philippica F.-Vill. 174
 rubescens Ridl. 174
 sericea Ridl. 171
 simplicifolia Ridl. 171
 varians Craib 174
Connarus paniculatus Roxb. 823
 var. *hainanensis* Vidal 823
Convolvulaceae 4: 388-512, 599;

- lanosii* 374
leptogyne (Korth.) Oerst. 379
llanosii (A.DC.) Oerst. 374
nitida (Bl.) Oerst. 352
omalokos (Korth.) Oerst.
oogyne (Miq.) Oerst. 385
ovalis (Blanco) Oerst. 361
philippensis (A.DC.) Oerst.
 353
platycarpa (Bl.) Oerst. 340
rassa (Miq.) Oerst. 364
reinwardtii (Korth.) Oerst. 359
tysmanni (Bl.) Oerst. 343
tysmanninii 343
Cyclocampe Steud. 673
waigiouensis Steud. 675
Cyclocarpa 673
waigiouensis 675
Cynoctonum pedicellatum (Bth.)
 B.L.Rob. 829
Cynomorium 784
philippinense Blanco 805
Cynopsale Endl. 791
elongata (Bl.) Endl. ex Jacks.
 797
Cyperaceae 435–753, 823
 subfam. Caricoideae 435, 445,
 446, 449, 450, 451, 452, 453,
 752
 tribe Cariceae 449, 451, 452,
 453, 753
 tribe Sclerieae 447, 452, 453,
 753
 subfam. Cyeroideae 435, 445,
 446, 449, 450, 451, 452, 496
 tribe Cyperae 435, 449, 452
 tribe Hypolytreae 435, 447,
 449, 452
 tribe *Mapanieae* 437, 439,
 446, 447, 460
 tribe Rhynchosporae 446,
 449, 452, 644, 645
 subfam. *Scirpoideae* 450
 tribe *Scirpeae* 447, 449
Cyperus L. 436, 439, 441, 443,
 445*, 446*, 447, 448, 449, 450,
 452, 454, 543, 592, 673, 717
 subg. *Anosporum* Clarke 633
 subg. *Cyperus* 595, 601, 638
 sect. *Abildgaardia* Endl.
 565
 sect. *Alopecuroidei* Cherm.
 595, 603
 sect. *Alternifolii* Kunth 595,
 617
 sect. *Amabiles* Clarke 595,
 629
 sect. *Aristati* Kunth 595,
 630
 sect. *Brevifoliati* Clarke 607
 sect. *Bulbocaulis* Kük. 643
 sect. *Bulbosi* Clarke 604
 sect. *Cephalotes* Valck.Sur.
 596, 633
 sect. *Compressi* Kunth 595,
 617
 sect. *Corymbosi* Kunth 595,
 607
 sect. *Cyperus* 595, 604
 sect. *Dichostylis* (Lestib.)
 Baill. 596, 634
 sect. *Diclidium* (Nees)
 Benth. 596, 645
 sect. *Difformes* Clarke 629
 sect. *Diffusi* Kunth 593,
 595, 619
 sect. *Distantes* Clarke 595,
 609
 sect. *Esculenti* Kük. 604
 sect. *Exaltati* Kunth 595,
 601
 sect. *Fastigiati* Kük. 601
 sect. *Feraces* Kük. 645
 sect. *Flabelliformes* (Clarke)
 Kern 596, 638
 sect. *Flavescentes* Kük. 596,
 651
 sect. *Fusci* Kunth 595, 629
 sect. *Graciles* Benth. ex
 Kük. 624
 sect. *Halpani* Kunth 595,
 623, 624
 sect. *Haspani* 624
 sect. *Humiles* Kunth 596,
 631
 sect. *Incurvi* Kük. 619
 sect. *Iriae* Kunth 595, 616
 sect. *Kyllingioides* Kunth
 596, 643
 sect. *Latifolii* Clarke 611
 sect. *Leucocephali* Cherm.
 632
 sect. *Longispicati a. Distan-*
tes Valck.Sur. 609
 sect. *Longispicati b. Pilosi*
 Valck.Sur. 611
 sect. *Longispicati c. Digitati*
 Valck.Sur. 601
 sect. *Mariscus* (Vahl) Benth.
 596, 641
 sect. *Natantes* Clarke 618
 sect. *Pennati* Kunth 596,
 635
 sect. *Pinnati* Kük. 596, 637
 sect. *Platystachyi* Kunth
 596, 632
 sect. *Proceri* Kunth 595, 611
 sect. *Pseudanosporum*
 Clarke 595, 618
 sect. *Radiantes* Valck.Sur.
 595, 623
 sect. *Remirea* (Aubl.) Koyama
 596, 644
 sect. *Rotundi* Clarke 604
 sect. *Rupestres* Clarke 631
 sect. *Strigosi* Kük. 596, 640
 sect. *Subimbricati* Clarke
 595, 608
 sect. *Subquadrangularis*
 Kük. 608
 sect. *Subulati* Clarke 638
 sect. *Tenelli* Clarke 595, 624
 sect. *Textiles* Clarke 617
 sect. *Thunbergiani* Clarke
 596, 637
 sect. *Tunicati* Clarke 604
 sect. *Umbellati* Clarke 641
 sect. *Zollingeriani* Clarke
 608
 subg. *Iria* L.C.Rich. ex Pers.
 540
 subg. *Kyllinga* (Rottb.) Valck.
 Sur. 596, 653
 sect. *Alati* Kük. 596, 659
 sect. *Eu-Kyllinga* Kük. 655
 sect. *Kyllinga* 442, 596, 655
 sect. *Queenlandiella* (Dom-
 min) Kern 596, 654
 subg. *Mariscus* 593, 631, 638,
 655
 subg. *Pycrus* (Beauv.) Miq.
 596, 646, 655
 sect. *Chrysanthi* Clarke 596,
 648
 sect. *Flavescentes* Kük. 596,
 651
 sect. *Lancei* Kük. 648
 sect. *Latespicata* Kük. 651
 sect. *Pumili* Kük. 596, 650
 sect. *Pycrus* 596, 613, 648
 sect. *Sulcati* Kük. 646
 sect. *Vestiti* (Clarke) Kern
 596, 646
 albus Presl 660
 alopecuroides Rottb. 439, 442,
 593, 596, 603
 var. β *digynus* 603
 var. α 603
 var. γ 603
alternifolius (non L.) Back.
 618
alternifolius L. 617, 618, 660
 ssp. *flabelliformis* Kük. 618
 var. *obtusangulus* Koyama
 618
altus Nees 602
amabilis (non Vahl) Camus
 630
amabilis Vahl 629, 630
anabaptistus Steud. 603
andersonius Boeck. 642
angulatus Nees 648
angustatus R.Br. 437, 442,
 599, 637, 638
angustifolius Nees 630
anomalus Steud. 635
aphyllus Hassk. 655
aquatilis R.Br. 437, 599, 624
aristatus Rottb. 630
armstrongii Benth. 637
aromaticus (Ridl.) Mattf. &
 Kük. 444, 593, 600, 656

- var. *elatus* (Steud.) Kük. 656
articulatus 450
atratus Steud. 647
auricomus (non Sieb.) Benth. 601
 var. *microstachyus* Boeck. 601
auriculatus (non Nees) Steud. 619
babakan Steud. 439, 593, 597, 598, 613, 621
babakensis Steud. 613
bancanus Miq. 621
bancanus (non Miq.) Naves 619
benghalensis Clarke 613
bifax Clarke 605
bispicatus Steud. 601
bowmannii F.v.M. ex Benth. 641
brachiatus Poir. 617
bracteolatus Steud. 646
breviculmis (non R.Br.) F.v.M. 651
brevifolius A.Dietr. 661
brevifolius (Rottb.) Hassk. 436, 442, 593, 600, 656, 658*
 f. *firmiculmis* Kük. 656
 f. *gracilis* Valck.Sur. 656
 f. *pumilus* Valck.Sur. 656
 f. *stellulatus* Valck.Sur. 658
 f. *subtrifoliatus* Valck.Sur. 656
 f. *vaginatus* Valck.Sur. 656
brunnescens Boeck. 660
bulboso-stoloniferus Steud. 607
bulbosus (non Vahl) Camus 604
 var. *elatus* Camus 607
bulbosus Vahl 438, 442, 443, 593, 598, 605
caespitosus (non Poir.) Llanos 625
calacaryensis Steud. 619
calcicola Domin 631
calcicolus 631
calopterus Miq. 609
canescens Vahl 635
capillaris Koenig' ex Roxb. 648
capitatus (non Retz.) Naves 644
caribaeus Rich. ex Pers. 565
carrii Kük. 607
castaneus Willd. 599, 630
 f. *sundaicus* Miq. 630
 var. *brevimucronatus* Kük. 630
cephalotes Vahl 439, 443, 596, 633*
chrysanthus Boeck. 648
chrysomelinus Link 617
cinereobrunneus Kük. 437, 593, 600, 622
clavatus Lamk 660
compactus Retz. 593, 599, 638
 f. *decolorans* Kük. 638
 var. *macrostachys* Kük. 638
 var. *pauciflorus* Kük. 638, 642
compressus L. 436, 597, 599, 600, 617
 var. *brachiatus* Boeck. 617
 var. *capillaceus* Clarke 617
 var. *meyenii* Miq. 617
 var. *pectiniformis* Clarke 617
concolor Steud. 647
corymbosus (non Rottb.) Miq. 615
corymbosus Rottb. 607, 661
 var. *scariosus* Kük. 607
cruentus (non Rottb.) Boeck. 643
crypsoides Kern 656
cuadriflorus 640
curvatus (non Vahl) Llanos 604
cuspidatus Kunth 436, 599, 629, 630*
 var. *angustifolius* Kük. 629
cylindrostachys Boeck. 642
 f. *subcompositus* Valck.Sur. 642
 var. *evolutior* (Clarke) Kük. 642
cyperinus (Retz.) Valck.Sur. 440, 444, 598, 641, 642, 643
 f. *curvatus* Valck.Sur. 642, 643
 f. *maxima* Clarke ex Valck. Sur. 642
 var. *bengalensis* (Clarke) Kük. 642
 var. *laxatus* (Clarke) Kük. 642
 var. *maximus* (Clarke) Kük. 642
 var. *pictus* (Nees) Kük. 642
cyperoides (L.) O.K. 436, 440, 598, 641, 642, 643
 ssp. *cyperinus* Kük. 641
 var. *andersonianus* Kük. 642
 var. *subcompositus* (Clarke) Kük. 642
dehiscens (non Nees) Naves 625
densespicatus Hayata 603
diaphaniria Steud. 616
diaphanus Schrader ex R. & S. 593, 600, 651
 ssp. *setiformis* (Korth.) Kern 653
 var. *diaphanus* 651
 var. *latespicatus* (Boeck.) Kern 653
dietrichiae Boeck. 437, 598, 639*, 640
difformis (non L.) Blanco 498, 615
difformis L. 453, 593, 599, 629
 var. *breviglobosus* Kük. 629
diffusus (non Vahl) Clarke 619
 f. *macrostachyus* Valck.Sur. 619
 var. *pubisquama* Hook. f. 619
diffusus Vahl 439, 440, 600, 619
 f. *microstachyus* Valck.Sur. 619
 f. *turgidulus* Valck.Sur. 619, 621
 var. *celebicus* Kük. 619
 ssp. *bancanus* Kük. 619, 621
 var. *diffusus* 619, 621
 var. *macrostachyus* Boeck. 619, 620*, 621
digitatus (non Roxb.) Kük. 610
digitatus (non Roxb.) Ridl. 601
digitatus Roxb. 436, 439, 597, 601, 602
digitatus (non Roxb.) Valck. Sur. 602
dilutus Vahl 638
 f. *decolorans* Kük. 638
 var. *macrostachys* Boeck. 638
diphyllus (non Retz.) Valck. Sur. 607
disruptus Clarke 605
distans L. f. 439, 598, 609, 610, 640
 f. *pachyanthos* Kük. 610
 var. *pseudonutans* Kük. 610, 613
distans L. f. × *rotundus* L. 660
dubius Rottb. 438, 443, 593, 599, 643
dulcis Rumph. 529
elatus (non L.) Camus 601
 var. *laxus* Camus 601
 var. *macronux* (non Clarke) Camus 602
elatus L. 439, 593, 597, 601, 646
 var. *macronux* Clarke 602
elatus (non L.) Rottb. 610
 var. *graminicola* Miq. 610
elegans (non L.) Boeck. 619
 var. *moestus* Boeck. 619
eleusinoides Kunth 610
eleusinoides (non Kunth) K. Sch. & Laut. 609
engelmannii Steud. 646

- eragrostis* (non Lamk) Vahl 646
 f. *comosus* Valck.Sur. 646
 f. *cyrtostachys* Valck.Sur. 647
 f. *humilis* Valck.Sur. 647
 f. *melanocephalus* Valck. Sur. 647
 f. *sanguinolentus* Valck.Sur. 646
 f. *teysmannii* Valck.Sur. 647
 var. *cyrtolepis* 647
 var. *cyrtostachys* Miq. 647
 var. *humilis* Miq. 647
 var. *sanguinolentus* Miq. 646
esculentus L. 436, 593, 598, 601, 604, 605
eumorphos Steud. 624
exaltatus Retz. 439, 593, 597, 601, 602
 var. *amoena* Clarke 603
 var. *digynus* Willd. 602
 var. *iwasakii* (Makino) Koyama 602
ferax L.C.Rich. 645, 646
 var. *novae-hannoverae* Kük. 643, 646
filicinus Vahl 650
firmus Presl 635
fiabelliformis Rottb. 593, 599, 618
 var. *obtusangulus* Boeck. 618
flavescens (non L.) Benth. 648
flavescens L. 651, 653, 661
flavicomus Michx. 661
flavidus (non Retz.) Clarke 625
 var. *africanus* Camus 625
flavidus Retz. 600, 648
fulvus R.Br. 437, 599, 638
 var. *confusus* (Clarke) Kük. 638
fuscus L. 629
globosus All. 648, 650
 f. *atrosanguineus* Kük. 647
 f. *strictus* Valck.Sur. 648
 var. *latisquamatus* Kük. 647
 var. *nilagiricus* Clarke 648
goeringii Steud. 629
grabowskianus Boeck. 640
graminicola Steud. 610
griffithianus Boeck. 611
griffithii Steud. 623
gymnoleptus Steud. 650
haematodes Endl. 661
haenkeanus Kunth 640
haenkei Presl 646
halpan L. 436, 439, 444, 453, 593, 599, 624, 626*, 627*, 629
 f. *evoluta* Valck.Sur. 625
 f. *flavidus* Valck.Sur. 625
 ssp. *halpan* 625
 ssp. *juncoides* (Lamk) Kük. 625
 var. *americanus* Boeck. 625
 var. *dicanolepis* Miq. 625
 var. *flaccidissimus* Kük. 625
 var. *indicus* Boeck. 625
halpan (non L.) Rottb. 625
haspan 624
hebes Steud. 613
helferi (non Boeck.) Camus 621
hexastachyos B pendulus Nees 661
heyinii Boeck. 611
holciflorus Presl 635
holophyllus Miq. 619
 var. *celebicus* Miq. 619
holoschoenus R.Br. 439, 442, 599, 637
 var. *fuscisquamatus* Kük. 637
humilis (non Kunth) Llanos 617
hyalinus Vahl 438, 440, 443, 593, 600, 632, 654*, 655
imbricatus (non Retz.) Llanos 635
imbricatus Retz. 439, 597, 602, 603
 var. *densespicatus* (Hayata) Ohwi 603
 var. *elongatus* Boeck. 603
 var. *elongatus* Kük. 603
incompletus (non Link) O.K. 642
indicus Rich. ex Pers. 565
inflexus Muehlenb. 631
involutus Poir. 603
iria L. 453, 593, 598, 616, 629
 f. *chrysomelinus* (Link) Kük. 617
 var. *diaphaniria* Miq. 616
 var. *parviflorus* Miq. 616
iwasakii Makino 602
javanicus Houtt. 438, 597, 635, 636*
javanicus Kük. 661
jeminicus (non Rottb.) Clarke 605
juncoides Lamk 625
jungendus Steud. 648
junghuhnii Miq. 648
kernianus Ohwi & Koyama 659
küenthali Merr. 661
kurrii Steud. 610
kurzii (non Clarke) Camus 619
kyllingaeoides Vahl 643
kyllingia Endl. 436, 593, 600, 658, 659
 f. *humilis* Kük. 659
 f. *subtriceps* Kük. 659
 f. *tenuis* Kük. 659
laevigatus L. 661
lagorensis Steud. 619
lamprocarpus Nees 607
lanceolatus Poir.
 var. *compositus* Presl 661
lanceolatus (non Poir.) Presl 648
lanceus Thunb. 661
latespicatus Boeck. 653
 var. *setiformis* Koyama 653
leucocephalus Hassk. 660
leucocephalus (non Retz.) Nees 632
leucocephalus Retz. 632
ligularis L. 637
lipocarpa Koyama 521
litoralis R.Br. 607
longifolius (non Poir.) Decne 619
longus L. 661
 var. β Miq. 608
 var. *badius* (Desf.) Asch. & Gr. 661
longus Rumph. 644
longus (non L.) K.Sch. & Laut. 604
lucidulus (non Klein) Clarke 608
lucidus R.Br. 437, 441, 597, 637
 var. *lucidus* 637
 var. *sanguineo-fuscus* (Nees) Kük. 637
luzonensis Presl 661
luzoniensis Llanos 640
luzulae (L.) Retz. 661
macropus Miq. 623
macrosciadon Steud. 603
maderaspatanus Willd. 631
malaccensis Lamk 439, 453, 593, 597, 613, 615*
 var. *brevifolius* Boeck. 616
manilensis Boeck. 641
marginellus Nees 611
maritimus Poir. 644
maritimus Valck.Sur. 643
mayeri Kük. 607
meistostylus S.T.Blake 437, 593, 600, 622
melanocephalus Miq. 647
melanospermus (Nees) Valck. Sur. 441, 600, 655, 656, 657*
 ssp. *bifolius* (Miq.) Kern 656
 ssp. *melanospermus* 656
 var. *plurifolius* Kük. 661
merrillii Kük. 643
meyenii Nees 617
michauxianus (non Torr.) Valck.Sur. 646
melichianus (L.) Delile
 ssp. *pygmaeus* Aschers. & Graebn. 634
micranthus Presl 625, 661
microcephalus Naves 640
microiria Steud. 617
minutiflorus Presl 625, 661

- mitis Steud. 661
moestus Kunth 619
monocephalus F.v.M. 660
monocephalus Roxb. 633
monogynus Boeck. 633
monophyllus Vahl 616
monostachyos L. 565
montis-sellae K.Sch. 621
micronatus (non Rottb.) Mor. 648
multiflorus 625
multispicatus Boeck. 439, 593, 599, 623
neoguineensis Kük. 437, 593, 600, 621
nervulosus (Kük.) S.T.Blake 442, 600, 651, 652*
nilagiricus Hochst. ex Steud. 648
 f. pauperior (Boeck.) Kük. 648
 var. *pauperior* Hochst. ex Boeck. 648
nitens Retz. 650
nitidulus Boeck. 646
novae-hannoverae Boeck. 646
nutans Vahl 439, 597, 598, 609
 var. *eleusinoides* (Kunth) Haines 610
 var. *nutans* 609
 var. *subprolixus* Kük. 610
nutans (non Vahl) Valck.Sur. 613
nuttalii (non Torr.) Llanos 616
obliquus Nees 611
obscurus Nees 603
odoratus (non L.) Back. 649
odoratus L. 436, 439, 443, 596, 645
ohwii Kük. 439, 592, 597, 602
ornans Valck.Sur. 641
 var. *stenophyllus* Kük. 641
ornatus R.Br. 611
ovatus Llanos 635
pachycephalus Kern 437, 593, 597, 634
pallidus Nees 618
pangorei Rottb. 661
panicus (Rottb.) Boeck. 442, 598, 642, 643
 var. *roxburghianus* (Clarke) Kük. 643
panicus (non Boeck.) O.K. 641
paniculatus Rottb. 649
papuanus (non Ridl.) Kük. 622
papuanus Ridl. 621
papyrus 593, 596
parviflorus (non Vahl) Nees 616
parviflorus Vahl 635
pauciflorus Steud. 613
pectiniformis R. & S. 617
pedunculatus (R.Br.) Kern 436, 438, 442, 443, 450, 593, 597, 644, 645*
pedunculatus F.v.M. 437, 439, 600, 621
 var. *alatus* Kük. 621
 var. *atrocastaneus* Kük. 621
 var. *floribundus* Kük. 621
pennatus Lamk 635
 var. *armstrongii* (Benth.) Kük. 637
pennatus (non Lamk) Zoll. 613
petraeus Hochr. 632
philippensis Presl 661
pilosus Vahl 439, 598, 611, 614*
 f. babakensis Valck.Sur. 613
 f. badius O.K. 611
 f. pallidus O.K. 611
 var. *babakensis* Clarke 613
 var. *contractus* Kük. 611
 var. *muticus* Boeck. 611
 var. *obliquus* Clarke 611
 var. *polyanthus* Clarke 611
piptolepis Steud. 611
 var. β 613
 var. *contractus* Miq. 613
 var. *pyrophilus* Miq. 613
platyphyllos Ridl. 621
platystylis R.Br. 439, 443, 599, 618, 634
polystachyos Rottb. 436, 439, 444, 600, 646, 648, 649
 f. longispiculatus Valck.Sur. 650
 var. *laxiflorus* Benth. 649
 var. *leptostachyus* Boeck. 650
procerus Rottb. 439, 593, 598, 611, 612*, 613
 f. lasiorhachis Valck.Sur. 611
 var. *griffithianus* (Boeck.) Kük. 611
 var. *lasiorhachis* Clarke 611
pubisquama Steud. 619
pulchellus R.Br. 599, 632
pulcherrimus Willd. ex Kunth 439, 593, 599, 624
 f. rectiglumis Valck.Sur. 624
 var. *rectiglumis* Kük. 624
pulvinatus Nees & Mey. ex Nees 650
pumilus (non L.) Benth. 651
pumilus L. 600, 650, 651*
 f. borneensis Clarke 650
 var. *nervulosus* Kük. 651
 var. *punctatus* Clarke 650, 651
pumilus (non L.) Nees 655
punctatus Roxb. 650
puncticulatus (non Vahl) Kük. 611
pusillus (non Vahl) Nees 630
pygmaeus (non Rottb.) S.T. Blake 634
pygmaeus Rottb. 439, 593, 596, 634
 var. *melichianus* Boeck. 634
pyrophilus Reinw. ex Miq. 613
quadriflorus Llanos 640
racemosus (non Retz.) Mor. 619
racemosus Retz. 601
 var. *spiculis infuscatis* Nees 603
racemosus (non Retz.) K.Sch. & Hollr. 601
radians Kunth 438, 443, 593, 599, 623
 var. *compositus* Kük. 623
 var. *griffithii* Kük. 623
radiatus (non Vahl) Camus 601
radicans 623
ramosii Kük. 608
retzii Nees 605
rheedii F.v.M. 642
rigidulus Ridl. 621, 622
rotundatus 604
rotundus (non L.) Benth. 607
rotundus L. 442, 450, 453, 593, 594*, 598, 604
 ssp. *retzii* (Nees) Kük. 605
 ssp. *rotundus* 604
 ssp. *tuberosus* (Rottb.) Kük. 605
 var. *carinalis* Benth. 608
 var. *centiflorus* Clarke 605
 var. *disruptus* Kük. 605
 var. *elongatus* Boeck. 605
 var. *pallidus* Benth. 605, 607
 var. *pseudesculentus* Kük. 605
rotundus (non L.) Presl 608
rotundus I bulbosus sive legitimus Rumph. 604
rotundus floridus II mas Rumph. 649
rubicundus Vahl 631
rubroviridis Cherm. 608
rupestris Kunth 631
sanguineo-fuscus Nees 637
sanguinolentus Vahl 439, 600, 629, 646, 648
 f. cyrtostachys Kük. 647
 f. humilis Kük. 647
 f. melanocephalus Kük. 647
 ssp. *cyrtostachys* (Miq.) Kern 647
 ssp. *melanocephalus* (Miq.) Kern 441, 647
 ssp. *sanguinolentus* 647
 ssp. *teysmannii* (Boeck.) Kern 647
 var. *teysmannii* Kük. 647
scariosus R.Br. 439, 450, 597, 607
scariosus (non R.Br.) Valck.

- Sur. 608
schoenoides Banks & Sol. 667
scirpoides (non Vahl) Presl 619
scoparius (non Poir.) Decne 601
seminudus Zoll. 616
septatus Steud. 640
sesquiflorus (Torr.) Mattf. & Kük. 436, 600, 658, 659
 ssp. *cylindricus* (Nees ex Wight) Koyama 659
 var. *cylindricus* Kük. 659
 var. *subtriceps* (Nees) Koyama 659
setaceus Retz. 534
setiformis Korsh. 653
sexiflorus R.Br. 661
sieberi Kunth 638
sieberianus Schum. 642
silletensis (non Nees) Camus 624
silletensis (non Nees) Elmer 650
sinensis Debeaux 623
solutus Steud. 630
sorostachys Boeck. 632
sorzogonensis Presl 619
spaniophyllus Steud. 615, 616
sphacelatus Rottb. 444, 593, 598, 609, 617
 var. *tenuior* Clarke 608
spicatus Presl 603
squarrosus (non L.) F.v.M. 630
squarrosus L. 442, 597, 599, 631, 632, 651, 655
stenophyllus Valck.Sur. 598, 640, 643
 var. *ornans* Kük. 640
stenostachys (non Benth.) Valck.Sur. 661
stuedelianus (non Boeck.) Naves 641
stigmatosus Steud. 635
stolonifer 606
stoloniferus Retz. 438, 442, 443, 593, 598, 606*, 622
stramineus Nees 653
strictus Roxb. 648
strigosus L. 640
strigosus (non L.) Llanos 601, 649
stuppeus Forst. f. 635
subpappuanus Kük. 437, 592, 599, 622
subrigidulus Kük. 621, 622
subrotundus Llanos 629
substramineus Kük. 437, 593, 600, 653
subulatus R.Br. 638
sulcinus Clarke 600, 650
sundaicus Naves 641
tegetiformis (non Roxb.) Benth. 615
tegetiformis Roxb. 661
tegetum (non Roxb.) Ridl. 615
tenellus L. f. 624
teneriffae Poir. 440, 593, 599, 631, 632*, 655
 f. *petraeus* (Steud.) Kük. 632
tenuiculmis Boeck. 598, 608, 609
tenuiflorus Rottb. 661
tenuiflorus Roxb. 661
tenuiflorus (an Rottb.?) Valck. Sur. 661
tenuispica Steud. 439, 593, 599, 625, 628*
teretifractus 649
teretifructus Steud. 649, 650
teysmannii Boeck. 647
thunbergii Vahl 637
transitorius Kük. 655
trialatus (Boeck.) Kern 600, 621 map
triceps (Rottb.) Endl. 600, 659, 661
trichostachys Benth. 640
trinervis R.Br.
 var. *aquatilis* Kük. 624
tuberosus (non Rottb.) Kunth 607
tuberosus Rottb. 605, 661
turgidulus Clarke 621
umbellatus Benth. 642
 f. *cyperinus* Clarke 641
 var. *cylindrostachys* Clarke 642
 var. *paniceus* Clarke 643
umbellatus (non Benth.) Naves 641
uncinatus (non Poir.) Clarke 630
unioloides R.Br. 436, 600, 648, 653
venustus R.Br. 602
venustus (non R.Br.) Mor. 611
venustus (non R.Br.) Nees 601
verticillatus Roxb. 603
viridulus Valck.Sur. 659
vulgaris Kunth 648
 var. *polylepis* Miq. 648
 var. *teretifructus* Miq. 649
weinlandii Kük. 605
xanthopus Steud. 610
zollingeri (non Steud.) Clarke 608
 var. *condensatus* Kük. 608
zollingeri Steud. 593, 598, 608
zollingerianus Koyama 522
 Cyttaria 279
 Dacrydium 294, 663*
 beccarii 269
 elatum 270, 403
 Dacryodes
- sect. *Pachylobus* 822
 sect. *Tenuipyrena* 822
costata (Benn.) H.J.Lam 820
edulis 822
expansa (non H.J.Lam) Kalkm. 820
expansa (Ridl.) H.J.Lam 821
kingii 821
laxa 821
longifolia 822
macrocarpa (King) H.J.Lam 820
 var. *kostermansii* (Kalkm.) Kalkm. 821
 var. *macrocarpa* 821
 var. *merrillii* H.J.Lam 820
 var. *patentinervia* Leenh. 820, 821
 multijuga Leenh. 821
nervosa (H.J.Lam) Leenh. 821
Dapania Korth. 151, 152, 153, 161, 166, 175
grandifolia Veldk. 167 map, 168*
griffithii Knuth 170
macrophylla (King) Knuth 171
monophylla Knuth 172
pentandra 151, 152, 167
racemosa Korth. 167 map
scandens Stapf 167
 Datisceaceae 4: 382-387; 7: 823
Decaloba (DC.) Roem. 407
Deidamia 405
 clematoides 406
Delima sarmentosa L. 824
Diaphora cochinchinensis Lour. 733
 Dichapetalaceae 5: 305-316; 567; 6: 941-943; 7: 823
Dichapetalum Thou. 87, 823
 helferianum (Kurz) Pierre 824
 papuanum (Becc.) Boerl. 824
 timoriense (DC.) Boerl. 7
Dichostylis Lestib. 634
 aristata Palla 631
 castanea Palla 630
 cuspidata Palla 630
 nitens Palla 650
 pygmaea Nees 634
 radiata Palla 603
Dididium Schrader ex Nees 645
 elatum Nees 646
Dilkea 405
Dillenia L. 824
 borneensis Hoogl. 826
 castaneifolia (Miq.) Diels 826
 celebica Hoogl. 825
 cycloensis Hoogl. 824
 diantha Hoogl. 824, 826
 exima Miq. 826, 827
 fagifolia Hoogl. 826
 grandifolia Wall. ex Hook. f. & Th. 826, 827
 insularum Hoogl. 825, 826

- luzoniensis Merr. 826
 marsupialis Hoogl. 826
 megalophylla Merr. 825
 montana Diels 825
 nalagi Hoogl. 825, 826
 ovalifolia Hoogl. 825
 var. *ovalifolia* 825
 var. *sericea* Hoogl. 825
 papyracea Merr. 824, 825
 pteropoda (Miq.) Hoogl. 824, 825
 quercifolia (Lane Poole) Hoogl. 826
 reifferscheidia Villar 826, 827
 talaudensis Hoogl. 826
Dilleniaceae 4: 141-174; 5: 557; 6: 933; 7: 824-827
Dimorphanthera F.v.M. 827
 alba 827
 anchorifera 827
 brassii 827
 clemensiae 827
 declinata 827
 denticulifera 827
 elegantissima 827
 forbesii 827
 gracilis 827
 kempteriana 827
 splendens 827
 tridens 827
Diorykandra Hassk. 180
Dioscorea sativa L. 95
Dioscoreaceae 4: 293-335; 5: 557; 7: 806
Diospyros cauliflora Bl. 192
maritima Bl. 794
Diplacrum R.Br. 722, 724, 726, 749
caricinum R.Br. 749
 var. *sumatranum* Miq. 751
pygmaeopsis Koyama 749
reticulatum Holtt. 751
tridentatum Brongn. 751
zeylanicum Nees 751
Diplazia 451
Diporidium Wendl. f. 99
decaisnei Tiegh. 101
Dipsacaceae 4: 290-292; 5: 557
Dipterocarpaceae 488
Discladium Tiegh. 99
Discomycetes 279
Disemma Labill. 409, 411
adianthifolia DC. 415
aurantia Labill. 415
barclayi Seem. 415
baueri 415
baueriana Endl. 415
brachystephanea F.v.M. 415
caerulescens Seem. 415
caleyana Roem. 416
coccinea DC. 415
herbertiana DC. 416
 var. *caleyana* DC. 416
horsefieldii Miq. 413
 var. *teysmanniana* Miq. 413
moluccana Miq. 413
muelleriana Regel 416
penangiana Miq. 423
storckii Seem. 475
sumatrana Miq. 414
timoriana Miq. 413
vitiensis Seem. 415
Distemma 411
adianthifolium Lemaire 415
aurantiacum Lemaire 415
eglandulosum Lemaire 416
Ditepalanthus 787
Dracontomelum papuanum Laut. 820
Drosera 135
Droseraceae 4: 377-381; 5: 557; 6: 943; 7: 135
Dryobalanops 482
Dryophyllum 266, 403
Duvaljouvea Palla 592
babakensis H.Pfeiff. 613
diluta Palla 640
maritima Palla 644
pennata Palla 635
pilosa Palla 613
procera H.Pfeiff. 611
Dysosmia (DC.) Roem. 407

Echinolytrum Desv. 590
dipsaceum Desv. 590
Echinoschoenus Nees & Mey. ex Nees 715
Efulensia 405
Eichhornia 439
Elaeocarpus integerrimus Lour. 99
integrifolius Blanco 31
Elatinaceae 4: 203-206
Elatostema sp.
Eleocharis R.Br. 436, 439, 443, 446, 447, 452, 454, 455, 521, 522, 538, 543
 sect. *Aciculares* C.B.Clarke 535
 sect. *Chaetarieae* C.B.Clarke 534
 sect. *Leiocarpeae*
 a. *Tenuissimae* C.B.Clarke 533
 ser. *Aciculares* (Clarke) Svens. 524, 535
 ser. *Acutae* S.T.Blake ex Kern 534, 533
 ser. *Intermediae* Svens. 531
 ser. *Maculosae* Svens. 536
 subser. *Rigidae* Svens. 524, 536
 ser. *Multicaules* Svens. ex Kern 524, 531
 ser. *Mutatae* Svens. 523, 525
 ser. *Ovatae* 537
 ser. *Palustriformes* Svens. 535
 subser. *Palustres* (Clarke) Svens. 524, 535, 536
 ser. *Pauciflorae* Svens. 523, 524, 537
 ser. *Tenuissimae* (Clarke) Svens. 524, 533
 subser. *Chaetarieae* (Clarke) Svens. 524, 534
 subser. *Leiocarpeae* (Clarke) Svens. 524, 533
 ser. *Tuberculosae* Svens. 531
 subg. *Eleogenus* c. *Palustres* C.B.Clarke 535
 subg. *Limnochloa* C.B.Clarke 525
acicularis (L.) R. & S. 437, 523, 525, 535
 var. *longiseta* Svens. 535
acuta R.Br. 437, 524, 533
acutangula (Roxb.) Schult. 524, 525
afflata Steud. 532, 534
alta Boeck. 537
anceps Ridl. 534
atropurpurea (Retz.) Presl 525, 536, 537
atropurpurea Franch. 536
attenuata (Franch. & Sav.) Palla 437, 441, 523, 525, 532, 533
 f. *laeviseta* (Nakai) Hara 532
brainii 534
brassii S.T.Blake 528
brevicollis Kern 437, 525, 535
calocarpa Cherm. 528, 529
capitata R.Br. 536
caribaea S.F.Blake 536
cellulosa Torr. 528
chaetaria R. & S. 534
 var. *subbiflora* Kunth 534
confervoides Miq. 505, 534
congesta D.Don 441, 523, 525, 532, 534
 var. *congesta* 532
 var. *japonica* (Miq.) Koyama 532
costulata Nees & Mey. ex Kunth 535
difformis S.T.Blake 528
dulcis (Burm. f.) Henschel 439, 453, 523, 524, 529, 530*, 531
equisetina Presl 529
erythrochlamys Miq. 531
fistulosa (non Link) Back. 528
fistulosa (non Schult.) Benth. 526
fistulosa Schult. 525
flaccida Urb. 505
geniculata (L.) R. & S. 436, 525, 536, 537
helenae Busc. & Muschl. 534
indica Druce 530
japonica Miq. 532

- kuroguwai Ohwi 531
laeviseta Nakai
 var. *major* Hara 532
laxiflora H.Pfeiff. 528
maculosa (Vahl) R. & S. 536
major Hara 532
microcarpa (non Torr.) Clarke 533
microcarpa Torr. 533
mucronulata Nees 533
multicaulis (Sm.) Sm. 531
mutata (L.) R. & S. 525, 527
nigrescens (Nees) Steud. 436, 525, 533, 534
nuda C.B.Clarke 527
nuda (non Clarke) Svens. 526, 527
obtusata (Willd.) Schult. 537
ochreatea (non Nees, nec Steud.) Clarke 536
ochrostachys Steud. 523, 524, 527, 528, 529*
ovata R.Br. 537
ovata (Roth) R. & S. 537
palustris (L.) R. & S. 535
parvula (R. & S.) Link ex Bluff 436, 438, 523, 525, 537
pauciflora (Lightf.) Link 537
pellucida (non Presl) S.T. Blake 532
pellucida Presl 532, 533
 f. *attenuata* Ohwi 532
perrieri Cherm. 533
philippinensis Svens. 524, 526*
planiculmis Steud. 525
plantaginea R. & S. 529
plantaginoidea W.F.Wight 530
plantaginoides Domin 530
plicarhachis (Griseb.) Svens. 527
pusilla R.Br. 535, 537
pygmaea Torr. 534
quinqueflora (Hartm.) Schwarz 537
retroflexa (Poir.) Urb. 436, 439, 505, 524, 534
schweinfurthiana Boeck. 533, 534
setacea R.Br. 534
setacea (non R.Br.) Merr. 534
soloniensis (Dubois) Hara 537
sphacelata (non R.Br.) Benth. 530
sphacelata R.Br. 437, 441, 453 (as *sphacelatus*), 531
spiralis (Rottb.) R. & S. 438, 524, 527, 528
subprolifera Steud. 532
subulata Boeck. 528
subvivipara Boeck. 532
sundaica Kern 437, 524, 527
svensonii Zinserl. 535
tenuissima Clarke 533
tetraquetra Nees 441, 523, 525, 531, 532, 533, 537
 var. *micranthera* Ohwi 531
tristachyos Mor. 514
tuberosa R. & S. 529
tuberosa R. & S. s.s. 530
tumida R. & S. 529
variegata (nec Presl, nec Kunth) Boeck. 525, 528
variegata Kunth 537
variegata (non Presl, nec Kunth) Merr. 527
variegata (Poir.) Presl 436, 524, 528
 var. *laxiflora* Clarke 528
 var. *laxiflora* (non Clarke) Clarke 526
yokoscensis Tang & Wang 535
Eleogiton Link 502
curvulus Nees 502
fluitans Link 502
 f. *curvula* Miq. 502
 f. *tenerior* Miq. 502
 var. *fasciculata* Miq. 502
Ellipanthus tomentosus Kurz 823
 var. *gibbosus* (King) Leenh. 823
Elyna Schrad. 445, 751
Elynanthus Nees 663
Engelhardia 268, 269, 281
Enhydria aquatica Vell. 828
Epacridaceae 6: 422-444, 943
Epilithes Bl. 246
 coccinea Bl. 246, 248
Epilithos 246
Ericaceae 6: 469-914, 943; 7: 141, 827
Ericales 139
Eriobotrya bengalensis (Roxb.) Hook. f. 192
Eriophorum 444
 latifolium 450
Erythrobalanus O.Schwarz 274, 276, 387
Erythrocarpus Roem. 417, 424
 populifolius Roem. 427
Erythrospermum 212
Erythroxylaceae 5: 543-552
Eucalyptus 588, 710, 794
Eufimbristylis aestivalis 585
Eugenia 268, 375, 805
Emyriophyllum 249
Euonymus crenulatus Wall. 795
Euphorbiaceae 10, 89, 178
Euphorbiales 274
Euphrasia 151
Euthemis Jack 97, 98, 108
 ciliata Pierson 110
 elegantissima Wall. 104
 engleri Gilg 110
 hackenbergii Diels 110
 leucocarpa Jack 108
 var. *latifolia* Miq. 108
 minor Jack 108, 109*
 obtusifolia Hook. f. 110
 pulcherrima Wall. ex Benn. 104
 robusta Hook. f. 108
Exorhopala Steen. 783, 784, 785, 787, 788, 790
ruficeps (Ridl.) Steen. 789
 map, 790*
Fagaceae 265-403, 265 map
 subfam. *Castaneoideae* 275, 276
 subfam. *Castanineae* Oerst. 274
 subfam. *Fagineae* Oerst. 274
 subfam. *Fagoideae* 276
 subfam. *Quercineae* Oerst. 274
 subfam. *Quercoideae* 276
 tribe *Castaneae* Prantl 274
 tribe *Fageae* Prantl 274
Fagaster Spach 277
Fagophyllum 266
Fagoxylon 266
Fagraea auriculata Jack
 ssp. *auriculata* 828
 ceilanica Thunb. 828
 resinosa Leenh. 828
Fagus 266, 267, 268, 272, 273, 274, 275, 276, 278 map, 279, 280
 sect. *Eufagus* A.DC. 278
 sect. *Nothofagus* A.DC. 278
 subg. *Calucechinus* Miq. 278
 subg. *Calusparassus* Miq. 278
 argenta Bl. 311
 javanica Bl. 306
 sylvatica 270, 272
Ficinia foliaceo-bracteata Pfeiff. 633
Ficoideaceae, see *Aizoaceae*
Ficus austrocaledonica Bur. 794
 baroni Bak. 803
 cocculifolia Bak.
 ssp. *sakalavarum* Bak. 803
 fistulosa Reinw. ex Bl. 788
 lepicaarpa Bl. 798
 prolixa Forst. 794
 religiosa L. 803
 ribes Reinw. ex Bl. 798
 schlechteri Warb. 794
 septica Burm. f. 798
 tinctoria L. f. 803
 villosa Bl. 798
Fimbristylis Vahl 436, 443, 446*, 447, 448, 449, 450, 452, 454, 523, 538, 540, 543, 673
 sect. *Abildgaardia* (Vahl) Benth. 447, 543, 565
 sect. *Actinoschoenus* (Benth.) Kern 447, 543, 591
 sect. *Cymosae* Ohwi 543, 554
 sect. *Dichelostylis* Benth. 543, 572
 sect. *Dichotomae* Ohwi 575

- sect. *Dipsaceae* Ohwi 543, 590
 sect. *Echinolytrum* Ohwi 590
 sect. *Eufimbristylis* Boeck. 575
 sect. *Ferrugineae* Ohwi 572, 586
 sect. *Fimbristylis* 543, 575
 sect. *Fuscae* Ohwi 543, 559, 565
 sect. *Globulosae* Ohwi 550
 sect. *Heleocharoides* Benth. 543, 563
 sect. *Leptocladae* Ohwi 543, 560
 sect. *Miliaceae* Ohwi 543, 550
 sect. *Mischospora* (Boeck.) Camus 543, 589
 sect. *Neodichelostylis* Camus 543, 586
 sect. *Nutantes* Ohwi 543, 588
 sect. *Oncostylis* Benth. & Hook. 537, 540
 sect. *Pogonostylis* (Bertol.) Pax 543, 583
 sect. *Rigidulae* Kern 543, 580
 sect. *Signatae* Kern 543, 564
 sect. *Squarrosae* Ohwi 583
 sect. *Tenerae* Kern 543, 558
 sect. *Tetragonae* Ohwi 589
 sect. *Trichelostylis* (Lestib.) Boeck. 543, 548
 sect. *Trichelostylis* A. Gray 548
 ser. *Autumnales* Ohwi 548
 ser. *Cymosae* Ohwi 554
 ser. *Dichotomae* Ohwi 575
 ser. *Echinolytrum* Koyama 590
 ser. *Ferrugineae* Ohwi 572, 586
 ser. *Heleocharoides* Koyama 563
 ser. *Leptocladae* Ohwi 560
 ser. *Miliaceae* Ohwi 550
 ser. *Monostachyae* Ohwi 565
 ser. *Nutantes* Ohwi 588
 ser. *Squarrosae* Ohwi 584
 subg. *Bulbostylis* 540
abjiciens Steud. 590
acicularis R.Br. 542, 546, 564, 589
actinoschoenus (non Clarke) Camus 539
actinoschoenus Clarke 591
 var. *chinensis* Clarke 591
 var. *thouarsii* Clarke 591
acuminata Vahl 439, 546, 588, 589
 var. β 588
 var. *minor* Nees ex Boeck. 589
 var. *pumila* Nees 589
 var. *setacea* Miq. 589
acutifolia
 var. *minor* 589
adenolepis Kern 437, 442, 542, 544, 566
aestivalis (non Vahl) Clarke 584
aestivalis (Retz.) Vahl 439, 542, 548, 584, 585
 f. *glabra* Kük. 584
 var. *aestivalis* 584
 var. *esquarrosa* Koyama 585
 β *glaberrima* Boeck. 584
 var. *macrostachya* Benth. 584
 var. *squarrosa* Koyama 585
 var. *trichopoda* Kern 584
affinis Presl 575, 576
alata Camus 575
albescens Steud. 586
alboviridis Clarke 547, 548, 580, 581*
alleizettei Camus 573
ambigua Steud. 575
amblyphylla Steud. 549
anceps Steud. 549
androgyna R.Br. 589
angustifolia Ridl. 566
anisoclada Ohwi 442, 546, 553
annamica Camus 573
annua (non R. & S.) S.T.Blake 576
annua (non R. & S.) Merr. 575
annua (All.) R. & S. 576, 579
 var. *diphylla* Kük. 575
 var. *gracilis* Back. 579, 583
 var. *pluristriata* Back. 580
 var. *podocarpa* Kük. 577
aphylla Steud. 439, 542, 545, 552, 553
argentea (Rottb.) Vahl 438, 547, 586
armerioides Beetle 539
arnottii Thw. 590
arvensis Vahl 572, 573
asperrima Boeck. 554
asperrima (non Boeck.) Ridl. 548
atollensis St. John 557
australica Boeck. 589
autumnalis (L.) R. & S. 548, 550, 553
 var. *complanata* Kük. 549
 var. *microcarya* Kük. 550
autumnalis (non R. & S.) Vidal 549
 var. *gracilis* Boeck. 549
baldwiniana (Schult.) Torr. 576
barbata Benth. 539
benghalensis R. & S. 552
biflora Boeck. 565
bispicata Nees 573
 var. *monostachya* Nees 573
bisumbellata (Forsk.) Bub. 442, 547, 579, 584
blepharolepis Kern 437, 442, 544, 550
boninensis Hayata 577
brachyphylla Presl 557
brachyphylla Schult. 557
brevifolia R.Br. 557
brevifolia Presl 557
brizoides Sm.
 var. Nees 575
bursifolia Vidal 589
caesia Miq. 437, 547, 574*
calicicola Kern 437, 440, 542, 544, 572
calocarpa Steud. 575
capillacea Hochst. ex Steud. 538
capilliculmis Ohwi 437, 545, 549
capitulifera Merr. 557, 558
cardiocarpa F.v.M. 592
cardiocarpa (non F.v.M.) Kük. 563
celebica Ohwi 438, 546, 587, 588*
chinensis Tang & Wang 591
ciliolata Steud. 557
cincta Nees 577
cinnamometorum (Vahl) Kunth 442, 544, 565
circinnata Steud. 575
clavinux Clarke 560
communis Kunth 575
 var. *gracillima* Ridl. 575
complanata (Retz.) Link 436, 439, 545, 548, 549, 555
 var. *kraussiana* Clarke 549
 var. *kraussiana* (non Clarke) Usteri 549
 var. *laeviculmis* Miq. 548
 var. *microcarpa* 550
 var. *microcarya* Clarke 550
compressa F.-Vill. 565
connectens Thw. 549
consanguinea Kunth 441, 542, 545, 549, 550
corniculata Merr. 562
cumingii F.-Vill. 539
cylindrocarpa Kunth 590
cymosa R.Br. 436, 438, 443, 546, 548, 554, 557
 ssp. *umbellato-capitata* Koyama 558
 var. *subcapitata* Clarke 557
cyperoides R.Br. 565, 566, 567
 var. *cinnamometorum* Clarke 565
cyrtophylla Miq. 572
dallachyi F.v.M. ex Benth. 569
dasyphylla Miq. 558
debilis F.v.M. 564
debilis Steud. 564
decora Nees & Mey. 558
densa Koyama & Chuang 538
depauperata R.Br. 576
dichotoma (non Vahl) Camus 584
dichotoma (non Vahl) Kunth 579
dichotoma (non Vahl) Presl 584

- dichotoma* (L.) Vahl 436, 542, 543, 547, 560, 575, 579, 583, 592
 ssp. *depauperata* (R.Br.) Kern 576
 ssp. *dichotoma* 576
 ssp. *longispica* Koyama
 var. *boninensis* Koyama 577
 ssp. *podocarpa* Koyama 577
 var. *villosa* Vahl 579
dictyocolea S.T.Blake 442, 542, 545, 563
diphylla (non Vahl) Ridl. 549
diphylla (non Vahl) K.Sch. & Laut. 577
diphylla Vahl 575
 f. *malasica* Clarke 579
 var. *depauperata* Clarke 576
 var. *pluristriata* Clarke 575, 580
 var. *podocarpa* Kük. 577
 var. *spirostachya* Clarke 576
dipsacea (Rottb.) Clarke 439, 544, 547, 590
 var. *verrucifera* Koyama 590
disticha Boeck. 437, 441, 544, 571
 var. *dallachyi* Clarke ex Domin 569
 var. *kurzii* Clarke 571
disticha (non Boeck.) Camus 560
disticha (non Boeck.) Kük. 569
dura (Zoll. & Mor.) Merr. 440, 543, 546, 554, 555
efoliata Steud. 543, 551
eragrostis (Nees) Hance 442, 544, 546, 567
erythradenia Camus 566
exilis R. & S. 560
falcata (Vahl) Kunth 442, 546, 557
fenestrata Kük. 545, 592
ferruginea (non Vahl) Decne 572
ferruginea (L.) Vahl 436, 438, 439, 547, 572, 573, 576
 var. *foliata* Benth. 573
 var. *sieberiana* Boeck. 573
ferruginea (non Vahl) Vidal 582
filiformis Kunth 564
filiformis H.Pfeiff. 591
fimbristylloides (F.v.M.) Druce 442, 544, 559, 569
flaccida Steud. 551
flaccidula Steud. ex Zoll. 551
fulvescens (Thw.) Thw. 544, 569, 570*
furva R.Br. 437, 442, 542, 545, 562
 fusca (Nees) C.B.Clarke 442, 542, 544, 565, 566, 567, 568*, 569, 582
 fusca (non Clarke) Merr. 566
 var. *hispidissima* Kük. 566
 fuscoides (non Clarke) Camus 571
 fuscoides Clarke 440, 544, 566
 fuscoides (non Clarke) Henders. 571
 germainii Camus 543, 575
 globulosa (Retz.) Kunth 439, 444, 542, 543, 545, 546, 551, 552
 var. *aphylla* Miq. 551, 552
 var. *foliata* Boeck. 551
 var. *javanensis* H.Pfeiff. 551
 var. *robusta* O.K. 551
 var. *torresiana* Clarke 551
 globulosa (non Kunth) Ohwi 553
 glomerata Nees ex Kunth 557
 gracilentia Hance 548, 580, 585
 var. *psilopoda* Kern 580, 586
 griffithiana Steud. 584
 griffithii Boeck. 439, 547, 584
 haenkei Presl ex Dietr. 557
 hanceana Boeck. 582
 haspaniformis Koyama 553
 hispidula (Vahl) Kunth 436, 538, 542, 544, 560, 561*
 horsfieldii Clarke 549
 insignis Thw. 442, 546, 555, 583, 592
 intonsa S.T.Blake 439, 542, 544, 571
 juncea (non R. & S.) Boeck. 586
 juncoformis Kunth 557
 var. *latifolia* (non Clarke) Camus 558
 kamphoeveneri Boeck. 565
 kraussiana Hochst. ex Krauss 549
 lacei Turr. 569
 laevissima Steud. 557
 lanceolata Clarke 442, 542, 545, 562, 563
 lepidota Camus 567
 leptoclada Benth. 545, 560
 var. *etuberculata* Kern 560
 var. *leptoclada* 560
 limosa Poepp. 585
 lineatisquama Ohwi 438, 547, 577
 littoralis Gaudich. 436, 439, 444, 453, 542, 545, 551, 553, 553
 var. *littoralis* 551
 var. *macrostachya* (Kern) Kern 552
 longifolia S.T.Blake 573
 longispica (non Steud.) Camus 572
 longispica (non Steud.) Clarke 575
 longispica (non Steud.) Ridl. 555, 592
 longispica Steud. 576, 592
 var. *boninensis* Ohwi 577
 macassarensis Steud. 438, 442, 545, 562, 563*
 macgillivrayi Clarke 561
 makinoana Ohwi 585
 malaccana Boeck. 564
 malayana Ohwi 438, 440, 542, 544, 571
 marginata Labill. 572
 marianna Gaud. 573
 var. *foenea* Kük. 573
 maxima K.Sch. 573
 merrillii Kern 547, 579, 585
 microcarya F.v.M. 442, 545, 550, 577
 miliacea (L.) Vahl 439, 545, 551, 552
 f. *tenerrima* Valck.Sur. 551
 var. *macrostachya* Kern 552
 var. *validor* Miq. 551, 552
 monostachya 565
 monostachya (non Hassk.) Back. 574
 monostachyos (L.) Hassk. 565
 monticola (non Steud.) Back. 549
 nanofusca Tang & Wang 569
 nigrobrunnea (non Thw.) Kük. 566
 nigrobrunnea Thw. 567
 var. *thorelii* Camus 559
 novae-britanniae Boeck. 575
 nutans (non Vahl) Naves 573
 nutans (Retz.) Vahl 546, 588, 589
 var. *minor* Camus 588
 obtusata (Clarke) Ridl. 545, 546, 559
 onchnidiocarpa Kern 559
 ovata (Burm. f.) Kern 442, 544, 565, 592, 680
 oxyrhachis Miq. 590
 pacifica Ohwi 573
 pallescens Nees 579
 paludosa Merr. 553
 pauciflora R.Br. 439, 543, 545, 563, 564, 567
 paucispicata F.v.M. 573
 paupercula (non Boeck.) Kük. 549
 perlaxa Ohwi 439, 547, 580, 586
 petrogena Ohwi 555
 phaeoleuca S.T.Blake 550
 piertotii Miq. 437, 440, 542, 546, 555
 pilosa (non Vahl) Presl 575
 pinetorum Merr. 555
 platystachys Boeck. 559, 560

- var. *schultzii* Domin 559
pluristriata Berh. 577
podocarpa Nees & Mey. ex Nees 576
podocarpa (non Nees) Ridl. 573
polymorpha Boeck. 575
 var. *c* 573
polytrichoides (Retz.) R.Br. 438, 546, 586, 587
polytrichoides (non R.Br.) Ridl. 572
preslii Kunth 560
propinqua R.Br. 585
puberula Back. ex Steen. 540
pubescens Link 560
pumila Benth. 564
pycnocephala Hillebr. 557, 558
pycnostachya Hance 567
quinquangularis (non Kunth) Koord. 552
quinquangularis (Vahl) Kunth 552, 553
 f. *abludens* Back. 550
 var. *crassa* Clarke 552
ramosii Kük. 575
recta F.M.Bail. 437, 442, 542, 545, 561
retusa Thw. 560
retzii 557
rhyticarya F.v.M. 588
rigida Kunth 557
rigidifolia Ridl. 567, 569
rigidula (non Nees) Merr. 555
rigidula Nees 548, 580, 582, 583
salbundia (non Kunth) Boeck. 552
salbundia (Nees) Kunth 441, 542, 546, 551, 552, 553
scaberrima Nees 438, 543, 544, 546, 555, 556*
schlechteri Kük. 567
schoenoides (non Vahl) Back. 573, 577
schoenoides (Retz.) Vahl 547, 573
 var. β 573
schultzii Boeck. 437, 442, 542, 543, 545, 546, 559
semarangensis Ohwi 438, 442, 542, 548, 582*, 583
separanda Steud. ex Jard. 592
sericea R.Br. 438, 443, 543, 546, 548, 558, 583
setacea Benth. 589
 var. *setacea* Clarke 589
setacea (non Benth.) Clarke 588
sieberiana Kunth 438, 442, 547, 572
signata S.T.Blake 442, 542, 545, 564
spathacea Roth 557, 558
 var. *umbellato-capitata* Koyama 558
spiralis R.Br. 592
squarrosa (non Vahl) Miq. 575
squarrosa Vahl 436, 547, 584, 585
 var. *esquarrosa* Makino 585
 var. *squarrosa* 585
 var. *velata* Clarke ex Cheesem. 585
squarrosa (non Vahl) Zoll. 577, 584
stellata S.T.Blake 559
stenochlaena Kük. 567, 569
straminea (non Turr.) Ohwi 569
strictulmis Domin 561
subalata Kern 422, 547, 575
subbispicata (non Nees) Clarke 573
 var. *caesia* 573
subbispicata Nees & Mey. ex Nees 573
 var. *caesia* Clarke 574
subbulbosa Boeck. 586
subdura Ohwi 438, 442, 541*, 545, 554
subfusca Camus 567, 569
subtetrastachya Boeck. 567
subtrabeculata (non Clarke) Camus 551
subtristachya Steud. 577
sumbaensis Ohwi 438, 442, 548, 583
taiwanica Ohwi 550
tenera (non Schult.) Clarke 562
tenera R. & S. 558, 559, 563
 var. *obtusata* Clarke 559
tenuicula Boeck. 439, 546, 587
tenuinervia Kern 547, 579
tetragona R.Br. 439, 454, 543, 544, 551, 589, 590
tetragona Dietr. 551
thomsonii Boeck. 437, 439, 454, 545, 548
thorelii Camus 586
thouarsii (Kunth) Merr. 447, 542, 544, 591
thwaitesii Boeck. 555
tomentosa Vahl 547, 576, 577, 578*
torresiana Gaudich. 551
tortispica Turr. 567
trachycarya F.v.M. 550
tricholepis Miq. 584
trichophylla Ridl. 440, 542, 548, 579, 580
 var. *erecta* Holtt. ex Kern 582
 var. *trichophylla* 580
trispicata Steud. 572
tristachya R.Br. 547, 573
urakiasiana Kük. 577
utilis Elm. 551
vanoverberghii Kük. 544, 566
velata R.Br. 585
verrucifera Makino 590
warburgii K.Sch. 557
wetarensis Ohwi 438, 442, 548, 587
woodrowii C.B.Clarke 550
xyridis R.Br. 561
 var. *rigidula* Benth. 561
yunnanensis Clarke 543, 591
Flacourtiaceae 5: 1-106, 565; 6: 943-944; 7: 180, 405, 406, 827, 830
Flagellariaceae 4: 245-250; 5: 557
Freeria Merr. 76
repanda Merr. 76
Frutex aquosus femina Rumph. 775
aquosus mas Rumph. 773
Fuirena Rottb. 435, 439, 446, 447, 448, 449, 452, 455, 516
 sect. *Eu-Fuirena* Clarke 518
 sect. *Fuirena* 518
 sect. *Genuinae* Clarke 518
ciliaris (L.) Roxb. 517*, 518, 519
glabra Eckl. ex Kunth 519
glomerata Lamk 519
pentagona Schum. 518
pentagona W. & A. ex Nees 518
philippinensis Gand. 518
pubescens 450
quinquangularis Hassk. 518
rotboellii Nees 519
rubiginosa Spreng. 700
striata Llanos 519
umbellata Rottb. 518
 var. *pentagona* Boeck. 518
uncinata (non Kunth) Camus 518
wallichiana (non Kunth) Camus 519

Gahnia J.R. & G.Forster 436, 441, 443, 444, 447, 449, 452, 453, 454, 691, 703, 705 map
 sect. *Agglutinatae* Kük. 706, 707
 sect. *Inclusae* Kük. 708
 sect. *Lampocarya* (R.Br.) Benth. 706, 708
 sect. *Lampocarya* Maiden & Betche 708
aspera (R.Br.) Spreng. 442, 704*, 706, 708
 ssp. *globosa* (Mann) Kern 710
 var. *globosa* (Mann) Benl 710
 var. *rawacensis* Kük. 708, 710

- baniensis* Benl 440, 706, 707
beecheyi Mann 706, 710
boniana Boeck. 710
castanea Ridl. 708
clarkei Benl 708
clarkei Benl p.p. 707
congesta Boeck. 710
globosa Mann 710
japonica Usteri 708
javanica Zoll. & Mor. ex Mor. 440, 441, 453, 706, 708, 709*
 f. *borneensis* Benl 708
 f. *subcapitata* Kük. 708
 f. *sumatraensis* Benl 708
 f. *subcapitata* Kük. ex Benl 708
 var. *castanea* (Ridl.) Kük. 708
 var. *longearistata* Kük. 708
 var. *paupercula* Kük. 708
 var. *penangensis* Clarke 707
 var. *philippinensis* Benl 708
javanica (non Mor.) Ridl. 707
novocaledonensis Benl 707
penangensis Kük. 707
psittacorum (non Labill.) Rendle 707, 708
sieberiana Kunth 706, 707, 708
sp. 707
stricta Boeck. 710
tetragonocarpa Boeck. 707
trifida Labill. 710
tristis Nees 706, 710
wichurai Boeck. 710
Gastrolepis Tiegh. 2, 41
Gaura Lour. 241
 chinensis Lour. 243
 glandulosum Elm. 184
 trifidum Elm. 184
Gelsemium Juss. 828
Geraniaceae 6: 445-449; 7: 153, 160
Geraniales 152, 153
Gestroa Becc. 212
Gevuina Molina 830
Girardinia heterophylla (Vahl) Decne 798
Glischrocaryon 240
Gnetaceae 4: 336-347; 6: 944-949
Gomphandra Wall. ex Lindl. 1, 2, 3, 21, 24 map
 affinis (Miers) Mast. 34
 affinis sensu Ridl. 33
 var. *floribunda* Ridi. 33
 agusanensis (Elm.) Merr. 27
 apoensis (Elm.) Merr. 23, 29
 australiana F.v.M. 23, 28
 var. *celebica* Valet. 29
 axillaris (non Wall.) Becc. 28
 capitulata (Jungh. & de Vr.) Becc. 22, 24
 carolinensis Kaneh. 46
 var. *triplinervis* (King) Sleum. 33
ramuensis (Schellenb.) Sleum. 28
salicifolia Ridl. 34
sawiensis (Birnie) Sleum. 23, 30
schoepfiifolia Sleum. 23, 34
scorpioidea Gagnep. 33
simalurensis Sleum. 23, 25
sorsogenensis Elm. 35
sp. 31
 subrostrata Merr. 23, 32
 velutina Sleum. 22, 24
 viridis (Schellenb.) Sleum. 28
 yatesii (Merr.) Howard 46
zygomorpha (Pulle) Sleum. 25
Gomphia Schreb. 97, 98, 105
 angustifolia Vahl 105
 corymbosa (King) Ridl. 102
 glaberrima Planch. 102
 hookeri Planch. 102
 var. *corymbosa* King 102
 magnoliaefolia Zipp. ex Span. 108
 microphylla Ridl. 107
 oblongifolia Ridl. 107
 serrata (Gaertn.) Kanis 98, 105, 106*
 race *microphylla* 108
 sumatrana Jack 99, 104, 105
 sumatrensis 105
Gomphocarpus gamblei (Clarke) van Royen 11
Gonatocarpus 241
Goniocarpus 241
 rubricaulis Griff. 244
 scaber Kön. & Sims 243
Gonocarpus Thunb. 240
 micranthus Thunb. 244
Gonocaryum Miq. 1, 3, 14, 16
 map
 affine Becc. 16
 calleryanum (Baill.) Becc. 15, 20, 21
 cognatum Elm. 15, 19
 crassifolium Ridl. 15, 16
 diospyrifolia 20
 diospyrosifolium Hayata 20
 fuscum Hochr. 16
 fusiforme Hochr. 16
 gracile (non Miq.) Kurz 20
 gracile Miq. 15, 17
 grandifolium Merr. 19
 griffithianum (Miers) Kurz 20
 harmandianum Pierre 20
 impressinervium Sleum. 15, 17, 18*
 litorale (Bl.) Sleum. 15, 16, 21
 lobbianum (Miers) Kurz 15, 20
 longeracemosum King 17
 maclurei Merr. 20
 macrocarpum (Scheff.) Scheff.

- ex Warb. 16, 20
macrophyllum (Bl.) Sleum. 15, 19
melanocarpum Hochr. 15, 21
melanocarpum (non Hochr.) Wyatt-Smith 19
minus Sleum. 15, 18
monostachyum K.Sch. & Laut. 21
obovatum Hochr. 16
pavieanum Gagnep. 21
piriforme 16
poilanei Gagnep. 20
pyrifforme Scheff. 16
 var. *corrugatum* Hochr. 16
 var. *fuscum* (Hochr.) Hochr. 16
 var. *fusiforme* (Hochr.) Hochr. 16
 var. *genuinum*
 f. *corrugatum* (Hochr.) Hochr. 16
 f. *planifolium* (Hochr.) Hochr. 16
 var. *obovatum* (Hochr.) Hochr. 16
 var. *planifolium* Hochr. 16
pyrospermum 16
selebicum Becc. 16
siamense Warb. 20
sp. 20
sp. 16
subrostratum Pierre 20
tarlacense Vidal 20
teysmannianum Scheff. 20
wallichii Mast. 20
Gonystylaceae, see **Thymelaeaceae**
Gonystylus T. & B.
 affinis Radlk.
 var. *elegans* Shaw 830
 eximius Shaw 830
Goodenia J.E.Smith 827
 sect. *Ebracteolata* 828
 ser. *Foliosae* Krause 828
 armstrongiana De Vriese 828
 purpurascens R.Br. 828
Goodeniaceae 5: 335-344; 6: 949-952; 7: 827
Gouania 89, 91
Gramen capitatum Rumph. 659
polytrichum Rumph. 589
Gramineae 448, 449, 450
Granamdilla (Tourn.) Medik. 407
Grantia Griff. ex Voigt 235
 globosa (Roxb.) Griff. ex Voigt 236
 microscopica Griff. ex Voigt 237
Gunnera L. 239, 240, 259
 subg. *Gunnera* 261
 sect. *Gunnera* 261
 sect. *Panke* 261
 subg. *Milligania* Schindl. 261
 subg. *Misandra* Schindl. 261
 subg. *Ostenigunnera* Matff. 261
 subg. *Panke* Schindl. 261
 subg. *Perpungun* Schindl. 261
 subg. *Pseudogunnera* Schindl. 261
 arenaria 261
 cordifolia Hook. f. 261
 erosa Bl. 262
 macrophylla Bl. 239, 260*, 261, 262*, 263 map
 var. *papuana* Warb. 262
 var. *sumatrana* Miq. 262
 magellanica 261
 reniformis Ridl. 261, 262, 263
Gussonea Presl 540
 cyperoides Presl 567
 pauciflora Brongn. 567
Guttiferales 97
Gymnema sp. 803
Gynaecocephalum 80
Gynoecephala 80
Gynoecephalum 79, 80
Gynoecephalum Bl. 79
 bracteatum (Wall.) Trécul 85
 giganteum (Wall.) Trécul 86
 luzoniense Llanos 86
 macrophyllum Bl. 86
 oblongum (Wall.) Trécul 84
 palmatum (Wall.) Trécul 84
Gyrocephalum 80
Haemodoraceae 5: 111-113
Haloragaceae 239-263, 828
 subfam. *Gunneroideae* 240
 subfam. *Haloragoideae* 240
 tribe *Halorageae* 240
 tribe *Myriophylleae* 240
Haloragis J.R. & G.Forst. 239, 240, 246
 subg. *Haloragis* Schindl. 241
 subg. *Pseudohaloragis* Schindl. 241
 acanthocarpa Brongn. 239, 241, 244, 245 map
 chinensis (Lour.) Merr. 241, 243 map
 var. *yapensis* Tuyama 243
 depressa (A.Cunn.) Walp. 244
 disticha Jack 246
 erecta (Murr.) Schindl. 241, 245
 exalata F.v.M. 245
 fruticosa Went f. 245
 gjellerupii Went f. 245
 halconensis Merr. 239, 241, 245 map
 isomera Parker 242
 leptotheca F.v.M. 244
 micrantha (Thunb.) R.Br. ex S. & Z. 239, 241, 242*, 244 map, 515, 828
 microphyllum Hoogl. 245
 nemorosa Went f. 245
 oligantha Arn. 247, 248
 palauensis Tuyama 245
 paucidentata Hosokawa 244
 philippinensis Merr. 239, 241, 242, 243 map, 244
 sanguinea Merr. & Perry 245
 scabra Bth. 243
 var. *abbreviata* Schindl. 242
 var. *attenuata* 242
 var. *elongata* Schindl. 243
 var. *novaguineensis* Valet. 243
 secunda Ridl. 245
 stokesii F.Brown 246
 suffruticosa Gibbs 245
 var. *galioides* Went f. 245
 var. *ramosa* Went f. 245
 tenella Brongn. 244
 tetragyna (non (Labill.) Hook. f.) Bth. 243
 var. *micrantha* Bth. 243
 tetragyna (non Hook. f.) Clarke 242
Halorrhagis 240
Hamamelidaceae 5: 363-379; 6: 952
Hanguana 439
Haplolobus H.J.Lam 822
 robustus (non H.J.Lam) H.J. Lam 822
Haplostylea Kük. 713
Haplostylis Nees 713
 meyenii Nees 717
 wightiana Nees 718
Hartleya Sleum. 1, 2, 3, 41
 inopinata Sleum. 41, 42*, 828
Heleocharis Lestib. 523
Helicopsis Sleum. 830
Helobiae 222
Helosis 784
Helothrix Nees 673, 678
 axillaris Palla 679
 philippinensis Palla 679
 pusilla Nees 678, 679
Hemicarex Benth. 751, 753
 laxa Benth. 753
Herba sentiens Rumph. 162
Heynea trijuga Roxb. 782
Hibbertia scandens (Willd.) Gilg 824
Hibiscus tiliaceus L. 794, 802
Hippocrateaceae, see **Celastraceae**
Hippuris 239, 240
 indica Lour. 529
Höllrungia K.Sch. 405, 406, 431
 aurantioides K.Sch. 432*, 433, 434 map
Homalium gilgianum Laut. 91
Humata meციდიoides 269
Hybanthus Jacq. 179, 180, 194
 enneaspermum (L.) F.v.M.

- 195*, 196*, 197 map, 831
 var. *verbi-divini* Everaarts
 831
suffruticosus (L.) Baill. 197
 Hydrocarpus 827
 Hydrilla verticillata (L.f.) Royle
 248, 263
Hydrocaryaceae, see *Trapaceae*
Hydrocharitaceae 5: 381-413,
 569; 6: 952; 7: 828
Hydrocotyle vulgaris L. 126
Hydrophace Hall. 226
perpusilla (Torrey) Lunell 230
trisulca (L.) Burani 234
Hydrophyllaceae 4: 207-209
Hydroschoenus Zoll. & Mor.
 633, 634
kyllingioides Zoll. & Mor. 633
Hydrospendylus submersus
 Hassk. 263
Hymenanchera 179, 180
Hymenochaeta Beauv. ex Lestib.
 497
Hypaelyptum Vahl 489, 519
argenteum Vahl 521
macrocephalum Gaud. 468,
 470
microcephalum R.Br. 522
memorum Beauv. 490
Hypolytrum Rich. 435, 439, 445*,
 446, 447, 448, 451, 452, 454,
 464, 486, 489
 sect. *Africana* Chermesz. 494
 sect. *Foliigera* Clarke 490
 sect. *Latifolia* Chermesz. 490
 sect. *Scaposa* Clarke 490, 494
amplectens Valck.Sur. 491, 492
anomalum Domin 491
anomalum Steud. 490
argenteum Kunth 521
borneense Kurz 465
capitulatum Valck.Sur. ex
 Clarke 438, 490, 492, 493*
compactum Nees & Mey. 490,
 492, 493
costatonux Clarke 491, 492
costatum Thw. 456
diandrum Dietr. 490
giganteum Wall. ex Nees 490
 α *normale* O.K. 491
humile (Steud.) Boeck. 438,
 474, 490, 494
latifolium L.C. Rich. 490, 492
 var. *depauperatum* Ohwi
 490
 var. *penangense* Ridl. 490
macrocephalum Kunth 470
macrophyllum 470
microcarpum S.T.Blake 491,
 492
minus Ridl. 501
myrianthum Miq. 491, 492
memorum (Vahl) Spreng. 465,
 490, 491*, 492*
- var. *memorum* 491
 var. *proliferum* (Boeck.)
 Kern 491, 492, 493
nudicaule 486
pandanophyllum 464
parvibractea Clarke 486
parvibracteatum Clarke 486
 var. *quadriglumatum* Valck.
 Sur. 486
penangense Clarke 491, 492
philippense Clarke 491, 492
proliferum Boeck. 492
purpurascens Chermesz. 492
quadriglumatum Valck.Sur.
 486
radians Ridl. 487
scabrum Uittien 491, 492
schoenoides Nees 490
scirpoides Merr. 491
senegalense Rich. 521
sylvaticum Poepp. & Kunth
 492
trinervium Kunth 490
viridinux Clarke 491, 492
wightianum Boeck. 491
xerocarpum Clarke 492
Hypoporum Nees 743
annulare Nees 744
capillare Nees 741
capitatum Nees 743
lithospermum Nees 741
pergracile Nees 743
Hypseocharis 153, 160
Hypserpa 87
- Icacinaceae** 1-87, 89, 93, 828
 tribe *Icacinaceae* 2
 tribe *Iodeae* 2
 tribe *Phytocreneae* 2
 tribe *Sarcostigmateae* 2
Ilex wightiana Wall. ex Wight
 795
Imhofia Zoll. ex Taub. 180
Imperata 571, 587, 751
Indosinia Vidal 97
Indovethia Boerl. 97, 98, 112,
 212
beccariana Bartell. 112
calophylla Boerl. 112, 113*
Intsia 309
Iodes Bl. 1, 4, 67, 69 map
 sect. *Lasiodes* Baill. 68
brandisii Kurz 70
cirrhuosa Turcz. 68, 69, 70, 71*,
 828
cirrosa 70
ferruginea K.Sch. & Laut. 73
floribunda Merr. 70
hookeriana Baill. 68, 73
horsfieldii Baill. 68, 70
oblonga Planch. ex Mast. 68
 var. *moluccana* Hochr. 71
ovalis (non Bl.) Baill. 71
ovalis Bl. 68
- var. *genuina* Baill. 68
ovalis (non Bl.) Hassk. 70
 var. *cochinchinensis* Pierre
 ex Gagnep. 70
 var. *genuina* Baill. 70
 var. *miquellii* Baill. 70
philippinensis Merr. 68, 69,
 71*
reticulata King 68, 69
 var. *glabrescens* Ridl. 69, 73
thomsoniana Baill. 73
tomentella (non Miq.) Becc. 71
tomentella Miq. 70
velutina King 68, 72
 var. *subvillosa* Sleum. 72
 var. *velutina* 72
vitiginea Hance 69
yatesii Merr. 68, 69
 var. *glabrescens* (Ridl.)
 Sleum. 69
 var. *yatesii* 69
- Iodes* 67
Ionidium Vent. 179, 194
enneasperma L. 197
frutescens Bl. 197, 198
frutescens Roem. & Schult.
 198
heterophyllum Vent. 197
molle Turcz. 197
thymifolium Presl 197
zippelii Oudem. 197
Iria Hedw. 540
Iriha O.K. 540
acicularis O.K. 589
acuminata O.K. 588
aestivalis O.K. 584
autumnalis α *normalis* O.K.
 549
barbata O.K. 539
bispicata O.K. 573
bisumbellata O.K. 579
cinnamometorum O.K. 565
consanguinea O.K. 549
cymosa O.K. 557
debilis O.K. 564
disticha O.K. 571
eragrostis O.K. 567
falcata O.K. 557
ferruginea O.K. 572
fimbristylodes O.K. 569
furva O.K. 562
fusca O.K. 567
globulosa O.K. 551
glomerata O.K. 557
insignis O.K. 555
junciformis O.K. 557
leptoclada O.K. 560
microcarya O.K. 550
miliacea O.K. 553
monandra O.K. 586
monostachya O.K. 565
nutans O.K. 589
pauciflora O.K. 564
pirotii O.K. 555

- platystachys* O.K. 559
polymorpha O.K. 575
polytrichodes O.K. 586
pycnocephala O.K. 557
quinquangularis O.K. 553
 β *maxima* O.K. 552
retusa O.K. 560
salbundia O.K. 553
scaberrima O.K. 555
schoenoides O.K. 573
sericea O.K. 558
subtetrastachya O.K. 567
tenuicula O.K. 587
tetragona O.K. 590
thomsonii O.K. 548
velata O.K. 585
Irvingbaileya 1
Isachne clementis Merr.
 var. *vulcanica* (Merr.) Jan-
 sen 515
 miliacea 529
 pangerangensis 441
Isolepis R.Br. 515, 538
 sect. *Trichelostylis* Endl. 548
ambigua Steud. 514
armerioides Miq. 539, 540
 var. β 539
articulata (L.) Nees 514
aucklandica Hook. f. 515
barbata R.Br. 539
capillaris
 f. *indicae* Kunth 538
cochleata Steud. 589
complanata R. & S. 549
crassiuscula Hook. f. 503
cumingii Steud. 539
curvata 502
curvula Kunth 502
dipsacea R. & S. 590
dura Zoll. & Mor. 554
exilis Kunth 560, 561
fluitans R.Br. 502
haenkei Presl 557
inundata R.Br. 515
involutellata Steud. 539
juncoides Miq. 514
miliacea Presl 551, 552
oryzorum 514
oryzorum Steud. 514
prolongata Nees 513, 514
puberula Kunth 540
senegalensis Hochst. ex Steud.
 514
squarrosa R. & S. 516
trichocolea Steud. 538, 539
trichokolea 538
trifida Nees 538
uninodis Delile 514
uninodis (non Delile) Miq. 514
verrucifera Maxim. 590
willdenowii R. & S. 549

Jenkinsia Griff. 76
Juglandaceae 6: 143-154, 953;
- 7: 272
Juncaceae 4: 210-215; 5: 557;
6: 953; 7: 448, 449
Juncaginaceae 4: 57; 5: 554
Juncellus C.B. Clarke 592, 593
 alopeuroides Clarke 603
 kükenhalii Back. 661
 pygmaeus Clarke 634
Juncus 653
Jürgensia Spreng. 180

Kaden Pullu Rheede 740
Kadsura blancoi Azaola 86
Katu-Tsjolam Rheede 733
Kermadecia 830
Killinga triceps 660
Kobresia Willd. 435, 445, 447,
452, 453, 751
 kobresioidea (Kük.) Kern
 438, 441, 455, 752, 753*
 laxa Nees 752, 753
 pseudolaxa Benth. 753
Kobresiaceae 451
Kyllinga Rottb. 653
 alata Nees 659
 albescens Steud. 521
 aromatica Ridl. 656
 bifolia Miq. 656
 brevifolia (non Rottb.) Mor.
 660
 brevifolia Rottb. 653, 655, 656
 var. *stellulata* Ohwi 658
 bulbosa Beauv. 659
 caespitosa Nees
 var. *robusta* Boeck. 656
 cephalotes Druce 660
 colorata Druce 656
 cruciformis Schrader ex R. &
 S. 656
 cylindrica (non Nees) Clarke
 659
 var. *subtriceps* Nees 659
 cyperina Retz. 641
 elata Steud. 656
 fuscata Miq. 658
 gracilis Kunth 656
 var. *capitulo globosa* Nees
 660
 gracilis (non Kunth) Zoll. 660
 intermedia (non R.Br.) Merr.
 658
 longiculmis Miq. 656
 melanosperma Nees 655
 mindorensis Steud. 660
 monocephala Rottb. 660
 var. *mindorensis* Boeck. 660
 var. *subtriceps* Kunth 660
 monocephala (non Rottb.)
 Zoll. 656
 multinervia Steud. 643
 odorata Vahl
 var. *cylindrica* Kük. 659
 panicea Rottb. 643
 pierreana Camus 632
- polyphylla* Willd. ex Kunth
656
pumila (non Steud.) Naves 661
pumila Steud. 659
pumilio Steud. 656
pungens (non L.) Clarke 655
rigidula Steud. 656
sesquiflora Torr. 658
sororia Kunth 656
squamulata (non Vahl) Camus
634
squarrosa Steud. 522, 656
sumatrensis Retz. 642
triceps (non Rottb.) Blanco
660
triceps Rottb. 659
umbellata Rottb. 642
 var. *sumatrensis* Willd. 642
 vaginata (non Lamk) Zoll. 655
 var. *major* Hassk. 655
Kyllingia (sphalm.) = *Kyllinga*
- Lamiales 240
Lampocarya R.Br. 705, 708
 aspera R.Br. 708
 rawacensis Steud. 708
Langsdorffia Mart. 783, 784,
785, 804
 hypogaea Mart. 804
 indet. 805
 indica Arn. 794
 malagastica (Fawc.) Hansen
 804
 papuana Geesink 785, 789
 map, 804*, 805*
Langsdorffiaceae 784
Lasianthera (non P. Beauv.) Miq.
21, 56
 apicalis (Thw.) Benth. 60
 capitulata (Jungh. & De Vrie-
 se) Miq. 24
 javanica (Bl.) Miq. 28
 var. *pauciflora* (Bl.) Miq. 28
 var. *quadrifida* (Bl.) Miq. 33
 lanceolata Mast. 34
 litoralis (Bl.) Miq. 16
 litoralis (non Miq.) F.v.M. 25
 macrocarpa (Bl.) Miq. 20
 macrophylla (Bl.) Miq. 19
 maingayi Mast. 34
 malaccensis Mast. 60
 ovalifolia Miq. 33
 papuana Becc. 46
 parviflora (Bl.) Miq. 32
 prasina (Bl.) Miq. 33
 secundiflora (non (Bl.) Miq.)
 King 58
 secundiflora (Bl.) Miq. 59
 f. *sumatrana* Miq. 59
 var. *sumatrana* Miq. 59
 umbellata (Becc.) King 62
 var. *ovalifolia* (Becc.) Merr.
62
Lauraceae 10, 268, 270

- Laurembergia* Berg. 239, 240, 246, 247 map
 subg. *Indolaurembergia* Schindl. 247 map, 248
 subg. *Laurembergia* 247 map
 subg. *Serpiculastrum* A.Rayn. 247 map
agastyamalayana Henry 247, 248
brevipes (W. & A.) Schindl. 247
coccinea (Bl.) Kan. 239, 246, 248*
 var. *coccinea* 247
 var. *zeylanica* (Arn. ex Clarke) Meijden 248
glaberrima Schindl. 247
grandifolia Schindl. 247
hirsuta (W. & A.) Schindl. 247
 var. *angustifolia* Schindl. 247
 var. *hirsuta* 247
 var. *rotundifolia* Schindl. 247
 var. *typica* Schindl. 247
indica (Thw.) Schindl. 247
janica (Miq.) Schindl. 247
wangerinii Schindl. 247
zeylanica (Arn. ex Clarke) Schindl. 247, 248
 var. *minor* (Thw. ex Clarke) Schindl. 247
Laurus caesia Reinw. ex Bl. 820
lucida Wall. 318
Leea van Royen ex L. 755, 756 map, 757*, 758*
aculeata (Blanco) Blanco 773
aculeata Bl. ex Spreng. 756, 761, 773 map, 782
 var. *moluccana* Miq. 773
aculeata (non Bl.) Kurz 772
acuminata Wall. 777, 779
acuminatissima Merr. 760*, 764 map, 765
aequata L. 756, 762, 764 map, 774*, 775*, 782
agusanensis Elm. 764
amabilis Veitch ex Masters 761, 765, 766* map
 var. *splendens* Linden & Rodigas 765
anacolona Miq. 775
angulata Korth. ex Miq. 756, 761, 772 map, 773
angulata (non Korth.) Kurz 773
arbores Telf. ex W. & A. 777
aurantiaca Zoll. & Mor. 777, 779
banahaensis Elm. 762
biserrata Miq. 780
biserrata (non Miq.) Naves 773
boerlageana Koord. 781
brunoniana Clarke 776
brunoniana (non Clarke) Engl. 780
brunoniana (non Clarke) Laut. 778
bulusanensis Elm. 778
capitata Merr. 765
catanduanensis Quis. 762
celebica Clarke 780
coccinea (non Planch.) Kurz 776
coccinea Planch. 759
compactiflora 760*
congesta Elm. 761, 765, 777 map
cordata Wall. 782
coryphantha Laut. 756, 760*, 762, 767, 777 map
cumingii Clarke 777, 779, 781
curtisii King 761, 771 map, 773
dentata Craib 778
divaricata T. & B. 780
erecta Voll. & Brade 782
euphlesia Merr. 778
expansa Craib 780
forbesii Baker f. 766
fuliginosa Miq. 780
gigantea Griff. 780
gigantea K.Sch. & Laut. 767
gonioptera Laut. 761, 766
gracilis Laut. 780
guineensis G.Don 756, 759, 760, 762, 777, 778 map, 781, 782
heterodoxa K.Sch. & Laut. 762, 767, 771 map
hirsuta Bl. ex Spreng. 775
hirta Roxb. ex Hornem. 775
hispidia Gagnep. 775
horrida T. & B. 772
humilis Hassk. 782
indica (Burm. f.) Merr. 765, 759, 760*, 762, 778, 779, 780*, 782
javanica Bl. ex Spreng. 782
javanica (non Bl.) King 780
javanica (non Bl.) Koord. 773
javanica (non Bl.) Miq. 777
krukoffiana Ridsdale 761, 769, 770*, 771* map
kurzii Clarke 775
laetae Wall. 777
laevis Heyne ex Wall. 782
linearifolia Clarke 776
longifoliola Merr. 780
longipetiolata Merr. 764
luzonensis Elm. 778
macropus (non K.Sch. & Laut.) Baker f. 769
macropus K.Sch. & Laut. 756, 759, 761, 771* map
magnifolia Merr. 760*, 762, 763*, 766 map
manillensis Walp. 777, 779
micholitzii Sanders 767
monophylla Laut. 767
naumannii Engl. 780
negrosense Elm. 778, 779
nitida Merr. 765
novoguineensis Val. 780
odontophylla Wall. 782
otillis (Gaertn.) DC. 780
palawanensis Elm. 778
palembanica Miq. 780
pallidifolia Kaneh. 778
papillosa Merr. 778
papuana Merr. & Perry 761, 768*, 769*, 773 map
parva Elm. 778
parvifoliola Merr. 778
pauciflora Elm. 765
pauciflora King 766
 var. *ferruginea* Craib 766
philippinensis Merr. 756, 761, 765, 772 map
 var. *pauciflora* (Elm.) Merr. 765
platyphylla Merr. 764
polyphylla Miq. 776
pubescens Zipp. ex Miq. 780
pycnantha Quis. & Merr. 762
quadrifida Merr. 761, 762, 764, 765, 771 map
ramosii Merr. 780
robusta Bl. 780, 782
robusta (non Roxb.) Ridl. 778
rodatzii Laut. 767
roehrsiana Sanders ex Masters 780
rubra Bl. ex Spreng. 759, 761, 762, 776*, 777 map
 f. *celebica* Koord. 776
 var. *apiifolia* Zipp. ex Miq. 776
 var. *polyphylla* (Miq.) Miq. 776
sambucifolia Salisb. 779
sambucina (non Willd.) Baker f. 772
 var. *intermedia* Ridl. 772
sambucina Willd. 759, 779, 782
 var. *biserrata* (Miq.) Miq. 779
 var. *heterophylla* Miq. 779
 var. *occidentalis* Clarke 779
 var. *robusta* Miq. 779
 var. *roehrsiana* (Sanders) Chittenden 779
 var. *simplex* Miq. 779
 var. *sumatrana* (Miq.) Miq. 779
sandakanensis Ridl. 773
sanguinea (non Wall.) Kurz 776
sanguinea Wall. 777
saxatilis Ridl. 761, 773 map, 777

- scabra* Roxb. ex Roem. & Schultes 775
schomburgkii Craib 778
serrulata Miq. 773
setuligera Clarke 777
simplicifolia Zoll. & Mor. 760, 761, 766 map
smithii Koord. 762, 772 map, 781
solomonensis Merr. & Perry 772
spinosa Spreng. 782
staphylea Roxb. 779
staphylea (non Roxb.) Wight 777
stipulosa Gagnep. 773
suaveolens Merr. & Perry 772
sumatrana Miq. 780
sundaica Miq. 780, 782
 var. *fuliginosa* (Miq.) Miq. 780
 var. *pilosiuscula* Miq. 780
 var. *subsessilis* Miq. 780
tetramera Burt 756, 759, 761, 771 map, 772
tuberculata Laut. 767
umbraculifera Clarke 780
unifoliata Merr. 760, 764 map
viridiflora Planch. 780
wightii Clarke 777
wrightii 777
zippeliana Miq. 761, 766 map, 767
 var. *ornata* Laut. 767
- Leeaceae** 755-782
Leersia hexandra 529
Legnephora minutiflora (K. Sch.) Diels 828
Leguminosae 153
Lemna L. 219, 220, 222, 223, 226
 sect. *Spirodela* Peterm. 223
 subg. *Lemna* 226
 subg. *Staurogeton* Rchb. 228
aequinoctialis Welw. 230, 231
angolensis Welw. ex Hegelm. 230, 231
arrhiza (non L.) Back. 236
arrhiza L. 237
bisulca C.A.Meyer 234
blatteri McCann 230
cruciata Roxb. 234
disperma Hegelm. 231
eleanorae McCann 230
gibba (non L.) Blanco 225, 226, 231
gibba L. 221, 230, 231, 232*
globosa Roxb. 236
intermedia Ruthe 234
major (C.A.Meyer) Griff. 224
maxima Blatter & Hallb. 224
melanorrhiza F.v.M. ex Kurz 226
minima Blatt. & Hallb. 230
minor L. 230, 231, 232*
- minor* (non L.) Lour. 230
obcordata Winberg 237
oligorrhiza Kurz 226
orbicularis Kit. ex Schultes 224
orbiculata Roxb. 224
paucicostata Hegelm. 226, 230, 231
 var. *membranacea* Hegelm. 230
perpusilla Torrey 220, 221, 222, 225, 226, 228, 229*, 230, 231, 235, 237
 var. *trinervis* Austin 230, 231
pleiorrhiza F.v.M. 226
polyrhiza L. 224
punctata G.F.W.Meyer 225
sp. 235
tenera Kurz 230, 234*, 235
thermalis Beauv. 224
trinervis (Austin) Small 230, 231
trifulca L. 220, 230, 231, 233*, 235
- Lemnaceae** 219-237
 subfam. Lemnoideae 222
 subfam. Wolffioideae 219, 222
Lentibulariaceae 135
Lenticula (Hill.) Boehmer 226
polyrhiza (L.) Lamk 224
ramosa Lamk 234
trifulca Scop. 233
Lenticularia Montandon 228
Lenticularia Séguier 223, 228
Leonia glycocarpa R. & P. 179
Leontice leontopetaloides 809
Leontopetaloides Boehmer 806
Lepidopteron 307
Lepidosperma Labill. 436, 447, 448, 452, 453, 668, 669 map, 670, 700
 chinense Nees & Meyen 441, 455, 668, 669* map, 670*, 700
 var. *alpinum* Ridl. 672
 neesii Kunth 668
 striatum R.Br. 668
 striatum (non R.Br.) Ohwi 668
 waiyuense Steud. 668, 698
 zeylanicum Lindl. ex Boeck. 672
Lepironia L.C. Rich. 436, 439, 447, 451, 452, 453, 460
 sect. *Macrolepironia* Miq. 468
 sect. *Pandanophyllum* Miq. 468
 articulata (Retz.) Domin 454, 461*, 462, 480, 505
 bancana Miq. 465
 conifera Druce 462
 cuspidata Miq. 473
 enodis Miq. 468, 480
 foliosa Miq. 480
 humilis Miq. 473
- macrocephala* Miq. 470
mucronata L.C. Rich. 462, 480
mucronulata 462
palustris Miq. 477
squatana Miq. 479
sumatrana Miq. 464
Lepistachya praemorsa Kurz 473
Leptospermum 680
 flavescens 269 ..
Leucocorema Ridl. 87
Libocedrus 281
Limnanthaceae 161
Limnobium laevigatum (H.B. ex Willd.) Heine 828
stoloniferum (G.Meyer) Gri-seb. 828
Limnochloa Nees 525
Limnophila 256, 259
 aromatica 627*
Linaceae 160
Linociera sp. 794
Lipocarpa R.Br. 435, 445*, 447, 448, 452, 455, 490, 519
 sect. *Acutae* Cherm. 521
 sect. *Obtusae* Cherm. 521
 sect. *Lipocarpa* 521
 argentea R.Br. ex Nees 521
 chinensis (Osb.) Kern 439, 520*, 521
 debilis Ridl. 521
 foliosa Miq. 644
 laevigata Nees ex Wight 521
 microcephala (R.Br.) Kunth 442, 516, 521, 522, 591
 senegalensis Th. & Hél. Durand 521
 triceps (non Nees) Camus 521
 zollingeriana Boeck. 522
Lithocarpus Bl. 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 281, 283, 295, 296, 309, 318, 319 map, 325 map, 328*
abendanonii (Vale.) A.Camus 373
aculeata (Markgr.) Rehd. 374
andersonii Soepadmo 323, 365
apoensis (Elm.) Rehd. 322, 354
argentata (Korth.) Merr. 389
argyrocarpa A.Camus 384
aspericupula (Markgr.) Rehd. 325, 382
atjehensis Hatus. ex Soepadmo 322, 349
bancana (non Rehd.) A.Camus 344
bancanus (Scheff.) Rehd. 323, 360*
beccariana 329
beccarianus (Benth.) A.Camus 320, 329
bennettii (Miq.) Rehd. 322, 356

- blumeana* (non Rehd.) A. Camus 336
blumeanus (Korth.) Rehd. 321, 339
boholensis (Merr.) Rehd. 335
borneensis (Merr.) Rehd. 379
brachyclada (von Seemen) A. Camus 374
brassii Soepadmo 321, 348
buddii (Merr.) A. Camus 325, 383
bullatus Hatus. ex Soepadmo 322, 356
bulusanensis (Elm.) A. Camus 351
burkillii A. Camus 320, 329, 331
cagayanensis (Merr.) A. Camus 377
cantleyanus (King ex Hook. f.) Rehd. 322, 352
castellarnauianus (Vidal) A. Camus 324, 377
caudatifolius (Merr.) Rehd. 322, 350, 356, 385
celebicus (Miq.) Rehd. 269, 324, 374
clathrata (von Seemen) Rehd. 331
clementianus (King ex Hook. f.) A. Camus 323, 365
clementis 379
confertus Soepadmo 322, 356
confragosus (King ex Hook. f.) A. Camus 320, 335
conocarpa
 ssp. *euconocarpa* 349
 ssp. *malaccensis* A. Camus 349
conocarpus (Oudem.) Rehd. 322, 349
cooperta 335
coopertus (Blanco) Rehd. 272, 320, 335, 337*
copelandii (Elm.) Rehd. 354
costata (Bl.) Rehd. 325, 327
 var. *convexa* (Bl.) A. Camus 325, 327
 var. *kingii* A. Camus 327, 340
 var. *scutigera* (Oudem.) A. Camus 325, 327
 var. *typica* A. Camus 325, 327
crassinervius (Bl.) Rehd. 324, 371
cratephora (Fischer) A. Camus 344
crateriformis Merr. 379
curranii (Merr.) Rehd. 331
curtisii (King ex Hook. f.) A. Camus 324, 380
cyathiformis A. Camus 362
cyclophorus (Endl.) A. Camus 321, 345, 369
cyrtopoda (Miq.) A. Camus 384
cyrtorhyncha (Miq.) Rehd. 362
d'albertisii (F.v.M.) Rehd. 374
daphnoideus (Bl.) A. Camus 322, 352, 385
dasystachyus (Miq.) Rehd. 267, 322, 350
debaryana (Warb.) Markgr. 384
diepenhorstii (Miq.) Barnett 362
dolichocarpa (von Seemen) Rehd. 353, 385
echinifer (Merr.) A. Camus 320, 332*, 333
echinifera 333
echinulatus Soepadmo 324, 382
eichleri (Wenzig) A. Camus 321, 341
elegans (Bl.) Hatus. ex Soepadmo 267, 323, 366
enclisacarpus (Korth.) A. Camus 272, 321, 338, 339
 var. *typica* A. Camus 338
enclisocarpa 338
 var. 338
eriolepis A. Camus 380
erythrocarpus (Ridl.) A. Camus 323, 369
ewyckii (Korth.) Rehd. 322, 351, 389
falconeri (Kurz) Rehd. 324, 371
ferrugineus Soepadmo 324, 370
glutinosus (Bl.) Soepadmo 322, 354, 385
gracilis (Korth.) Soepadmo 323, 362
grandifrons (King ex Hook. f.) A. Camus 376
hallieri (von Seemen) A. Camus 320, 327
hatusimae Soepadmo 267, 322, 358
havilandii (Stapf) Barnett 269, 324, 373*
heliciformis (von Seemen) Rehd. 343
hendersonianus A. Camus 320, 328
henryi 368
hypophoenicea (von Seemen) Barnett 305
hystrix (Korth.) Rehd. 325, 384
imperialis (von Seemen) Markgr. 346
indutus (Bl.) Rehd. 321, 344
jacobsii Soepadmo 323, 368
javensis Bl. 272, 320, 325, 326*, 331
jordanae (Laguna) Rehd. 325, 382
kingianus (Gamble) A. Camus 324, 373*, 381
koordersii (von Seemen) Markgr. 354
korthalsii (Endl.) Soepadmo 321, 342*, 343*
kostermansii Soepadmo 320, 336, 340
kunstleri (King ex Hook. f.) A. Camus 324, 372
lampadarius (Gamble) A. Camus 269, 323, 368
lamponga (Miq.) Rehd. 375
lappacea
 var. *perakensis* A. Camus 334
lauterbachii (von Seemen) Markgr. 269, 321, 348, 384
leptogyne (Korth.) Soepadmo 324, 378*, 379
lipacon (Elm.) Rehd. 374
llanosii (A.DC.) Rehd. 374
loheri A. Camus 358
longispinus Barnett 320, 334, 337*
lucidus (Roxb.) Rehd. 321, 341
luteus Soepadmo 267, 321, 345
luzoniensis (Merr.) Rehd. 324, 381
mabesae (Merr.) A. Camus 375
macphailii (Henders.) Barnett 321, 339, 340
maingayi (Benth.) Rehd. 272, 320, 331
mariae Soepadmo 321, 338
megacarpus Soepadmo 269, 321, 346, 361, 368, 377
menadoensis (Koord.) Soepadmo 351, 385
merritti (Merr.) Rehd. 377
meijerii Soepadmo 322, 352
microcalyx (Korth.) A. Camus 367
minahassae (Koord. ex Elm.) Rehd. 351
mindanaensis (Elm.) Rehd. 322, 350, 355
moluccus (Rumph. ex L.) Soepadmo 385
monticola (King) Rehd. 369
neorobinsonii A. Camus 320, 336, 337*
nieuwenhuisii (von Seemen) A. Camus 324, 379
nitida (Bl.) A. Camus 353
nodosus Soepadmo 322, 357
nymanniana (Markgr.) Rehd. 385

- obliquinervia* (Merr.) A.Camus 377
obtusifolius Soepadmo 323, 370
ochracea (Schottky) A.Camus 379
oligocarpa A.Camus 353
omalokos (Korth.) Rehd. 341
oogyne (Miq.) A.Camus 385
orbicularis Soepadmo 271, 323, 362, 363*
oreophilus Soepadmo 271, 323, 369
ovalis (Blanco) Rehd. 323, 361
pallidus (Bl.) Rehd. 322, 348
papillifer Hatus. ex Soepadmo 323, 370
papuana (O. Warb.) Rehd. 374
pattaniensis Barnett 321, 336
perakensis Soepadmo 321, 327, 340
perclusa Markgr. 346
philippinensis (A.DC.) Rehd. 322, 353
pinatubensis (Elm.) A.Camus 377
platycarpus (Bl.) Rehd. 267, 321, 340
plumbea (Bl.) Soepadmo 385
poculiformis (von Seemen) A.Camus 353
porcatus Soepadmo 320, 327
pruinosa (Bl.) Rehd. 375
pseudokunstleri A.Camus 324, 372
pseudolamponga A.Camus 351
pseudomoluccus (Bl.) Rehd. 324, 376
pseudoplatycarpus A.Camus 345
pulcher (King) Markgr. 320, 333
pulchra 333
pusillus Soepadmo 323, 362
pyriformis (von Seemen) Rehd. 331
rajah (Hance) A.Camus 361
rangeriana A.Camus 364
rassa (Miq.) Rehd. 323, 364, 366, 377
 var. *suffruticosa* (Ridl.) A.Camus 366
reflexa (King) A.Camus 335
reinwardtii (Korth.) A.Camus 323, 359
revolutus Hatus. ex Soepadmo 321, 346, 347*
rhioensis (Hance) A.Camus 367
ridleyana A.Camus 364
rigidus Soepadmo 322, 357
rizalensis (Merr.) Rehd. 353
robinsonii Merr. 383
rotundata 331
rotundatus (Bl.) A.Camus 320, 331
rufa (von Seemen) A.Camus 370
rufovillosus (Markgr.) Rehd. 269, 325, 383
ruminatus Soepadmo 272, 320, 328
sarawakensis E.F. Warb. 353
schlechteri Markgr. 269, 321, 346
scortechinii (King ex Hook. f.) A.Camus 267, 324, 373*, 380
scutigera Oudem. 325, 327
sericobalanus E.F. Warb. 321, 340
smitinandiana A.Camus 380
sogerensis (S. Moore) Markgr. 324, 374
solanicarpa Markgr. 348
solerianus (Vidal) Rehd. 322, 355, 356, 360
sootepensis (Craib) A.Camus 384
spicata (Sm.) Rehd. & Wils. 367
 var. *elegans* (Bl.) A.Camus 367
 var. *glaberrima* (Bl.) A.Camus 367
 var. *gracilipes* (Miq.) Rehd. 367
 var. *placentaria* (Bl.) Rehd. 367
 submonticolus (Elm.) Rehd. 324, 370, 377
subnucifera A.Camus 331
suffruticosus (Ridl.) Soepadmo 323, 366
sulitii Soepadmo 323, 356, 359
sundaicus (Bl.) Rehd. 266, 324, 375, 385
symingtoniana A.Camus 364, 365
teysmannii (Bl.) Rehd. 343
turbinatus (Stapf) Forman 269, 272, 320, 329, 330*
urceolaris (Jack) Merr. 321, 344, 361
vidalii (F.-Vill.) Rehd. 323, 358
vinkii Soepadmo 323, 365
wallichianus (Lindl. ex Hance) Rehd. 323, 368
wenzelii (Merr.) Rehd. 353
wenzigiana (King ex Hook. f.) A.Camus 364
winkleriana (Schottky) A.Camus 350
woodii (Hance) A.Camus 322, 358
wrayi (King) A.Camus 272, 320, 334, 337*
zschokkei (Elm.) Rehd. 354
Litsea 289
 Loganiaceae 6: 293-387, 953-960; 7: 828-829
Longetia 274
Lophocarpus Boeck. 673
 tonquinensis Boeck. 677
Lophophytum leandri Eichl. 784
 Lophopyxidaceae 89-91
Lophopyxis Hook. f. 89
 combretocarpa (Boerl.) Engl. 91
 maingayi Hook. f. 90*, 91
 map
 pentaptera (K.Sch.) Engl. 91
 pierrei Boerl. 91
 schumannii Boerl. 91
Lophoschoenus Stapf 664
 urvilleanus Stapf 666
Lophozonia Turcz. 278
Lotus 453
Loudonia 240
Lytgomophus Jungh. 785
 stilbiferus Jungh. ex Goepp. 787
 Macaranga sp. 799
 tanarius (L.) Muell.Arg. 788, 794
Machaerina Vahl 436, 447, 448, 452, 453, 454, 455, 672, 688, 690, 706
 angustifolia (Gaud.) Koyama 696
 arfakensis Koyama 700
 aromatica Koyama 678
 articulata (R.Br.) Koyama 441, 453, 693, 700
 aspericaulis (Kük.) Koyama 438, 440, 693, 696
 borneensis Koyama 688
 brevipaniculata Koyama 701
 crassa Koyama 701
 crinita Koyama 694
 cyperoides Koyama 566
 disticha (Clarke) Koyama 439, 693, 699 map, 717
 falcata (Nees) Koyama 440, 441, 693, 694, 695*
 gaudichaudii Koyama 699
 glomerata (Gaud.) Koyama 439, 670, 693, 698, 699
 gunnii (Hook. f.) Kern 437, 441, 668, 693, 701
 iris Koyama 694
 juncooides Koyama 698
 lamii (Kük.) Kern 438, 441, 693, 696, 697*
 latifolia Koyama 694
 maingayi (Clarke) Koyama 437, 441, 693
 malesiaca Koyama 694
 marisocoides (Gaud.) Kern 437, 439, 693, 698

- micranthes* Koyama 699
philippinensis Koyama 699
pulchra Koyama 672
robinsonii Koyama 694
rubiginosa (Spreng.) Koyama 439, 441, 693, 700, 702*, 703*
sinclairii (Hook. f.) Koyama 439, 692*, 693, 694
sinuata Koyama 698
teretifolia (R.Br.) Koyama 437, 441, 693, 700
tetragona (Labill.) Koyama 700
undulata Koyama 672
Macrobalanus O.Schwarz 274, 276, 387
Macropanax dispermus (Bl.) O. K. 798
Malpighiaceae 5: 125–145, 566; 6: 960
Mangifera xylocarpa Laut. 50
Mapania Aublet 435, 439, 445*, 448, 449, 451, 452, 455, 464, 466, 468 map, 486
 sect. *Cephaloscirpus* (Kurz) B. & H. 464, 468
 sect. *Halostemma* Clarke 468, 474, 480
 sect. *Macrolepironia* (Miq.) Kern 468
 sect. *Pandanophyllum* (Hassk.) B. & H. 468
 sect. *Pandanophyllum* (non B. & H.) Clarke 468, 480
 sect. *Thoracostachyum* (Kurz) Koyama 464
 subg. *Cephaloscirpus* Clarke 468
 subg. *Halostemma* Clarke 468, 475
 subg. *Pandanophyllum* Clarke 468
 subg. *Pandanoscirpus* Uittien 468
affinis Merr. 477
albescens Clarke 477
 alpina Elm. 479, 484
andamanica Clarke 477
angustifolia Uittien 438, 469, 478
archboldii Uittien 481
baccifera Clarke 466, 469, 484
banahaensis Elm. 477
bancana B. & H. ex Jacks. 465
borneensis Merr. 470, 475, 479, 484
caudata Kük. 474, 475
cuspidata (Miq.) Uittien 466, 468, 469, 473*, 475, 480, 484
 var. *angustifolia* (Uittien) Uittien 474, 475
 var. *cuspidata* 474
 var. *petiolata* (Clarke) Uittien 474
 var. *pumila* (Uittien) Uittien 474, 475, 476*
debilis Clarke 438, 469, 475
dictyophlebia S.T.Blake 479
enodis (Miq.) Clarke 438, 470, 475, 480
flagellaris Uittien 475, 477
foxworthyi Merr. 438, 469, 478
geelvinkensis Ohwi 470, 471
gracilipes Merr. 475, 477
gracillima Kük. & Merr. 488
graminea Uittien 438, 469, 470, 482
 var. *stipitata* Uittien 482
grandiceps Kük. 477
grandiceps (non Kük.) Ohwi 484
heterocephala Merr. 479
heyneana Back. 465
holttumii Kern 438, 468, 469, 472*
humilis F.-Vill. 473, 484
 var. *petiolata* Ridl. 474
inopinata Uittien 474
javana Uittien 477
kurzii Clarke 470, 478, 481
kurzii (non Clarke) Merr. 477
lactea Kük. 470, 471
latifolia Uittien 438, 467*, 468, 469, 472
ledermannii Kük. 471
longa Clarke 480
longiflora Clarke 438, 468, 469, 475
 var. *sessilis* Uittien 475, 481
longiflora (non Clarke) Pfeiff. 477
longifolia Clarke 470
longirostris Kük. 488
longispica Ridl. 478
lorea Uittien 438, 470, 480
lucbanensis Elm. 486, 488
lucida N.E.Brown 473, 474
macrocephala (non K.Sch.) Merr. 456
macrocephala (non K.Sch.) Ridl. 477
macrocephala (Gaud.) K.Sch. 438, 466, 468, 469, 470, 471 map, 477
margaritae Ohwi 470, 471
maschalina Kern 438, 469, 482, 483*
micropandanus Holtt. 438, 469, 482
monostachya Uittien 438, 470, 482
montana Laut. & K.Sch. 486
montana Ridl. 472
moseleyi Clarke 466, 468, 469, 471 map
 f. *latifolia* Uittien 470
multispicata (non Ridl.) Clarke 494
multispicata Clarke ex Ridl. 478
palauensis Hosokawa 470, 471
palustris (Hassk. ex Steud.) F.-Vill. 438, 466, 470, 471, 477, 478
pandanacea Ridl. 470, 471
pandanophylla K.Sch. 464
papuana Ridl. 484
parvibractea Koyama 487
petiolata Clarke 468, 474
 var. *angustifolia* Uittien 474
 var. *cuspidata* Uittien 474
 var. *pumila* Uittien 475
platyphylla Merr. 474
radians Clarke 487
radulosa Ridl. 484
richardsii Uittien 468, 469, 475
rostrata Elm. 488
sessilis Merr. 438, 470, 481
silhetensis Clarke 468, 477
spadicea Uittien 438, 469, 470, 481
squamata (Kurz) Clarke 438, 469, 470, 475, 479
stolonifera Uittien 474
sumatrana Benth. 464
sylvatica Aubl. 468
tenuiscapa Clarke 470, 480, 481
tenuiscapa (non Clarke) Ridl. 480
thoreliana Camus 492
triquetra Ridl. 473, 474
tumida Uittien 480
valida Ridl. 478, 480
versicolor Becc. 481
wallichiana 479
wallichii Clarke 438, 470, 479
wallichii (non Clarke) Ridl. 479
yapensis Hosokawa 470, 471
zeylanica (non Clarke) Merr. 480
zeylanica (non Clarke) Ridl. & Winkl. 480
 var. 475
Mappia 2
Mappia Jacq.
 sect. *Nothapodytes* (Bl.) O.K. 54
 sect. *Trichocrater* Miers 53
montana (Bl.) Miers 55
philippinensis Merr. 49
Mappianthus Hand.-Mazz. 2, 67
borneensis Merr. 73
hookerianus (Bail.) Sleum. 73
Mariscopsis Cherm. 593, 654
hyalinus Ballard 655
suaveolens Cherm. 655
Mariscus Gaertn. 592
Mariscus Vahl 641

- Mariscus* Zinn 688
 sect. *Flabelliformes* Clarke 638
 sect. *Turgiduli* Clarke 635
 subg. *Bulbocaulis* Clarke 643
albescens Gaudich. 635
angustatus Clarke 638
aristatus Cherm. 631
aromaticus Fern. 678
articulatus O.K. 700
asper O.K. 708
borneensis Fern. 668
capillaris Vahl 641
capitatus Steud. 644
cladium O.K. 688
colpodus Fern. 698
compactus Boldingh 640
concinus Schrader 642
crassus O.K. 701
cyperinus Vahl 641
 var. *maximus* Clarke 642
cyperoides Urb. 642
delicatulus Fern. 678
dietrichiae Clarke 640
dilutus Nees 640
distichus Fern. 699
dregeanus Kunth 643
dubius Kük. ex Fischer 643
falcatus Fern. 694
fallax Fernald 566
ferax Clarke 646
flabelliformis (non Kunth) Clarke 640
fulvus Clarke 638
 var. *confusus* Clarke ex Domin 638
gaudichaudii Fern. 698
geniculatus Fern. 699
globiceps Fern. 698
glomeratus O.K. 701
holoschoenus Clarke 637
irroratus Nees 643
javanicus O.K. 708
javanicus Merr. & Metc. 635
lucidus Clarke 637
maingayi Fern. 693
marianum O.K. 698
maritimus Miq. 643
merrillii Clarke 643
meyenii O.K. 698
micranthes Fern. 699
microcephalus Presl 638
 var. *pauciflorus* Pfeiff. 642
niveus Merr. 643
panicus Vahl 643
 var. *roxburghianus* Clarke 643
pennatus Domin 635
philippensis Steud. 642
platyphyllus Fern. 694
pullu Steud. 643
pungens Steud. 644
rechingeri Palla 642, 643
riparius
 var. *crassus* Fern. 701
- sieberianus* Nees ex Clarke 642
 var. *evolutior* Clarke 643
 var. *evolutior* (non Clarke) Ridl. 601, 646
 var. *microstachys* Kük. 643
 var. *subcompositus* Valck. Sur. 642
squarrosus Clarke 631
stuppeus Merr. 635
sundaicus Miq. 641
tenuifolius (non Nees) Clarke 640
teretifolius O.K. 700
tetragonocarpus O.K. 707
tristis O.K. 710
umbellatus (non Vahl) Mor. 641
 f. *contractus* Miq. 641
umbellatus Vahl 642
 var. *cyperinus* Camus 641, 642
 var. *panicus* Camus 643
 var. *panicus* Clarke 642
 var. *procerior* Zoll. 717
wichurae O.K. 710
- Maritaniaceae*, see *Pedaliaceae*
Medusa Lour. 180
anguifera Lour. 183
Medusanthera Seem. 1, 2, 3, 45
carolinensis (Kaneh.) Howard 47
coriifolia (Sleum.) Sleum. 47
glabra (Merr.) Howard 47
gracilis (King) Sleum. 43 map, 46
laxiflora (Miers) Howard 43 map, 45*, 46
merrittii (Merr.) Sleum. 43
ovata Howard 43 map
papuana (Becc.) Howard 47
peekelii (Sleum.) Sleum. 47
samoensis (Reinecke) Howard 43 map (numbers interchanged)
vitiensis Seem. 43 map (numbers interchanged)
- Meesia* Gaertn. 105
serrata Gaertn. 105
Melaleuca 562, 724, 732, 741, 748
Melicytus 179, 180
Meliosma pinnata (Roxb.) Walp. 805
- Menispermaceae* 80, 87
Merremia aniseiifolia Ooststr. 823
quinata (R.Br.) Ooststr. 823
steenisi Ooststr. 823
Merrilliodendron Kaneh. 1, 2, 3, 49
megacarpum (Hemsl.) Sleum. 50*, 51 map
rotense Kaneh. 50
Metrosideros eugenoides (Schltr) Steen. 805
- Microblepharis* (W. & A.) Roem. 417, 419
acuminata Roem. 426
cordifolia Roem. 430
heterophylla Roem. 426
macrophylla Roem. 428
obtusata Roem. 430
Microdracoides 435, 451
Millettia sp. 795
Miquelia Meisn. 1, 2, 3, 4, 76
cancellata Kurz 84
caudata King 77*, 78 map
celebica Bl. 77*, 78 map, 79
cumingii Baill. 79
philippinensis Merr. 77, 78 map
reticulata Merr. 78 map
rostrata Merr. 79
Mischospora Boeck. 589
efoliata Boeck. 589
Mitostemma 405
Mitreola L. 828, 829
pedicellata Bth. 829
sphaerocarpa (Leenh.) Leenh. 829
Modecca (Rheede) Lamk 406, 417
 sect. *Microblepharis* Endl. 419
 subg. *Erythrocarpus* Miq. 424
 subg. *Microblepharis* W. & A. 419
 subg. *Modeccae verae* Miq. 424
acuminata Bl. 426
australia R.Br. ex DC. 427
cardiophylla (non Mast.) F.-Vill. 426
celebica Koord. 427
coccinea Blanco 426
cordifolia Bl. 430, 431
dubia Roxb. 428
formosana Hayata 426
heterophylla Bl. 426
kardiocarpa Hassk. 426
lobata (non Jacq.) Hassk. 426
macrophylla Bl. 428
nicobarica Kurz ex Trim. 423
oblonga Hassk. 426
obtusata Bl. 430, 431
palmata (non Lamk) Kurz 428
palmata (non Lamk) F.-Vill. 426
parviflora Blanco 426
populifolia Zipp. ex Bl. 427
populifolia (non Bl.) K.Sch. & Holtr. 426
quintuplinervia Miq. 428
singaporeana Mast. 429
 sp. 428
triloba 426
trilobata (non Roxb.) Blanco 426
Molluginaceae, see *Aizoaceae*
Momordica sp. 426

- Monactineirma* Bory 407
 Monimiaceae 830
 Monotropastrum 827
 Montia L. 121, 122, 125
 fontana L. 121, 122*, 125*,
 126
 lamprosperma Cham. 126
 Moringaceae 4: 45-46; 5: 554;
 6: 960
Morisia wallichii Nees 717
Murucua, see *Murucuja*
Murucuja (Tourn.) Medik. 407
 adiantifolia Sweet 415
 aurantia Pers. 415
 baueri Lindl. 415
 herbertiana Sweet 416
 Myoporaceae 4: 265-266
 Myrica 370
 Myricaceae 4: 276-279
 Myriophyllum L. 239, 240, 246,
 248
 sect. *Pentapteris* DC. em. O.
 K. 249
 sect. *Tessaronia* Schindl. 249
 subg. *Brachythea* Schindl.
 249
 subg. *Myriophyllum* 249
 subsect. *Pelonastes* Hook. f.
 249
 aquaticum (Vell.) Verdcourt
 828
 axilliflorum Baker 250, 259*
 bonii Tard.-Blot 250, 258*
 brasiliense Cambess. 240, 250,
 253, 256*, 828
 coronatum Meijden 239, 250,
 252 map, 257, 258*
 dicoccum F.v.M. 239, 249,
 250, 254* 257
 exalbescens Fern. 253, 255
 humile Morong 257
 humile (non Morong) Schindl.
 257
 indicum Griff. 256
 indicum (non Willd.) Prain 255
 ssp. *tetrandrum* (Roxb.)
 Meijden 255
 indicum Willd. 249, 250, 256*,
 257, 259
 intermedium DC. 259
 intermedium (non DC.) Clarke
 252
 intermedium (non DC.) Tard.-
 Blot 257
 longibracteolatum Schindl. 251
 mezianum Schindl. 250, 258*
 var. *siamense* Craib 257
 oliganthum (W. & A.) F.v.M.
 250, 256*, 257
 pedunculatum Hook. f. 239,
 249, 250, 251*, 255 map
 propinquum Cunn. 250, 251*,
 252 map, 255
 proserpinacoides Gill. ex
 Hook. & Arn. 253
 pusillum Bl. 253, 259
 pygmaeum Mattf. 239, 249,
 250, 251*, 252 map
 siamense (Craib) Tard.-Blot
 250, 255 map, 257, 258*
 spathulatum Blatt. & Hallb.
 256
 spicatum (non L.) Gaertn. 255
 spicatum L. 249, 250, 253,
 254* map
 var. *muricatum* Maxim. 253
 tetrandrum (non Roxb.) Grah.
 256
 tetrandrum Roxb. 249, 250,
 252 map, 255, 256*, 257, 259
 tuberculatum Roxb. 250, 255
 map, 256*
 ussuriense (Regel) Maxim. 252
 variaefolium Hook. f. 252
 verticillatum L. 249, 250, 253,
 255, 256*
 β *ussuriense* Regel 252
 Myristicaceae 10
 Myrtales 239, 240

 Najadaceae 6: 157-171; 7: 222
Nalagu Adans. 755
 Natsiatum 2
 oppositifolium Planch. 70
 Neckia Korth. 97, 98, 110, 212
 distans Ridl. 110
 grandifolia Ridl. 110
 humilis Hook. f. 110
 klossii Ridl. 110
 var. *borneensis* Airy Shaw
 110
 lanceifolia Hook. f. 110
 f. *major* (Ridl.) Airy Shaw
 110
 malayana Ridl. 110
 f. *major* Ridl. 110
 f. *minor* Ridl. 110
 var. *angustifolia* Ridl. 110
 obovata Airy Shaw 110
 ovalifolia Capit. 110
 parviflora Ridl. 110
 philippinensis Merr. & Quis.
 110
 serrata Korth. 110, 111*
Neoleretia foetida (Wight) Baeh-
 ni 55
 philippinensis (Merr.) Baehni
 49
Neolophocarpus Camus 673
 tonquinensis Camus 677, 690
 Nepenthes 135
Nephrocodium malaccense Walp.
 820
Nephrocoelium malaccense
 Turcz. 820
 Nostoc 221, 261
 Nothapodytes Bl. 1, 2, 3, 4, 53
 foetida (Wight) Sleum. 55 map
 montana Bl. 54*, 55 map
 obtusifolia 55 map
 philippinensis (Merr.) Sleum.
 49
 pittosporoides (Oliv.) Sleum.
 55 map
 Nothofagaceae 274
 Nothofagus Bl. 266, 267, 268,
 269, 270, 271, 272, 273, 274,
 275, 276, 277, 278 map, 279,
 280, 281, 296, 309, 444
 sect. *Calucechinus* Krasser 278
 sect. *Calusparassus* (Hombr.
 & Jacq.) Krasser 278, 280
 subsect. *Bipartitae* Steen.
 273, 279, 280
 ser. *Triflorae* Steen. 273,
 280, 281
 ser. *Uniflorae* Steen. 273,
 280, 281
 subsect. *Quadripartitae*
 Steen. 278
 subsect. *Tripartitae* Steen.
 278
 sect. *Deciduae* Steen. 278
 sect. *Nothofagus* 278
 subsect. *Antarctica* Steen.
 278
 subsect. *Pumiliae* Steen. 278
 sect. *Planae* Steen. 278, 280
 sect. *Plicatae* Steen. 278
 sect. *Sempervirentes* Steen.
 278, 280
 subg. *Lophozonia* Krasser 278
 subg. *Molischia* Krasser 278
 aequilateralis (Baum.-Bod.)
 Steen. 287
 alessandrii Espinosa 279
 balansae (Baill.) Steen. 285
 bernhardii Steen. 292, 294
 brassii Steen. 273, 279, 281,
 282, 283, 287, 288*, 294
 carrii Steen. 270, 281, 282,
 283, 287, 291
 cornuta Steen. 289, 290
 crenata Steen. 281, 282, 283,
 287*, 290
 decipiens Steen. 292, 294
 discoidea (Baum.-Bod.) Steen.
 285
 dura Steen. 292
 eymae Steen. 292, 294
 flaviramea Steen. 269, 280,
 281, 282, 283, 285, 290, 291,
 292, 294
 fusca 273, 279
 grandis Steen. 270, 281, 282,
 283, 284*, 289, 291, 293*,
 294
 menziesii 273, 279
 nuda Steen. 282, 283, 285, 286*
 perryi Steen. 270, 281, 282,
 283, 285*, 289, 293*
 pseudoresinosa Steen. 281,

- 282, 283, 290, 293*
 var. *microphylla* Steen. 287
pullei Steen. 268, 270, 271,
 281, 282, 283, 289
recurva Steen. 287, 289
 var. *microphylla* Steen. 287,
 289
resinosa Steen. 281, 282, 283,
 290, 293*
resinosa (non Steen.) Steen.
 291
rubra Steen. 269, 270, 281,
 282, 283, 292*, 294
starkenborghii Steen. 269,
 270, 280, 281, 282, 283, 285,
 291
womersleyi Steen. 293*, 294
Notochnella Tiegh. 101, 104
 Nyctaginaceae 6: 450-468; 7:
 829
Nyssa sessiliflora (non Hook.)
 Koord. 24
 Nyssaceae 4: 29-31
 Ochna L. 97, 98, 99, 105
angustifolia (Vahl) O.K. 105
crocea Griff. 99
decaisnei Tiegh. 101
fascicularis Blanco 104
foxworthyi Elm. 102, 103
grandis Ridl. 99
hookeri (Planch.) O.K. 102
integerrima (Lour.) Merr. 98,
 99, 100*
mauritanica Lamk 101
sumatrana (Jack) O.K. 105
wallichii Planch. 99
 Ochnaceae 97-119
 subfam. Ochnoideae 97, 98
 tribe Elvasieae 97
 tribe Ochnae 97
 subtribe Ochninae 97
 subtribe Ouratinae 97
 subfam. Sauvagesioideae 97,
 98
 tribe Euthemideae 97
 tribe Lophireae 97
 tribe Sauvagesieae 97, 212
 subtribe Luxemburgiinae
 97
 subtribe Sauvagesiinae 97
Olus sanguinis Rumph. 96
Olyra malaccensis Wall. 751
orientalis Lour. 733
 Onagraceae 240
Oncostylis Nees 537
barbata Nees 539
Oreobolus R.Br. 435, 441, 446,
 447, 449, 452, 453, 455, 680,
 682 map
ambiguus Kük. & Steen. 441,
 455, 684, 685 map, 686*,
 688, 687*
clemensiae Kük. 687, 688
distichus Kük. & Steen. 685
kükenthalii Steen. 681*, 683*,
 684*, 685* map
pumilio R.Br. 437, 441, 684,
 685 map, 687
 sp. 688
Oreobolus 680
Ottilis Gaertn. 755
zeylanica Gaertn. 779
Ouratea (non Aubl.) Baill. 97,
 105
angustifolia (Vahl) Baill. ex
 Laness. 105
arcta Craib 107
beccariana Bartell. 105
borneensis Bartell. 105
crocea (Griff.) Burk. 99, 107
hookeri (Planch.) Burk. 102
megacarpa Ridl. 107
microphylla (Ridl.) Craib 107
mindanaensis Merr. 104
neerifolia 105
neriifolia Bartell. 105
sumatrana (Jack) Gilg 105
 var. *nervosa* Craib 107
Ouvirandra undulata Edgew. 213
 Oxalidaceae 151-178, 829
Oxalis L. 151, 152, 153, 160
 sect. *Acetosellae* 151, 153, 154,
 155, 157 map
 sect. *Biophytum* Endl. 160
 sect. *Corniculatae* 155
 sect. *Heterophyllum* 155
 sect. *Jonoxalis* 155
 sect. *Polyoxalis* 155
 sect. *Thamnoxys* 155
acetosella (non L.) Blanco 156
acetosella L. 157, 158
 ssp. *acetosella* 157 map, 158
 ssp. *griffithii* (Edgew. &
 Hook. f.) Hara 152, 154*,
 155, 157 map
 ssp. *montana* Hultén 157
 map
albiflora F.v.M. 166
apodiscias Turcz. 161
articulata Savigny 159
barrelieri L. 153, 154*, 155
blumei Zucc. 166
boridiensis Knuth 156
cernua Thunb. 152
corniculata L. 151, 152, 153,
 154, 155
 ssp. *repens* (Thunb.)
 Masam. 156
 var. *atropurpurea* Planch.
 155, 156
 var. *javanica* (Bl.) Back. 156
 var. *papuana* Knuth 156
 var. *repens* Thunb. 156
 var. *repens* (Thunb.) Zucc.
 155
 var. *sericea* Knuth 156
 var. *trichocaulon* Lévl. 156
 var. *villosa* Hohen. 156
 var. *villosa* Hook. f. ex
 Ridl. 156
corymbosa DC. 152, 154*,
 155, 159
cumingiana Turcz. 162
dendroides H.B.K. 162
deppei Lodd. 152, 154, 155,
 158, 829
fruticosa Raddi 155
griffithii Edgew. & Hook. f.
 157
intermedia (non A.Rich.?)
 Back. & Bakh. f. 158
intermedia A.Rich. 159
javanica Bl. 156
lactea Hook. 157
latifolia H.B.K. 152, 154, 155,
 158
magellanica Forst. f. 152,
 154*, 155, 156
martiana Zucc. 159
obtriangulata Forst. f. 157
 map
oregana Nutt. 157 map
papuana F.v.M. 166
persianum (Klotzsch) C.
 Muell. 161
purpurata Jacq. 152
reinwardtii Zucc. 164
repens Thunb. 156
rusciformis Mikán 155
sensitiva L. 162
sepium St.Hil. 155
 var. *picta* Progel 155
sessilis Buch.-Ham. ex Wall.
 161
tetraphylla (non Cav.) Back.
 & Sloop. 158
tetraphylla Cav. 158, 829
 var. *tetraphylla* 829
violacea (non L.) Hall. f. 159
violacea L. 159
 Pandanaceae 479
 Pandanales 450
Pandanophyllum Hassk. 466,
 468, 489
angustifolium Kurz ex Clarke
 480
costatum Kurz 456
humile Hassk. ex Steud. 473,
 494
humile (Steud.) Oudem. 473,
 474
hypolytroides F.v.M. 464
longifolium Boeck. 470
macrocephalum Boeck. 470
miquelianum Kurz 480
palustre Hassk. ex Steud. 468,
 477
 var. *malesica* Kurz 477
 var. *silhetana* Kurz 477
palustre (non Hassk. ex Steud.)

- Kurz 479
squamatum Kurz 479
wendlandi Hort. 473, 474
zeylanicum (non Thw.) Kurz 477
zippelianum Kurz 473
 Pandanus 482
acaulis Martelli 456
caricosus (Rumph.) Spreng. 456
helicopus 505
odoratissimus 615*
pumilus Moon 456
 Pangiaeae 406
 Papaveraceae 5: 114–117
Pappianthus iodoides Hand.-Mazz. 73
Parafagus Oliv. 278
 Paramapania Uittien 435, 439, 445*, 447, 448, 451, 452, 455, 484
amboinensis Uittien 487
attenuata S.T.Blake 488
flaccida Uittien 438, 486, 488
gracillima (Kük. & Merr.) Uittien 438, 468, 484, 488, 489
johorensis Uittien 487
longirostris (Kük.) Uittien 438, 486, 488, 489
longirostris Uittien p.p. 488
longistyla Uittien 487
lucbanensis Uittien 487, 488
montana Uittien 487
parvibractea (Clarke) Uittien 485*, 486
radians (non Uittien) Kern 488
radians (Clarke) Uittien 438, 486, 487
rostrata Uittien 438, 486, 487, 488, 489
simplex (Ridl.) Uittien 438, 486, 489
 Paropsia 406, 827, 829
vareciformis (Griff.) Mast. 191
 Pasanja (Miq.) Oerst. 274, 276, 318, 327
 sect. *Pseudocastanopsis* 318
 subg. *Chlamydoalanus* 318
 subg. *Cyclobalanus* 327
aculeata Markgr. 374
acuminatissima Oerst. 309
aspericupula Markgr. 382
bancana (Scheff.) Markgr. 361
beccariana (Benth.) Prantl 329
bennettii (Miq.) Gamble 356
blumeana 339
cantleyana (King ex Hook. f.) Gamble 352
clementiana (King ex Hook. f.) Gamble 365
clementis (Merr.) Schottky 379
companoana (Vidal) Markgr. 374
confragosa (King ex Hook. f.) Schottky 335
conocarpa (Oudem.) Schottky 349
costata (Bl.) Gamble 340
crassinervia (Bl.) Oerst. 371
craterophora Fischer 344
curtisii (King ex Hook. f.) Gamble 380
cyclophora (Endl.) Gamble 345
cyrtorhyncha (Miq.) Gamble 362
d'albertisii (F.v.M.) Markgr. 374
daphnoidea (Bl.) S. Moore 353
dasystachya (Miq.) Schottky 350
discocarpa (Hance) Gamble 306
eichleri (Wenzig) Gamble 341
encleisacarpa (Korth.) Gamble 338
 var. *aperta* Gamble 338
erythrocarpa Ridl. 369
ewyckii (Korth.) Gamble 351
 var. *latifolia* 351
falconeri (Kurz) Schottky 371
glomerata (Roxb.) Oerst. 367
glutinosa (Bl.) Oerst. 354
grandifrons (King ex Hook. f.) Gamble 375
hystrix (Korth.) Gamble 384
induta (Bl.) S. Moore 344
javensis (Miq.) Prantl 325
kingiana Gamble 381
korthalsii (Bl.) Oerst. 375
kunstleri (King ex Hook. f.) Gamble 372
lampadaria Gamble 368
lamponga (Miq.) Gamble 375
 var. *ewyckioides* Gamble 351
lappacea (non Oerst.) Gamble 334
litoralis (Bl.) Oerst. 398
lucida (Roxb.) Gamble 341
macphailii Henders. 339
maingayi (Benth.) Schottky 331
molucca (Rumph. ex L.) Oerst. 385
neurophylla (Miq.) Oerst. 376
nymaniana Markgr. 385
ochracea Schottky 379
oligoneura (Korth.) Oerst. 344
omalokos (Korth.) Schottky 341
pallida (Bl.) Oerst. 349
papuana (O.Warb.) Markgr. 374
placentaria (Bl.) Oerst. 367
plumbia (Bl.) Oerst. 385
pruinosa (Bl.) Oerst. 375
pseudomolucca (Bl.) Oerst. 376
rajah (Hance) S. Moore 361
rassa (Miq.) Gamble 364
 var. *lanuginosa* Ridl. 364
 var. *suffruticosa* Ridl. 366
reinwardtii (Korth.) Prantl 359
robinsonii (Ridl.) Gamble 336
rotundata (Bl.) Oerst. 331
rufivillosa Markgr. 383
scortechinii (King ex Hook. f.) Schottky 380
sogerensis S. Moore 374
spicata (Wall.) Oerst. 367
 var. *gracilipes* (Miq.) Schottky 367
 var. *microcalyx* (Korth.) Gamble 367
 var. *placentaria* (Bl.) Schottky 367
sundaica (Bl.) Oerst. 375
teysmanni (Bl.) Prantl 343
urceolaris (Jack) Oerst. 344
wallichiana (Lindl. ex Hance) Gamble 369
wenzigiana (King ex Hook. f.) Gamble 364
winkleriana Schottky 350
wrayii (King) Gamble 334
 Passiflora L. 405, 406, 407, 434
 sect. *Anomopathanthus* Harms 409, 412
 sect. *Decaloba* DC. 407, 409, 411
 group I 407
 group II 409
 group III 409
 subsect. *Anomopathanthus* (Harms) Cusset 412
 subsect. *Eudecaloba* Mast. 409, 411
 subsect. *Octodranthus* (Harms) Cusset 412
 subsect. *Polyanthea* (DC.) Endl. 409, 411
 sect. *Hollrungella* Harms 412
 sect. *Octandranthus* Harms 409, 412
 sect. *Polyanthea* A.P.DC. 409
 subg. *Plectostemma* 411
adiantifolia Ker-Gawl. 415
adiantum Willd. 415
alata Dryand. 407, 410
alato-caerulea Lindl. 411
antioquiensis Karst. 410
assamica Chakravarty 414
aurantia Forst. f. 409, 410, 415
 var. *aurantia* 408*, 415, 416
 map
 var. *banksii* F.M.Bail. 415
 var. *pubescens* F.M.Bail. 416
 map

- var. *samoënsis* (Exell) de Wilde 416 map
baileyana Domin 416
banksii Benth. 415
 var. *brachystephanea* Domin 415
barclayi Mast. 415
baueriana Mast. 415
biflora Lamk 411
biglandulosa Caley 416
burmanica Chakravarty 414
caerulea L. 411
caeruleo-racemosa Sabine 411
calcarata Mast. 407
capsularis L. 411
celata Cusset 414
cinnabarina Lindl. 409, 410, 416 map
coccinea Aubl. 415
coccinea Blanco 426
cochinchinensis Spreng. 409, 412, 413
distephana F.v.M. ex Harms 416
edulis Sims 407, 409, 410
foetida L. 405, 409, 410
glabra Wendl. 415
gracilis Jacq. 411
hainanensis Hance 413
herbertiana Ker-Gawl. 409, 416 map
 var. *caleyana* Mast. 416
hollrungii K.Sch. 408*, 409, 410, 413 map, 417
holosericea L. 411
horsfieldii Bl. 412, 413
 var. *elbertiana* Hall. f. 413
horsfieldii (non Bl.) King 414
 var. *distans* Craib 414
Impératrice Eugénie 411
incarnata L. 406, 411
jugorum W.W.Smith 414
kermesina Link & Otto 411
laurifolia L. 407, 410
leschenaultii 409
ligularis Juss. 410
ligulifolia Mast. 413
maliformis L. 410
mascarensis Presl 407
mauritania Thouars 407
minima Blanco 410
minima L. 410
mixta 405, 409, 410
mollissima (H.B.K.) Bail. 409, 410
moluccana Reinw. ex Bl. 407, 409, 412
 var. *moluccana* 412, 413 map
 var. *teysmanniana* (Miq.) de Wilde 412, 413 map
 var. *timorensis* Bl. 413
moluccana (non Bl.) Merr. & Perry 433
muelleriana Mast. 416
nitida H.B.K. 410
octandra Gagn. 409, 414
pallida (non L.) Lour. 413
parviflora Blanco 426
penangiana Wall. ex G.Don 423
perakensis Hall. f. 408*, 409, 413 map, 414
philippinensis Elm. 413
quadrangularis L. 407, 410
racemosa Brot. 406, 411
samoënsis Exell 416
samoënsis (non Exell) Yuncker 415
serrulata Blanco 410
serrulata Jacq. 410
siamica Craib 414
singaporeana Wall. ex G.Don 429
storkii Drake del Castillo 415
suberosa L. 409, 411
subpeltata Ortega 407, 411
sumatrana Bl. 409, 413 map, 414
timoriana Span. 413
trifasciata Lem. 411
verrucosula 416
verruculosa Weinm. 416
vitiensis Mast. 415
vitifolia H.B.K. 411
wilsoni Hemsley 414
zucca Blanco 426
Passifloraceae 405-434, 829
 tribe *Pariopsieae* 405, 406
Pedaliaceae 4: 216-221; 5: 557; 7: 829
Peekeliodendron Sleum. 49
missionariorum Sleum. 50
Pennantia 1, 3
Pentaloba Lour. 180, 182
corylifolia Turcz. 183
fasciculata Turcz. 184
lanceolata (Wall.) Arn. 187
semigyrate Turcz. 184, 185
Pentaphragmataceae 4: 517-528
Pentaphylacaceae 5: 121-124, 566
Pentaphyllum indicum Clusius 814
Pentastira Ridl. 87
Peripterygiaceae 93
Peripterygium Hassk. 93
moluccanum (Bl.) Sleum. 96
platycarpum (Gagnep.) Sleum. 95
Perissandra Gagnep. 212
Petasites 263
Phacellanthus Steud. ex Zoll. 705
multiflorus Steud. 708
Phaeocordylis Griff. 785
areolata Griff. 787
Phaleria Jack 830
longituba Stevens 830
nisidai Kaneh. 830
okapensis Stevens 830
pilistyla Stevens 830
Philydraceae 4: 5-7; 7: 829
Philydrum lanuginosum Banks & Sol. ex Gaertn. 829
Phlebocalymna Griff. ex Miers 14
calleryana Baill. 20
griffithiana (Miers) Mast. 20
lobbiana (Miers) Mast. 20
Phyllanthus acida (L.) Skeels 178
Phyllocladus 268, 289, 292
hypophyllus 269
Physkium natans Lour. 828
Phytocrene Wall. 1, 2, 3, 4, 79, 80, 81 map
anomala Merr. 80, 81
blancoi (Azaola) Merr. 86
borneensis Becc. 81, 84, 85
bracteata Wall. 81, 85
calicarpa Griff. 86
caudigera Sleum. 87
crinipes Baill. ex Bureau 85
dasycarpa (non Miq.) Dahl 86
dasycarpa Miq. 86, 87
forbesii Baker f. 86
gigantea Wall. 86
hirsuta Bl. 81, 85
hirsuta (non Bl. 1849) Teysm. & Binn. 87
interrupta Sleum. 80, 83
loheri Merr. 87
luzoniensis (Llanos) Baill. 86
macrocarpa Griff. 85
macrocarpa (sphalm.) 86
macrophylla (Bl.) Bl. 81, 86, 828
 var. *caudigera* (Sleum.) Sleum. 87
 var. *dasycarpa* (Miq.) Sleum. 87, 828
 var. *macrocarpa* 828
 var. *macrophylla* 86, 87, 828
malacothrix Sleum. 80, 83, 828
minahassae Koord. 85
oblonga Wall. 81, 84
obovoidea Merr. 86
ovalifolia Koord. 87
palmata Wall. 81, 84, 85
porphyrea Stapf 84
racemosa Sleum. 80, 81, 82*
stylocarpa Griff. 85
tinospirifolia Koord. 87
trichura Ridl. 81, 83
Phytolaccaceae 4: 228-232; 5: 557
Pinus 793
Pisonia aculeata L. 829
macrophylla (Bojer) Choisy 829
Pistia 222, 439, 634
Pithecellobium sp. 795
Pittosporaceae 5: 345-362; 6:

- 960-963; 7: 135, 829-830
 Pittosporopsis 2
 Pittosporum moluccanum
 (Lamk) Miq. 192
 Planchonella *gamblei* (Clarke)
 H.J.Lam 11
 Platea Bl. 1, 2, 3, 9, 14
apoensis Elm. 14
bullata Sleum. 10 map
corniculata Becc. 51
excelsa (non Bl. s.s.) Ander-
 son 13
excelsa Bl. 10, 11, 12
 var. *bornsensis* (Heine)
 Sleum. 12, 13*
 var. *excelsa* 12, 13
 var. *kinabaluensis* (Sleum.)
 Sleum. 12, 14
 var. *microphylla* (Sleum.)
 Sleum. 12, 13
 var. *riedeliana* (Becc.)
 Sleum. 12, 13
excelsa (non Bl. s.s.) Koord.
 14
excelsa (non Bl.) Ling 11
fuliginea Elm. 11
griffithiana Miers 20
hainanensis Howard 11
kinabaluensis Sleum. 14
latifolia Bl. 10, 11, 12, 14
 var. *borneensis* Heine 13
 var. *sumatrana* (Bl.) Miq. 11
latifolia (non Bl.) Dahl 14
latifolia (non Bl. s.s.) Merr. 13
laxiflora Miers 46
ledermannii Sleum. 11
lobbiana Miers 20
microphylla Sleum. 13
montana Howard 13
myristicea (R.Br. ex Hook. f.)
 Hall. f. 11
oblonga Korth. 14
papuana Becc. 25
parviflora (non K. & V.) Dahl
 11
parviflora K. & V. 13, 14
philippinensis Merr. 14
riedeliana Becc. 13
sclerophylla Sleum. 10, 11
sumatrana Bl. 11
 Platea (non Bl.) Miers 21
Platystigma R.Br. 9
myristiceum R.Br. 11
Pleopetalum Tiegh. 99
Pleuropetalon Bl. 4
suaveolens Bl. 6
 Ploiarium 663*
 Plumbaginaceae 4: 107-112
 Pocillaria Ridl. 35
pubescens Ridl. 39
 Podocarpus 268, 269, 289
imbricatus 270, 403
 Podostemaceae 4: 65-68; 6:
 963-964
Pogonostylis Bertol. 583
squarrosa Bertol. 585
 Polemoniaceae 4: 195-196
Polycanthum Tiegh. 99
Polygala frutescens Burm. 198
 Polyporandra Becc. 1, 2, 4, 65
junghuhnii Koord. 68
scandens Becc. 66*, 67 map
Polythecium Tiegh. 99
 Pontederiaceae 4: 255-261; 5:
 557; 6: 964
 Portulaca L. 121, 122, 126
 subg. *Enantiophylla* Legrand
 127
 subg. *Euportulaca* Spegazzini
 127
 subg. Portulaca Geesink 127
 sect. *Carinatae* Poelln. 128
 sect. *Catoclasia* Legrand 129
 subsect. *Squamosae* Le-
 grand 129
 sect. *Neossia* Legrand 127
 subsect. *Tuberculatae*
 Poelln. 127
 sect. Portulaca 127, 128
 subsect. Portulaca 127,
 128
 subsect. *Stellulato-tuber-*
culatae Poelln. 127, 129
 sect. *Portulaphiton* Legrand
 129
 sect. *Pseudohipsoclasia* Le-
 grand 129
 sect. *Rotundatae* Poelln. 129
 subg. Portulacella 121, 126,
 127
australis Endl. 131
axilliflora (non Pers.) Blanco
 133
cincta Fenzl 131
diptera Zipp. ex Span. 129
filifolia F.v.M. 131
grandiflora Hook. 131
helianthemoides Zipp. ex Span.
 131
javanensis Poelln. 131
 var. *grisea* Poelln. 131
lutea Forster 121, 127, 129
macrorrhiza (Zipp. ex Span.)
 Geesink 121, 127, 130*
meridiana L. f. 127
oleracea L. 121, 126, 127, 129
 ssp. *oleracea* 129
 ssp. *sativa* 129
 ssp. *sylvatica* 129
pachyrhiza (non Gagnep.)
 Merr. 131
paniculatum Jacq. 124
patens L. 125
pilosa L. 121, 126, 127, 131
 ssp. *grandiflora* (Hook.)
 Geesink 131
 ssp. *pilosa* 121, 131
 race *australis* 131
 race *filifolia* 131
 race *pilosa* 131
 race *tuberosa* 121, 131
 ssp. *sundaensis* (Poelln.)
 Geesink 121, 131, 132*
quadrifida L. 121, 126, 127,
 128*
 var. *meridiana* DC. 127
racemosa L. 124
samoensis Poelln. 131
sclerocarpa (non Gray)
 Koord. 131
sundaensis Poelln. 132
teretifolia L. 133
toston Blanco 133
triangularis Jacq. 124
tuberosa Roxb. 131
 Portulacaceae 121-133, 122*
 Primulaceae 6: 173-192, 964
Prosthelia Bl. 180, 182
javanica Bl. 188
 Proteaceae 5: 147-206, 566; 6:
 965; 7: 830
 Protium Burm. f. 820
macgregorii (F.M.Baill.)
 Leenh. 820
serratum (Colebr.) Engl. 820
yunnanense (Hu) Kalkm. 820
 Protolemma Saporta 222
Prunum stellatum Rumph. 175
Prunus javanica (T. & B.) Miq.
 14
 Pseudobotrys Moeser 1, 2, 7
cauliflora (Pulle) Sleum. 7, 8*,
 9 map
dorae Moeser 7, 9 map
Pseudogunnera Ørsted 259
macrophylla (Bl.) Ørsted 262
Pseudowolffia 219, 221, 223
Psilotrichopsis Townsend 820
Psilotrichum 820
Pterolepis Schrad. 508
Ptychocarya R.Br. ex Wall. 456
macrocarpa Steud. 456
Ptychocarym 456
ghaeri H.Pfeiff. 456
 Punicaceae 4: 226-227
Pycnarrhena longifolia (Decne)
 Becc. 108
Pycnonotus bimaculatus 443,
 706
Pycnus Beauv. 593, 646
 sect. *Globosi* Clarke 648
 sect. *Globosus* 648
 sect. *Polystachyi* Clarke 648
 sect. *Vestiti* Clarke 646
angulatus Nees 648
baccha (non Nees) Camus 611
capillaris Nees 648
eragrostis Palla 647
globosus Reichenb. 648
 var. *nilagiricus* Clarke 648
holosericeus Merr. 649, 650
hyalinus Domin 655

- hyalinus* (non Domin) Merr. 650
latespicatus Clarke 653
 var. *fagineicola* Camus 647, 653
nitens Nees 650
odoratus Urb. 649
 var. *holosericeus* Merr. 650
polystachyos Beauv. 649
 var. *laxiflorus* Clarke 649
 var. *paniculatus* Merr. 650
pulvinatus Nees 650
pumilus Nees ex Clarke 650, 655
 var. *punctatus* Domin 651
 var. *substerilis* Camus 656
punctulatus (non Nees) Ridl. 611
sanguinolentus Nees 646
setiformis B.Schisk. 653
stramineus Clarke 653
substellatus Camus 650
sulcinus Clarke 650
unioloides Urb. 648
Pyrenacantha Wight 1, 2, 4, 76
repanda (Merr.) Merr. 76
 sp. 76
volubilis Wight 76

Queenslandiella Domin 593, 654
hyalina Ballard 655
mira Domin 654, 655
Quercus L. 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 331, 340, 385, 386 map, 389 map
 sect. *Androgyne* 385
 sect. *Chlamydoalanus* 385
 sect. *Cyclobalanus* 385
 sect. *Lithocarpus* 385
 sect. *Pasania* 385
 sect. *Synaedrys* 385
 subg. *Cyclobalanopsis* 386
abandononii Valet. 373
acuminatissima (Bl.) A.DC. 309
acuminatissima Merr. 355
anceps Korth. 367
angustata Bl. 307, 376
annulata Korth. 343
antiquata 266
arbutifolia Hickel & A.Camus 394
arcula Buch.-Ham. ex Spreng. 366
 var. *microcalyx* (Korth.) Bl. 367
 var. *racemosa* (Jack) Bl. 367
argentata Korth. 387, 388, 389, 390*
 var. *concolor* Bl. 389
bancana Scheff. 360, 361
bancana (non Scheff. 1870) Scheff. 344
beccariana Benth. 329
bennettii (non Miq.) Merr. 359
bennettii Miq. 356
blancoi A.DC. 361
blumeana K. & V. 336
blumeana Korth. 339, 385
boholensis Merr. 335
borneensis Merr. 379
brachyclada von Seemen 374
brevipetiolata Scheff. 384
brevistyla A.Camus 392
buddii Merr. 383
bulusanensis Elm. 351
cagayanensis Merr. 377
cantleyana King ex Hook. f. 352
caraballoana F.-Vill. 353
castaneifolia Camus 274
castellarnauiana Vidal 377
caudatifolia Merr. 350
celebica Miq. 374
celebica (non Miq.) von Seemen 355
chrysostricha A.Camus 388, 394
clathrata von Seemen 331
clementiana King ex Hook. f. 365
clementiana (non King ex Hook. f.) Merr. 355
clementis Merr. 379
companoana Vidal 374
concentrica (non Lour.) Blanco 355
confragosa King ex Hook. f. 335
conocarpa (non Oudem.) Merr. 379
conocarpa Oudem. 349
cooperta Blanco 335
copelandii Elm. 354
costata Bl. 325, 327
 var. β Bl. 325
 var. *convexa* Bl. 325, 327
 var. *subrecurvata* Bl. 325
costata (non Bl.) Hook. f. 340
 var. *convexa* (non Bl.) King 340
 var. *convexa* (non Bl.) Naves 355
crassilamellata (Gamble) A. Camus 396
crassinervia Bl. 371
cuneata Roxb. ex A.DC. 341
curranii Merr. 331
curtisii King ex Hook. f. 380
cyclophora Endl. 345
cyrtopoda Miq. 384
cyrtorhyncha Miq. 362
dalbertisii F.v.m. 374
daphnoidea Bl. 352
dassinervia 371
dasystachya Miq. 350
debaryana O.Warb. 384
depressa Bl. 366
depressa Roxb. 345
diepenhorstii Miq. 362
disocarpa Hance 306
dolichocarpa von Seemen 353
echinifera Merr. 333
eichleri Wenzig 341, 344
elegans Bl. 366
elmeri Merr. 388, 389, 398
enclisacarpa Korth. 338, 385
 var. *aperta* King ex Hook. f. 338
 var. *divergens* Bl. 338
ewyckii Korth. 351
 var. *latifolia* King ex Hook. f. 351
fagiformis Jungh. 309
falconeri Kurz 371
fernandesii Vidal 335
fraxinifolia 266
gaharuensis Soepadmo 387, 389, 391
gemelliflora Bl. 266, 388, 395
glaberrima Bl. 366
glabra Blanco 361
glomerata Roxb. 367
glutinosa Bl. 354, 355
gracilipes Miq. 367
gracilis Korth. 362
grandifrons King ex Hook. f. 375, 376
gulliveri F.v.M. 374
guppilii F.v.M. 266
hallierii von Seemen 327
havilandii Stapf 373, 382
heliciformis von Seemen 343
hendersoniana A.Camus 396
horsfieldii Miq. 395
 var. *longifolia* Miq. 396
hypoleuca Miq. 343
hypophoenicea von Seemen 305
hystrix Korth. 384
 var. *longispica* Gamble 369
 var. *mappacea* (Korth.) Merr. 376
imperialis von Seemen 346
induta Bl. 344
 var. β 344
 var. *microcarpa* A.DC. 344
junghuhnii 307
javanica Drake 306
javensis (Bl.) Miq. 325
jordanae Laguna 382
junghuhnii Miq. 307
kerangasensis Soepadmo 267, 388, 389, 395
kinabaluensis Soepadmo 388, 389, 395
koordersii von Seemen 354
korthalsii Bl. 343, 375
 var. *hystrix* (Korth.) Bl. 384
 var. *kajan* Bl. 375
 var. *mappacea* (Korth.) Bl. 375

- var. *pachyphylla* Bl. 375
korthalsii Endl. 343, 375
kunstleri King ex Hook. f. 372
kunstleri (non King ex Hook. f.) von Seemen 370
lampadaria (Gamble) Burk. 368
lamponga (non Miq.) Hook. f. 379
lamponga Miq. 375, 376
lappacea (non Roxb.) Hook. f. 334
laurifolia Miq. 343
lauterbachii von Seemen 348
leptogyne Korth. 379
leucocarpa Hook. f. & Thoms. ex Wenzig 367
lineata Bl. 266, 388, 389, 396, 397*
 var. *heterochroa* Miq. 396
 var. *merkusii* (Endl.) Wenzig 396
 var. *oxyrhyncha* (Miq.) von Seemen 396
 var. *typical lineata* King 396
lineata (non Bl.) Miq. 307
lineata (non Bl.) S. Moore 393
lipacon Elm. 374
litoralis Bl. 398
llanosii A. DC. 374
lowii King 267, 388, 389, 393
lucida Roxb. 341
luzoniensis Merr. 381
mabesae Merr. 374
maingayi Benth. 331
maingayii 331
mappacea Korth. 375, 376
 var. *hystrix* (Korth.) Miq. 384
merkusii Endl. 395
merrillii von Seemen 388, 394
merrittii Merr. 377
mespilifolia
 var. *borneensis* Heine 395
microcalyx Korth. 367
minahassae Koord. ex Elmer 350
mindanaensis Elmer 355
minor Ridl. 371
miqueliana Scheff. 356
molucca (non Rumph. ex L.) Blanco 355
molucca (Rumph.) L. 385
monticola (non King etc.) Elm. 377
monticola King 369
muricata Roxb. 375
neurophylla Miq. 376
nieuwenhuisii von Seemen 379
nitida Bl. 352
 var. *grisea* 352
nivea King 387, 388, 391
obliquinervia Merr. 377
ochracea (Schottky) Merr. 379
oidocarpa Korth. 387, 389, 391, 392*
oidocarpa (non Korth.) Merr. 393
oligoneura Korth. 344
omalcos 341
omalocos Korth. 341
oogyne Miq. 385
ovalis Blanco 361
oxyrhyncha Miq. 396
pallida Bl. 348
penangensis Miq. 345
percoriacea Soepadmo 267, 388, 389, 394
petraea 273
philippinensis A. DC. 353
philippinensis (non A. DC.) Merr. 355
pinanga Bl. 389
pinatubensis Elm. 377
piriformis 331
placentaria Bl. 366
platycarpa Bl. 340
plumbea Bl. 385
poculiformis von Seemen 352
polyneura Miq. 396
pruinosa Bl. 375, 376, 788
 var. β 375
 var. *alpina* Jungh. 375
pruinosa (non Bl.) Elm. 335
pseudoannulata Bl. 343
pseudomolucca Bl. 376
 var. *angustata* (Bl.) Bl. 376
 var. *crassinervia* (Bl.) Miq. 371
 var. *incrassata* Bl. 343
 var. *korthalsii* (Bl.) Wenzig 375
 var. *pallida* Bl. 349
 var. *papuana* O. Warb. 374
 var. *pruinosa* (Bl.) Wenzig 375
 var. *rostrata* Bl. 349
 var. *sundaica* (Bl.) Wenzig 375
pseudovorticillata Soepadmo 387, 388, 389
pulchra King 333
pyrifolia Bl. 367
pyrififormis von Seemen 331
racemosa Jack 366
rajah Hance 361
rassa Miq. 364
 var. *lanuginosa* Ridl. 364
 var. *montana* King ex Hook. f. 364
reflexa King 335
reinwardtii Korth. 359
reinwardtii (non Korth.) F.-Vill. 355
rhamnifolia Miq. 299
rhoensis Hance 367
rizalensis Merr. 353
robinsonii Merr. 383
robinsonii Ridl. 336
robur 272
rotundata Bl. 331
rubra 273
rufa von Seemen 370
scortechinii King ex Hook. f. 380
scyphigera
 var. *riedelii* King 361
semiserrata (non Roxb.) Hook. f. 396
sericea Scheff. 393
soleriana Vidal 355
sphacelata Bl. 367
spicata Sm. 366
 var. *depressa* (Bl.) King 367
 var. *genuina* Koord. 367
 var. *glaberrima* (Bl.) Miq. 367
 var. *gracilipes* (Miq.) Miq. 367
 var. *latifolia* Scheff. 367
 var. *microcalyx* (Korth.) Miq. 367
 var. *placentaria* (Bl.) Miq. 367
 var. *racemosa* (Jack) Miq. 367
stenisii Soepadmo 388, 396
submonticola Elm. 377
subsericea A. Camus 267, 388, 389, 393
sumatrana Soepadmo 387, 389, 393
sundaica Bl. 375
sundaica (non Bl.) Merr. 382
tasystachya (non Miq.) Elm. 355
teysmannii 343
teysmannii (non Bl.) Heine 365
thelecarpa Miq. 376
 var. *angustata* (Bl.) Miq. 376
treubiana von Seemen 388, 389, 398
turbinata Bl. 395
 var. *crassilamellata* Gamble 396
turbinata Roxb. 395
tysmannii Bl. 343
umbonata Hance 345
urceolaris Jack 344
valdinervosa Soepadmo 388, 395
varingaefolia Miq. 307
vidalii F.-Vill. 358
wallichiana Lindl. ex Hance 368
wenzelii Merr. 353
wenzigiana King ex Hook. f. 364
wenzigiana (non King ex Hook. f.) Merr. 359

- wilhelminae* von Seemen 389
winkleriana (Schottky) Merr. 350
woodii Hance 358
wrayii King 334
zschokkei Elm. 354
- Rafflesia** 783
Rafflesiaceae 783
Rathea Karsten 407
Remirea Aubl. 443, 446, 644
distichophylla Boeck. 644
maritima Aubl. 450, 644
 var. *pedunculata* Benth. 644
pedunculata R.Br. 644, 645
rigidissima Steud. 644
wightiana Nees 644
Restio articularus Retz. 462
pitilsepalus Steud. 666
Restionaceae 5: 416-420, 569; 7: 448, 449
Rhamnaceae 91
Rhamnales 755
Rhizophoraceae 5: 429-493; 6: 965-967
Rhododendron L. 827
 retusum (Bl.) Benn. 798
Rhopalocnemis Jungh. 783, 784, 785, 791
 phalloides Jungh. 786*, 787*, 788*, 789* map
 ruficeps Ridl. 790
Rhynchospora Vahl 443, 447, 448, 452, 453, 455, 710
 subg. *Diplostyleae* Kük. 719
 subg. *Distylis* Pax 719
 subg. *Haplostylis* (Nees) Pax 713
 div. *Polycephalae* Clarke 715
 sect. *Calyptrostylis* Benth. 713
 sect. *Capitatae* Kunth 715
 sect. *Echinoschoenus* (Nees) Benth. 712, 715
 sect. *Haplostylis* 712, 715
 sect. *Longirostres* Kunth 712, 713
 sect. *Pauciflorae* Kük. 715
 sect. *Polycephala* Clarke 715
 sect. *Sphaeroschoenus* Clarke 715
 ser. *Haplostyleae* Benth 713
 subg. *Rhynchospora* 712, 719
 sect. *Campylorhachis* Benth. 712, 721
 sect. *Glaucacae* Clarke 712, 720
 sect. *Stenophyllae* Kük. 720
 sect. *Tenues* Kük. 721
 ser. *Dichostyleae* Benth. 719
 ser. *Diplostyleae* Clarke 719
alpina Spreng. 666
anomala Steud. 567
- articulata* R. & S. 714
aurea Vahl 713
brownii R. & S. 720
 var. *condensata* Ohwi 720
ceylonica 714
chinensis Nees & Mey. ex Nees 720
corymbosa (L.) Britt. 436, 439, 712, 713, 714
discolor Hochst. ex Steud. 718
exserta C.B. Clarke 718
glauca Vahl 720, 721
 ssp. *chinensis* (Boeck.) C.B. Clarke 721
 var. *chinensis* Clarke 720
 var. *condensatus* Kük. 720
gracillima Thw. 436, 454, 712, 713, 721
 ssp. *subquadrata* (Cherm.) Raynal 722
griffithii Boeck. 720
haenkei Presl 717
heterochaeta S.T. Blake 442, 711*, 712, 718
 var. *irregularis* Kük. 718
hookeri Boeck. 422, 712, 713, 714
japonica Makino 721
kamphoeveneri Boeck. 721
lavarum Gaud. 721
laxa R.Br. 720
longisetis R.Br. 442, 712, 717
 ssp. *exserta* Kük. 718
longisetis (non R.Br.) Uittien 718
malasica Clarke 437, 713, 715
marginata Clarke 718
massieana Camus 717
nipponica Makino 715
parva (Nees) Steud. 717
pterochaeta F.v.M. 718
rubra (Lour.) Makino 442, 700, 712, 715, 716*, 717*, 719
 var. *hirticeps* Kük. 717
rugosa (Vahl) Gale 441, 549, 712, 713, 720*
ruppioides Benth. 505
sikkimensis C.B. Clarke 721
submarginata Kük. 712, 713, 718, 719*
 var. *glabrinux* Kük. 719
subquadrata Cherm. 722
subtenuifolia Kük. 442, 712, 713, 719
tenuifolia Benth. 719
testui Cherm. 722
triflora Vahl 436, 439, 712, 713, 714
 var. *papuana* Kük. 714
wallichiana Kunth 717
wallichii K.Sch. 717
wightiana (non Steud.) Camus 718
- wightiana* (non Steud.) Clarke 718
wightiana (Nees) Steud. 442, 712, 713, 718, 719
zeylanica Kunth 714
Rhyticaryum Becc. 1, 2, 3, 35, 37
 map
bullatum Schellenb. 39
elegans Schellenb. 36, 38
elongatum Schellenb. 39
fasciculatum Becc. 36, 39
gracile Schellenb. 36, 38
longifolium K.Sch. & Laut. 36, 39, 40*
lucidum Schellenb. 36, 37
macrocarpum Becc. 36, 37
novoguineense (Warb.) Sleum. 36
oblongum Schellenb. 39
oleraceum Becc. 36, 38
oncocarpum (non K.Sch. & Laut.) Birnie 38
oncocarpum K.Sch. & Laut. 39
ovale Schellenb. 39
oxycarpum K.Sch. & Laut. 36, 38
oxycarpum (non K.Sch. & Laut.) Valet. 39
parviflorum Pulle 38
pubescens (Ridl.) Sleum. 39
pulchrum Schellenb. 38
purpurascens Schellenb. 36, 37
racemosum Becc. 36, 39
racemosum (non Becc.) Schellenb. 39
rotundatum Schellenb. 36, 37
sp. 36
urophyllum Schellenb. 38
Rhytidocaryum Sleum. 35
Riccia 234
fluitans 220
Riccicarpus nutans 220
Rinorea Aubl. 179, 180, 182, 188
 map
acuminata Merr. 185
amboinensis Merr. 185
anguifera (Lour.) O.K. 183
 var. *nervosa* (Capit.) Merr. 183
astrolabes (K.Sch. & Laut.) Melch. 185, 186
 var. *hirta* Melch. 185
bengalensis (Wall.) O.K. 183, 184, 187
borneensis Merr. 189
brownii (Korth.) O.K. 185
castilloi Merr. 185
celebica Melch. 185
comosa (King) Merr. 183
condensa (King) Merr. 186
copelandii Merr. 185
cymulosa (Miq.) O.K. 187
dasycaula (Miq.) Craib 190

- echinocarpa* Burk. 183
elmeri Merr. 185
fasciculata
 var. *minor* Elm. 184
fasciculata (Turcz.) Merr. 184
floribunda (King) Merr. 187
formicaria (Elm.) Merr. 188
gaultheriiflora J.J.S. 189
glabra (Burgersd.) O.K. 192
glandulosa (Elm.) Merr. 184
hamelii Merr. 185
haplobotrys (Hassk.) O.K. 188
heteroclita 182, 183
hirtella (Ridl.) Merr. 185
hirtella Ridl. 185
hookeriana (King) Burk. 188
horneri (Korth.) O.K. 181*,
 183, 185, 186*
horsfieldii (Miq.) O.K. 190
iliaspaiei Jacobs 183, 191
javanica (Bl.) O.K. 183, 188
lanceolata (Wall.) O.K. 183,
 185, 187
lankawiensis (Ridl.) Craib 184
ledermannii Melch. 185
longiracemosa (Kurz) Craib
 183, 189, 191
macrantha Jacobs 183, 188,
 191
macrophylla (Decne) O.K.
 183, 190
macropyxis (Capit.) Merr. 189
maingayi (Hook. f. & Th.) O.K.
 187
mollis (Hook. f. & Th.) O.K.
 187
obtus (Korth.) O.K. 184
pachycarpa (King) Craib 186
palawanensis Merr. 190
 var. *mollis* Merr. 190
paradoxa (Bl. ex Oudem.)
 J.J.S. 184
pruinosa (Pulle) Melch. 184
pulgarensis Elm. 192
salomonensis (Rech.) Melch.
 184
sclerocarpa (Burgersd.) Jacobs
 183, 186
scortechinii (King) Craib 186
strobobas 186
sumatrana Merr. 186
virgata (Thw.) O.K. 182, 183,
 190
wallichiana (Hook. f. & Th.)
 O.K. 184
wrayi Taub. 188
yatesii Merr. 190
Roridula 135
Roucheria Miq. 168
macrophylla Miq. 174
Rourea Aubl. 152, 169
diversifolia Miq. 170
harmandiana Pierre 178
minor (Gaertn.) Alston 174,
 178, 823
pinnata (Merr.) Veldk. 174
Roureopsis acutipetala (Miq.)
Leenh. 823
 ssp. *borneensis* (Schellenb.)
 Leenh. 823
Rynchospora 710
Ryticaryum 35
Salicaceae 5: 107–110
Salicornia australasica Moq. ex
 Schinz 823
Salvadoraceae 4: 224–225
Salvinia 220, 634
 laevigata H.B. ex Willd. 828
Samyda macrophylla Willd. 829
Sanicula elata D. Don 830
 europaea L.
 ssp. *elata* (D. Don) Hultén
 830
Santalodes diversifolium O.K.
 170
Santiria laevigata Bl. 822
 mollis Engl. 822
 tomentosa Bl. 822
Sapotaceae 10
Sarcospermataceae 4: 32–34; 6:
 967
Sarcospermum petasites Reinw.
 262
Sarcostigma W. & A. 1, 2, 3, 4,
 73
 angustifolia Pierre 75
 horsfieldii R. Br. 74
 kleinii W. & A. 73, 74 map
 paniculata Pierre 73, 74 map,
 75*
 var. *angustifolia* (Pierre)
 Gagnep. 75
 philippinensis Merr. 75
 surigaoensis Elm. 75
Sarcotheca Bl. 151, 152, 153,
 168, 170 map, 175
 acuminata Hall. f. 170
 celebica Veldk. 169, 172
 diversifolia (Miq.) Hall. f. 168,
 169, 170
 ferruginea Merr. 169, 173
 glabra (Ridl.) Knuth 171
 glauca (Hook. f.) Hall. f. 168*,
 169, 172, 173
 glomerula Veldk. 169, 170,
 174
 griffithii (Planch. ex Hook. f.)
 Hall. f. 169, 170
 laxa (Ridl.) Knuth 169, 171
 var. *hirsuta* Veldk. 171
 var. *laxa* 171
 var. *sericea* (Ridl.) Veldk.
 171
 macrophylla Bl. 169, 170, 174
 macrophylla (non Bl.) Knuth
 171
 monophylla (Planch. ex Hook.

- f.) Hall. f. 169, 172, 173
oblongifolia Merr. 173
ochracea Hall. f. 169, 173
paniculata Ridl. 174
philippica (F.-Vill.) Hall. f.
 174
pinnata Merr. 174
rubrinervis Hall. f. 169, 171,
 172, 173
sericea (Ridl.) Knuth 171
simplicifolia (Ridl.) Knuth 171
subtriplinervis Hall. f. 170
varians (Craib) Knuth 174
Satyria 827
Saururaceae 4: 47–48
Sauvagesia L. 97, 212
 erecta L. 118, 119
 jaheriana Capit. 110
Schaenoides brevifolius Rottb.
 656
 paniceus Rottb. 643
 triceps Rottb. 659
Schefflera aromatica (Bl.) Harms
 798
Schima 268
 wallichii (DC.) Korth. 270
 ssp. *noronhae* (Reinw. ex
 Bl.) Bloemb. 788, 797
Schizocapsa 806
 breviscapa Limpr. 813
 plantaginea Hance 806
Schlechterina 405
Schoenoplectus Palla 508
 grossus Palla 498
Schoenoxiphium Nees 435, 445,
 751, 752, 753
 cobresioideum 752
 gracile Cherm. 752
 kobresioideum Kük. 752
Schoenus L. 446*, 447, 452, 453,
 454, 455, 670, 672, 721
 sect. *Calostachyi* (Benth.)
 Clarke 673, 675
 sect. *Helothrix* (Nees) Kük.
 672, 674, 678
 sect. *Nudicaules* Kük. 673,
 675, 680
 sect. *Paniculati* (Benth.)
 Clarke 673, 674, 677
 sect. *Repentes* Kük. 674, 680
 sect. *Scrobiculati* Kük. 677
 ser. *Calostachyi* Benth. 675
 ser. *Laterales* Benth. 680
 ser. *Microcarpi* Benth. 678
 ser. *Paniculati* Benth. 677
 apogon (non R. & S.) Clarke
 678, 679
 apogon (non R. & S.) Ridl.
 679
 apogon R. & S. 447, 679
 articulatus Roxb. 714
 axillaris Poir. 679
 calostachyus (R. Br.) Poir. 440,
 674, 675, 676*

- coloratus* L. 656
confervoides Willd. ex Kunth 505
curvulus F.v.M. 438, 441, 672, 674, 678, 680
curvulus (non F.v.M.) Kük. 677
delicatulus (Fern.) Kern 438, 674, 678
distichus Ridl. 685
elatus Boeck. 677
erythrosiphon Ohwi 679
falcatus R.Br. 442, 672, 674, 677, 678
 var. *borneensis* Kük. 678
falcatus (non L.) Merr. 678
ferrugineus L. 673
foliatus S.T.Blake 679
fusco-guttatus Ohwi 675
halconensis Kük. 676
hasskarlii Steud. 708
kinabaluensis Stapf 678
laevinux (Kük.) Ohwi 674, 676
lithospermus L. 741
longibracteatus Kük. 438, 441, 674, 679
longisetis Poir. 717
mariscus L. 688
maschalinus R. & S. 441, 674, 678
melanostachys R.Br. 437, 441, 674, 675, 676
 var. *laevinux* Kük. 676
memorum Vahl 490, 491
neoguinensis Kük. 679
nigricans L. 673
nitens (R.Br.) Poir. 437, 441, 455, 673, 674, 680
niveus Murr. 643
paniculatus Burm.f. 733
paniculatus Hassk. 708
philippinensis Kük. ex Merr. 679
 var. *kinabaluensis* Kük. 678
 var. *pachystylus* Kük. 679
punctatus R.Br. 442, 674, 677, 701
rhynchosporoides (Steud.) Kük. 668
ruber Lour. 717
rubiginosus Sol. ex Forst. 700
rugosus Vahl 720
setiformis S.T.Blake 441, 674, 679
sp. 688
spartea R.Br. 437, 442, 674, 675
 var. *paucispiculatus* Kük. 675
subaxillaris Kük. 679
tendo (Hook. f.) Hook. f. 677
 var. *laevinux* Kük. 677
 f. *ebarbatus* Kük. 677
 var. *triander* Kük. 677
triangularis Volkens 675
tuberosus Burm. f. 604
Schuurmansia Bl. 97, 98, 115, 212
 angustifolia Hook. f. 114
 bamleri K.Sch. & Laut. 117
 var. *longifolia* Laut. 117
 borneensis Ridl. 115
 coriacea A.C.Smith 118
 crassinervia Gilg 118
 elegans Bl. 115
 gilgiana Laut. 117
 grandiflora A.C.Smith 118
 henningsii K.Sch. 115, 116*, 117*, 118*
 longifolia (Laut.) Gilg 118
 lophiroides Gilg 118
 microcarpa Capit. 118
 montana A.C.Smith 118
 oreophila Gilg 118
 parviflora Ridl. 115
 parvifolia Merr. 116
 pseudopalma Hall. f. 118
 rauwolfoides Hall. f. 118
 schlechteri Gilg 118, 119
 theophrasta Hall. f. 118
 vidalii (F.-Vill.) Merr. 115, 116
Schuurmansiella Hall. f. 97, 98, 113
 angustifolia (Hook. f.) Hall. f. 114*
Schyzocapsa breviscapa Limpr.
Scirpidium nigrescens Nees 533
Scirpodendron Zipp. ex Kurz 436, 438, 442, 443, 445*, 446, 448, 452, 453, 456
 costatum Kurz 456
 ghaeri (Gaertn.) Merr. 454, 456, 457*
 pandaniforme Zipp. ex Kurz 456
 sulcatum Miq. 456
Scirpoides paradoxus Rottb. 518
Scirpus L. 443, 444, 445*, 446*, 447, 449, 451, 452, 454, 455, 494, 518, 521, 523, 537, 538, 542, 593
 b. *Euscirpus* α *Phyllanteli* Beurl. 499
 sect. *Actaeogeton* Rchb. 508
 sect. *Actinoscirpus* Ohwi 496, 497
 sect. *Anthelophorum* Ohwi 505
 sect. *Baeothryon* (A.Dietr.) B. & H. 496, 505
 sect. *Bolboschoenus* Beetle 499
 sect. *Cernui* Cherm. 515
 sect. *Confervoidei* Cherm. 496, 504
 sect. *Dichostylis* Fiek 634
 sect. *Eleogiton* (Link) Pax 496, 502
 sect. *Euscirpus* B. & H. 499, 501
 sect. *Euscirpus* Clarke 508
 sect. *Fluitantes* Cherm. 502
 sect. *Hymenochaeta* Beetle 497
 sect. *Isolepis* (R.Br.) Griseb. 496, 515
 sect. *Lacustres* Beetle 508
 sect. *Littorales* Cherm. 508
 sect. *Maritimi* Cherm. 496, 499
 sect. *Micranthi* C.B.Clarke 496, 515, 521
 sect. *Microstylis* Clarke 515
 sect. *Monostachyi*** *Caespitosa* Clarke 505
 sect. *Monostachyi** *Fluitantes* Clarke 502
 sect. *Mucronati* Cherm. 508
 sect. *Oncostylis* Boeck. 537
 sect. *Paucispicata* Beetle 505
 sect. *Phylloscirpus* Pax 501
 sect. *Pterolepis* Beetle 508
 sect. *Schoenoplectus* Rchb. 496, 508
 sect. *Scirpus* 496, 501
 sect. *Scirpus* Clarke 508
 sect. *Seidlia* Clarke 501
 sect. *Setacei* Cherm. 515
 sect. *Squarrosi* Cherm. 515
 sect. *Sylvatica* Clarke 501, 502
 sect. *Taphrogeton* Rchb. 501
 sect. *Trichophorum* (Pers.) A. Gray 496, 502
 n. 78 Rottb. 625
 acicularis L. 535
 acutangulus Roxb. 525
 acutus Presl. 510
 aemulus Steud. 498
 aestivales Retz. 584
 affinis Roth 500
 afflatus Benth. 532
 anceps Poir. 694
 anceps Willd. 549
 anomalus Retz. 490
 aphyllus Hassk. 655
 argenteus Rottb. 586
 articulatus L. 439, 497, 513*
 articulatus sensu Nees 514
 var. *major* Boeck. 514
 arvensis Retz. 572
 asiaticus Beetle 502
 atropurpureus Retz. 536
 attenuatus Franch. & Sav. 532
 aucklandicus (Hook. f.) Boeck. 437, 441, 497, 515
 autumnalis L. 548, 625
 barbatus Rottb. 539
 var. β 539
 beccarii Boeck. 438, 440, 496, 497, 503*
 benghalensis Pers. 552, 553
 bispicatus Roxb. 573
 bisumbellatus Forsk. 579
 borneensis H.Pfeiff. 516
 capillaris (non L.) Boeck. 538

- capitatus* L. 536
caribaeus Rottb. 536
cephalotus Jacq. 659
cespitosus (non L.) F.v.M. 505
cespitosus L. 505
chinensis Munro 501
chinensis Osb. 521
chinensis (non Osb.) Raymond 516
ciliaris L. 519
cinnamometorum Vahl 565
clarkei Stapf 505, 507
 var. *pakapakensis* Beetle 505
clemensiae 512
clemensii Ohwi 512
complanatus Retz. 549
confervoides Poir. 439, 447, 496, 497, 504*, 505, 534
coniferus Poir. 462
corymbosus L. 713
crassiusculus (Hook. f.) Benth. 437, 440, 497, 503
cyperinus (L.) Kunth 502
cyperoides L. 642
debilis Pursh, non Lamk 513
densus Wall. 538
dichotomus L. 575
dichotomus (non L.) Rottb. 579
diphyllus Retz. 575
dipsaceus Rottb. 590
erectus (non Poir.) Clarke 512
 var. *triangulatus* Honda 513
 var. *wallichii* Beetle 513
eriphorum (non Michx) Clarke 502
eriphorum Michx 502
falcatus Llanos 575
falcatus Vahl 557
ferrugineus L. 572
fistulosus Poir. 525
fluitans (non L.) Clarke 503
fluitans L. 440, 496, 497, 502, 503
 ssp. *pseudo-fluitans* Koyama 503
fluviatilis (Torr.) A.Gray 499
fohaiensis Tang & Wang 512
foliatus Hook. f. 679
geniculatis L. 536
globulosis Retz. 551
glomeratus L. 659
grossus L. f. 439, 453, 496, 498*
 f. *kysoor* Beetle 499
 f. *minor* Miq. 498
 var. *kysoor* (Roxb.) Clarke 498, 499
hispidulus Vahl 560, 561
incurvatus Roxb. 513
inundatus (R.Br.) Poir. 437, 441, 496, 497, 503, 515
javanus Nees 510
junciformis Nees 512
juncoides Roxb. 439, 453, 496, 497, 512, 513
 var. *ohwianus* (Koyama) Koyama 512
 var. *triangulatus* (Honda) Ohwi 513
juncoides × *preslii* 513
junghuhnii Miq. 438, 441, 495*, 496, 497, 500*
 var. *minor* Kük. 500, 501
kysoor 498
kysoor (non Roxb.) Llanos 498
kysoor Roxb. 499
lacustris L. 439, 453, 497, 508
 ssp. *glaucus* (Smith) Hartm. 510
 ssp. *lacustris* 510
 ssp. *validus* (Vahl) Koyama 508
 var. *tabernaemontani* (Gmel.) Doell 510
 var. *validus* Kük. 508
lacustris (non L.) Merr. 508, 510
lateralis Retz. 514
lateriflorus Gmel. 439, 497, 514
laxiflorus Thw. 528
lithospermus L. 740
litoralis Schrad. 438, 453, 455, 497, 510
litoralis s.s. 510
 var. *subulatus* (Vahl) Chiov. 510
luzonensis Presl 512
macrothyrsus Miq. 516
maritimus L. 443, 444, 496, 497, 499
 var. *aemulans* Miq. 498
 var. *digynus* Godr. 499
 var. *fluviatilis* Torr. 499
medianus Cook 499
michelianus L. 634
miliaceus L. 551, 552
mindorensis Beetle 539
monander Rottb. 586
mucronatus L. 439, 453, 496, 497, 510, 511*
 ssp. *clemensii* Kük. 496, 497, 512
 var. α Decne 512
 var. *planoconvexus* Koyama 510
mucronatus s.s. 512
mutatus L. 527
nanus (non Poir.) Spreng. 537
niloticus (non Gmel.) Blanco 551
nitens Boeck. 680
nutans Retz. 588, 589
obtusus Willd. 537
ochrostachys O.K. 528
ohwianus Koyama 512, 513
oryzeterum Ohwi 514
pakapakensis Stapf 505, 507
pallescens Roxb. 579
parvulus R. & S. 537
planiculmis Fr.Sch. 499, 500
plantagineus Retz. 529
plantaginoides Rottb. 529
polytrichoides 586
polytrichoides Retz. 586
preslei 510
preslii Dietr. 510
presslii 510
prolongata Poir. 514
pseudo-fluitans Makino 503
pterolepis Kunth 510
puberulus Poir. 540
pulogenis Merr. 507
purshianus Fern. 513
pusillus Vahl 537
pygmaeus Lamk 534
quincangularis Vahl 552
radicans Schk. 501
retroflexus (non Poir.) Llanos 536
retroflexus Poir. 534
rubricosus Fern. 502
ruppioides Thw. ex Sauv. 505
schoenoides Retz. 573
senegalensis Lamk 521
setaceus (non L.) Camus 540
setaceus L. 515
setaceus (non L.) Rendle 515
spiralis Rottb. 527
squarrosus L. 447, 496, 516, 522
squarrosus (non L.) K.Sch. 522
subcapitatus Thw. 441, 497, 505, 506*, 507*, 508*
 f. *rigidus* Kük. 505
 ssp. *celebicus* Kern 507, 509*
 ssp. *pulogenis* (Merr.) Kern 507
 var. *triangularis* Kük. 505
submersus Sauv. 505
subtilissimus (Boeck.) S.T. Blake 437, 441, 496, 497, 515
subulatus Vahl 510
subviviparus O.K. 532
sundanus Miq. 510
supinus L. 503
 var. *elatior* Boeck. 512
supinus (non L.) F.-Vill. 514
 var. *uninodis* Clarke 514
sylvaticus L. 501
tabernaemontani Gmel. 510
tabernaemontani (non Gmel.) Kük. 508
ternatensis 501
ternatanus Reinw. ex Miq. 438, 496, 501
tetragonus Poir. 551

- tetraqueter* Thw. 531
tetraquetrus 531
thermalis Trab. 510
timorensis Kunth 512
timoriensis 512
trialatus Boeck. 621
triangulatus Roxb. 510
triqueter
 var. *segregatus* Clarke 508
tristachyos Rottb. 514
tristachyos Zoll. ex Steud. 514
tuberosus Roxb. 529
tumidus Roxb. 529
validus (non Vahl) Beetle 510
validus Vahl 508
varians Boeck. 503
variegatus Poir. 528
wallichii Nees 437, 497, 513
wichurii Boeck. 437, 496, 502
yokoscensis Franch. & Sav. 535
zollingeri O.K. 532
Scleria Berg. 436, 443, 447, 448, 449, 451, 452, 453, 455, 722, 726
C. Corymbosae Boeck. 740
 sect. *Browniae* (Clarke) Kern 727, 729
 sect. *Carphiformes* Kern 727, 741
 sect. *Corymbosae* Boeck. ex Pax 727, 740
 sect. *Diplacrum* (R.Br.) Kern 727, 749
 sect. *Elatae* Clarke 732
 sect. *Hypoporium* (Nees) Endl. 727, 743
 sect. *Lithospermeae* Clarke 740
 sect. *Scleria* 727, 732
 sect. *Sphaeropus* (Boeck.) Kern 727, 749, 751
 sect. *Tessellatae* Clarke 727, 743
 subg. *Browneae* 729
 subg. *Browniae* Clarke 729
 subg. *Hypoporium* Clarke 726, 743
 subg. *Scleria* 726
 subg. *Tessellatae* Clarke 743
 alta Boeck. 724*
 alta (non Boeck.) Camus 735
 androgyna Nees 740
 annularis (non Steud.) Clarke 746
 annularis (Kunth) Nees ex Steud. 436, 726*, 728, 744
 approximata Hassk. 751
 aquatica Cherm. 736
 bancana Miq. 733, 734, 735, 751
 var. *nana* Ridl. 734
 benthamii (non Clarke) S.T. Blake 748
 benthamii Clarke 722, 724*, 728, 732
 biflora Roxb. 724, 726*, 727, 728, 743, 745*, 746 map
 ssp. *biflora* 744
 ssp. *ferruginea* (Ohwi) Kern 726*, 728, 744
 bracteata (non Cav.) Brongn. 734
 brownei 731
 brownii Kunth 437, 722, 724*, 728, 731
 var. 731
 capillaris R.Br. 741
 caricina (R.Br.) Benth. 724, 726*, 727, 749, 751
 carphiformis Ridl. 725*, 727, 730 map, 741, 742*, 743
 chinensis Kunth 734
 var. *biauriculata* Clarke 733
 var. *luzonensis* Uitt. 734
 f. *pilosa* Uitt. 734
 ciliaris Nees 440, 724*, 729, 733, 734
 cochinchinensis Druce 734
 corymbifera Boeck. 740
 corymbosa (non Roxb.) Ridl. 733
 corymbosa Roxb. 725*, 729, 738 map, 740
 cyathophora Holtt. 438, 722, 724*, 728, 731
 densispicata (Clarke) Kern 438, 723*, 724*, 729, 730 map, 731
 distans R.Br. 731
 elata Thw. 733
 var. *decolorans* Clarke 733, 734
 var. *latior* Clarke 733, 734
 exaltata Boeck. 724*, 733
 fenestrata Franch. & Savat. 746
 ferruginea Ohwi 744
 filiformis Sw. 741
 filipendula S.T. Blake 748
 flaccida Clarke 749
 foveolata (non Cav.) Llanos 739
 glabroreticulata De Wild. 744
 glaucescens Presl. 741
 gonocarpa Ridl. 730
 graeffiana Boeck. 738
 haematostachys Boeck. 724*, 733, 734
 hasskarliana Boeck. 733
 hebecarpa Nees 732
 f. *pilosa* Valck.Sur. 732
 var. *pubescens* Clarke 732
 hirsuta Boeck. 733, 734
 hookeriana Kük. 734
 japonica Steud. 732
 junghuhniana Boeck. 422, 722, 725*, 729, 735
 junghuhnii 735
 keyensis K.Sch. 739
 khasiana Clarke 732
 kuntzei Boeck. 733, 734
 lacustris Wright ex Sauvalle 736
 laevis (non Retz.) Miq. 714, 733
 lateriflora Boeck. 749
 laxa R.Br. 722, 726*, 729, 748
 levis Retz. 440, 724*, 729, 732
 f. *villosa* Valck.Sur. 738
 levis (non Retz.) Willd. 733
 f. β 733
 lithosperma (L.) Sw. 436, 440, 722, 725*, 728, 732, 740
 var. β Miq. 740
 var. *linearis* Benth. 725*, 741
 var. *lithosperma* 741
 var. *roxburghii* Clarke 741
 luzonensis Palla 733
 macrocarpa Wall. 456
 macrophylla Presl 751
 malaccensis Boeck. 735
 margaritifera Willd. 736
 melanostoma Nees ex Boeck. 733, 734
 merrillii Palla 746
 mikawana Makino 436, 726*, 728, 744
 motleyi (non Clarke) S.T. Blake 731
 motleyi Clarke 724*, 729, 731, 732
 ssp. *motleyi* 730
 ssp. *rostrata* Kern 724*, 729, 730 map
 var. *densi-spicata* Clarke 729, 730
 multifoliata Boeck. 739
 var. *pilosula* Clarke 739
 neesii Kunth 437, 725*, 727, 730 map, 741, 748
 neesii (non Kunth) Ridl. 741
 var. *borneensis* Clarke ex Ridl. 741
 var. *hirsutissima* Camus 741
 novae-hollandiae Boeck. 437, 726*, 746, 747*
 oblata S.T. Blake 440, 724*, 729, 733
 onoei Franch. & Savat. 749
 var. *pubigera* Ohwi 749
 orizoides 736
 oryzoides Presl 736
 pallidiflora Boeck. 731
 papuana Kern 438, 724*, 728, 730 map, 731, 732
 parvula Steud. 436, 726*, 728, 746
 pergracilis (Nees) Kunth 725*, 727, 743
 ploemii Boeck. 733

- poaeformis* Retz. 439, 725*, 727, 729, 736, 737*
polycarpa Boeck. 437, 725*, 728, 738 map, 751
propinqua Steud. 743
psilorrhiza Clarke 442, 722, 724*, 729, 735
pubescens Steud. 732
pubigera Makino 749
purpurascens Steud. 440, 725*, 728, 733, 739, 740 map
 var. *ophirensis* (Clarke) Kern 740 map
purpureovaginata Clarke 739
pygmaea R.Br. 726*, 749
pygmaeopsis Kern 438, 722, 726*, 727, 749, 750*
radula Hance 724*, 733, 734
reticulata (Holt.) Kern 437, 724, 726*, 727, 751
ridleyi Clarke 740
rinkiana Boeck. 733, 734
roxburghii Domin 741
rugosa R.Br. 439, 726*, 727, 728, 748, 749, 751
scrobiculata Nees & Mey. ex Nees 440, 725*, 728, 738, 751
 ssp. *discocarpa* Kern 725*, 727, 739
 ssp. *scrobiculata* 739
 var. *purpurascens* Steud. 739
setifera Boeck. 679
sorsogonensis Elm. 730
sphacelata F.v.M. 722
stuedeliana Miq. 743
sumatrensis Retz. 440, 724, 725*, 727, 736, 738 map, 751
 var. *pubescens* Miq. 732
tenuis Retz. 741
terrestris (L.) Fass. 440, 722, 724*, 729, 733, 735
 var. *decolorans* Fass. 733
 var. *latior* Fass. 733
tessellata (non Willd.) Benth 732
 var. *debilis* Benth. 748
tessellata (non Willd.) Boeck. 744, 746
tessellata (non Willd.) Decne 739
tessellata (non Willd.) Nees 743
tessellata Willd. 726*
thwaitesiana Boeck. 437, 726*, 729, 748
timorensis Nees 739
trialata (non Poir.) Brongn. 739
tricuspidata S.T.Blake 437, 722, 726*, 728, 733, 748
trigona Merr. 730
trigonocarpa Ridl. 730
uliginosa Hochst. ex Boeck. 746
waigiouensis Steud. 739
wichurai Boeck. 732
wightiana Steud. 741
zeylanica (non Poir.) Clarke 749
zeylanica Poir. 732
Scolopia Schreb. 827
kermodei (non Fischer) Steen. 827
luzonensis (Presl) Warb. 827
macrophylla (W. & A.) Clos 827
nitida C.T.White 827
ново-guineensis Warb. 827
steeniana Sleum. 827
Scyphellandra Thw. 180
virgata Thw. 190
Scyphostegiaceae 5: 297-299; 6: 967; 7: 830
Seguieria asiatica Lour. 824
Seidlia Opiz 501
Serpicula L. 246
brevipes W. & A. 246
epilithes Bl. 247, 248
hirsuta W. & A. 246
 var. *incisa* Miq. 246
indica Thw. 247, 248
javanica Miq. 247
veronicaefolia (non Bory) Miq. 247
verticillata L. f. 248
zeylanica Arn. ex Clarke 247, 248
 var. *minor* Thw. ex Clarke 247
Sesamum indicum L. 829
orientale L. 829
Shorea albida 58, 609
materialis 60
sp. 291
Sideroxylon gamblei C.B.Clarke 11
Simaroubaceae 6: 193-226, 968-972
Sinapistrum Rumph. 91
Sinia Diels 97
Stoja Buch.-Ham. ex Lindl. 93
Sleumerodendron 830
Solea Spreng. 194
Sonneratiaceae 4: 280-289, 513; 5: 557; 6: 973
Sorghum nitidum 627*
Sorostachys Steud. 632
kyllingoides Steud. 632
Sparganiaceae 4: 233-234
Spathium undulatum Edgew. 213
Sphaeromariscus Camus 593
microcephalus Camus 640
Sphaeropus Boeck. 722, 749
Sphaeroschoenus W.-A. & Nees ex Nees 715
Sphagnum 703, 732
Sphenocleaceae, see *Campanulaceae*
Spigelia anthelmia L. 829
Spirodela Schleid. 219, 220, 222, 223, 231
atropurpurea Montand. 224
javanica Hegelm. 226
maxima (Blatter & Hallb.) McCann 224
melanorrhiza Hegelm. 226
oligorhiza Hegelm. 226
 var. ϵ *javanica* Hegelm. 226
 var. β *melanorrhiza* (F.v.M. ex Kurz) Hegelm. 226
 var. δ *pleiorrhiza* (F.v.M. ex Kurz) Hegelm. 226
 var. γ *pusilla* Hegelm. 226
pleiorrhiza Hegelm. 226
polyrhiza (L.) Schleid. 220*, 221, 224, 225*, 237
 var. *masonii* Daubs 224
punctata (G.F.W.Meyer) Thompson 220, 221, 225, 227*, 231
pusilla Hegelm. 226
Spraguea 121
Stackhouseiaceae 4: 35-36
Staphylea indica Burm. f. 779
Staphyleaceae 6: 49-59
Stauranthera Benth. 76
Staurogeton Rchb. 228
trisulcus (L.) Schur 234
Stemonura 56
Stemonurus Bl. 1, 2, 3, 4, 21, 56, 58 map
affinis Miers 34
agusanensis Elm. 27
ammui (Kaneh.) Sleum. 57, 60
apoensis Elm. 29
australianus (F.v.M.) O.K. 28
capitatus Becc. 60
capitulatus (Jungh. & De Vriese) O.K. 24
celebicus Valet. 56, 59
corniculatus (Becc.) Ridl. 51
cumingianus Miers 27
dolichocarpus (Merr.) Howard 30
dolichophyllus Merr. 57
ellipticus (Schellenb.) Sleum. 61
evenius Stapf 62
flavicarpus Elm. 30
foetidus Wight 55
fuliginus (Elm.) Howard 24
gitingensis (Elm.) Sleum. 57, 61
gracilis Schellenb. 29
grandifolius Becc. 57
hallieri (Merr.) Merr. 62
intercedens Heine 62
javanicus Bl. 27
 var. 27

- labuanensis* Stapf 60
lanceolatus Becc. 60
lancifolius (Merr.) Howard 31
laxiflorus Miers 46
littoralis Bl. 16
luzoniensis (Merr.) Howard 31
lysiptetalus (Stapf) Merr. 25
macrocarpus Bl. 20
macrophyllus Bl. 10
maingayi (Mast.) Valet. 34
malaccensis (Mast.) Sleum. 57, 60, 61*, 62, 828
mappiodes (Valet.) O.K. 29
megacarpus Hemsl. 50
merrittii Merr. 43
montanus Schellenb. 31
monticola 62
monticolus (Schellenb.) Sleum. 57, 62
nyssifolius (King) Howard 24
oblongifolius (Merr.) Howard 35
oppositifolius (Pierre ex Gagnep.) Howard 33
papuanus (Becc.) Schellenb. 25
parviflorus Bl. 32
pauciflorus Bl. 28, 59
pauciflorus Ridl. 59
penangianus Miers 33
prasinus Bl. 31
prasinus (non Bl.) K.Sch. & Laut. 34
puberulus K.Sch. & Laut. 25
quadrifidus Bl. 32
ramuensis Laut. 28
ridleyanus Sleum. 59
salicifolius (Ridl.) Howard 34
sawiensis Birnie 30
scorpiodes 58
scorpioides Becc. 57, 58*
scorpiurus 58
secundiflorus Bl. 57, 59
 var. *hosei* Sleum. 59, 60
 var. *lanceolatus* (Becc.) Sleum. 59, 60
 var. *secundiflorus* 59, 60
 var. *valetonii* Hochr. 59
secundiflorus (non Bl.) Merr. 61
secundiflorus (non Bl.) Ridl. 58
subrostratus (Merr.) Howard 32
tomentellus Valet. 34
umbellatus (non Becc.) Anders. 60
umbellatus Becc. 57, 62*, 63*
 var. *ovalifolius* Becc. 62
viridis Schellenb. 28
yatesii (Merr.) Howard 46
zygomorphus Pule 25
Stenophyllus Raf. 537
barbatus Cooke 539
capillaris (non Britt.) Back. 538
puberulus Killip 540
Sterculia sp. 803
Strobilanthes sp. 798
Strychnos L. 828
 ignatii Berg. 828, 829
 lanceolaris Miq. sensu Hill 828, 829
 ovata Hill 829
Stylidiaceae 4: 529-532; 5: 564; 6: 976
Styracaceae 4: 49-56; 6: 976
Suregada glandulosa (Elm.) Croizat 184
 trifida (Elm.) Croizat 184
Synaedrys Lindl. 276, 318
 sect. *Chlamydoalanus* 318
 acuminatissima (Merr.) Koidz. 355
 bancana (Scheff.) Koidz. 361
 beccariana (Benth.) Koidz. 329
 bennettii (Miq.) Koidz. 356
 blumeana (Korth.) Koidz. 339
 brachyclada (von Seemen) Koidz. 374
 cantleyana (King ex Hook. f.) Koidz. 352
 castellarnauiana (Vidal) Koidz. 377
 caudatifolia (Merr.) Koidz. 350
 celebica (Miq.) Koidz. 374
 clathrata (von Seemen) Koidz. 331
 clementi (Merr.) Koidz. 379
 clementiana (King ex Hook. f.) Koidz. 365
 conocarpa (Oudem.) Koidz. 349
 cooperta (Blanco) Koidz. 335
 costata (Bl.) Koidz. 325
 crassinervia (Bl.) Koidz. 371
 curranii (Merr.) Koidz. 331
 curtisii (King ex Hook. f.) Koidz. 380
 cyclophora (Endl.) Koidz. 345
 cyrtorhyncha (Miq.) Koidz. 362
 d'albertisii (F.v.M.) Koidz. 374
 daphnoidea (Bl.) Koidz. 353
 dasytachya (Miq.) Koidz. 350
 debariana (O.Warb.) Koidz. 384
 diepenhorstii (Miq.) Koidz. 362
 discocarpa (Hance) Koidz. 306
 dolichocarpa (von Seemen) Koidz. 353, 385
 eichleri (Wenzig) Koidz. 341
 enclisacarpa (Korth.) Koidz. 338
 ewyckii (Korth.) Koidz. 351
 fagiformis Koidz. 309
 falconeri (Kurz) Koidz. 371
 grandifrons (King ex Hook. f.) Koidz. 375
 gulliveri (F.v.M.) Koidz. 374
 hallierii (von Seemen) Koidz. 327
 helicioformis (von Seemen) Koidz. 343
 hystrix (Korth.) Koidz. 384
 imperialis (von Seemen) Koidz. 346
 induta (Bl.) Koidz. 344
 javensis (Bl.) Koidz. 325
 jordanae (Laguna) Koidz. 382
 kingiana (Gamble) Koidz. 381
 kunstleri (King ex Hook. f.) Koidz. 372
 lampadaria (Gamble) Koidz. 368
 lamponga (Miq.) Koidz. 375
 lauterbachii (von Seemen) Koidz. 348
 llanosii (A.DC.) Koidz. 374
 luzonensis (Merr.) Koidz. 381
 maingayii (Benth.) Koidz. 331
 merrittii (Merr.) Koidz. 377
 monticola (King) Koidz. 369
 nieuwenhuisii (von Seemen) Koidz. 379
 omalkos (Korth.) Koidz. 341
 ovalis (Blanco) Koidz. 361
 pallida (Bl.) Koidz. 349
 philippinensis (A.DC.) Koidz. 353
 platycarpa (Bl.) Koidz. 340
 poculiformis (von Seemen) Koidz. 353
 pruinosa (Bl.) Koidz. 375
 pseudomolucca (Bl.) Koidz. 376
 pulchra (King) Koidz. 333
 pyriformis (non Seemen) Koidz. 331
 rajah (Hance) Koidz. 361
 rassa (Miq.) Koidz. 364
 reflexa (King) Koidz. 335
 reinwardtii (Korth.) Koidz. 359
 robinsonii (Merr.) Koidz. 383
 rotunda (Bl.) Koidz. 331
 rufa (von Seemen) Koidz. 370
 scortechinii (King ex Hook. f.) Koidz. 380
 sericea (Scheff.) Koidz. 393
 soleriana (Vidal) Koidz. 355
 spicata (Sm.) Koidz. 367
 sundaica (Bl.) Koidz. 375
 teysmanni (Bl.) Koidz. 343
 wallichiana (Lindl. in Wall.) Koidz. 369
 wenzelii (Merr.) Koidz. 353
 wenzigiana (King ex Hook. f.) Koidz. 364
 wilhelminae (von Seemen) Koidz. 389

- woodii* (Hance) Koidz. 358
wrayii (King) Koidz. 334
 Syngnagma hookeri 269
Syziganthus Steud. 705
 multiflorus Steud. 708
Syzygium cumini (L.) Skeels 795
- Tacca** J.R. & G.Forst. 806, 807
 map
 angustilobata Merr. 814
 artocarpifolia Seem. 809
 aspera Roxb. 811
 bibracteata Drenth 806, 808,
 814, 815*, 816 map
 borneensis Ridl. 811
 breviloba Warb. ex Limpr. 816
 brownii Seem. 809
 celebica Koord. 808, 809,
 818*, 819
 chantrieri André 806, 808, 809,
 813* map, 815*
 f. *garrettii* (Craib) Limpr.
 813
 f. *macrantha* (Limpr.)
 Limpr. 813
 var. *vespertilio* (Ridl.)
 Limpr. 813
 chantrieri (non André) Ridl.
 811
 chaudhuriana Deb 811
 cristata Jack 808, 811
 cristata (non Jack) Velenovsky
 813
 dubia Schult. 809
 ebeltajae Drenth 808, 809, 816
 map, 817*
 elmeri Krause 814
 esquirolii (Lévl.) Rehder 813
 faisiifolia Warb. ex Limpr. 814
 flabellata J.J.Smith 816
 gaogao Blanco 809
 garrettii Craib 813
 hawaiiensis Limpr. 809
 integrifolia Ker-Gawl. 808,
 809, 811, 812* map, 813*,
 814
 var. *pseudolaevis* Limpr. 811
 integrifolia (non Ker-Gawl.)
 Schrang 814
 involucrata (Limpr.) Schum. &
 Thonn. 809
 laevis Roxb. 811
 var. *angustibracteata* Limpr.
 811
 var. *latibracteata* Limpr.
 811
 var. *minor* Ridl. 811
 lancaefolia Zoll. & Mor. 811
 var. *laeviformis* Limpr. 811
 lancifolia
 var. *breviscapa* Ostenfeld
 813
 leontopetaloides (L.) O.K.
 806, 807, 808, 809, 810 map
- littorea* Rumph. 809
macrantha Limpr. 813
maculata Seem. 809
maculata Zipp. ex Span. 809
minaha(s)sae Koord. 819
minor Ridl. 813
montana Rumph. ex Schultes
 814
palmata Bl. 807, 808, 809, 814,
 816 map
 var. *borneensis* Limpr. 814
palmatifida Baker 808, 809,
 816 map
parkeri Seem. 808
paxiana Limpr. 813
phallifera Rumph. 809
pinnatifida J.R. & G.Forst.
 809
 ssp. *involucrata* Limpr. 809
 var. 809
 var. *brownii* (Seem.) Baill.
 809
pinnatifolia Gaertn. 809
plantaginea (Hance) Drenth
 808, 815*
rafflesiana Jack ex Wall. 811
roxburghii Limpr. 813
rumphii Schauer 814
samoensis Reinecke 809
sativa Rumph. 809
sumatrana Limpr. 811
 var. *ovalifolia* Limpr. 811
vesicaria Blanco 814
vespertilio Ridl. 813
viridis Hemsl. 809
weberi Elm. 814
wilsonii Limpr. 813
- Taccaceae** 806-819
Tacsonia (Tourn.) Juss. 407
Talinum Juss. 121, 122, 123
 paniculatum (Jacq.) Gaertn.
 121, 122*, 123, 124
 patens (L.) Willd. 125
 racemosum (L.) Rohrb. 124
 triangulare (Jacq.) Willd. 121,
 122*, 123, 124*
Tamara tonga Rheede 175
Tecticornia australasica (Moq.)
 P.G.Wilson 822
 cinerea (F.v.M.) Bail. 822
Telmatophaea Schleid. 228
 orbicularis Schur 224
 polyrhiza (L.) Godr. 224
Terminalia L. 823
Tetracera L. 824
 akara (Burm. f.) Merr. 824
 arborescens Jack 824
 asiatica (Lour.) Hoogl. 824
 indica (Christm. & Panz.)
 Merr. 824
 sarmentosa (L.) Vahl 824
 scandens (L.) Merr. 824
Tetrameles nudiflora R.Br. 802,
 823
- Tetramerista* Miq. 119
Tetrapathaea 405, 433
Tetralia Beauv. 436, 449, 452,
 661
 borneensis Kern 438, 440, 455,
 662*, 663*, 664
Tetrastigma sp. 795, 803
Tetrastylis 405
Thonningia 784, 785
Thoracostachys bancana Kurz
 465
Thoracostachyum Kurz 436, 438,
 448, 449, 452, 455, 464, 486
 bancanum (Miq.) Kurz. 438,
 464, 465
 var. *longispica* Clarke 465,
 466, 492
 capitatum Valck.Sur. 465
 dichromenoides Ridl. 464
 heyneanum Uittien 465
 hypolytroides Clarke 464
 longistylum Kük. 487
 f. *parvum* Kük. 487
 lucbanense Kük. ex Merr. 487,
 488
 macilentulum Ohwi 487
 montanum Valck.Sur. 487
 pacificum Hosokawa 464
 pandanophyllum Domin 464,
 465
 parvibractea Kük. 487
 ridleyi Clarke 465
 simplex Ridl. 489
 subcapitatum Valck.Sur. 466
 sumatranum (Miq.) Kurz 453,
 463*, 464, 465*
 vitiense Uittien 464
Thymelaeaceae 4: 349-365; 6:
 1-48, 976; 7: 830
Ticorea Blanco 755
 aculeata Blanco 773
Tilecarpus 45
Toddavaddi Rheede 164
Torulinium Desv. 593, 645
 confertum Desv. ex Hamilt.
 646
 ferax Hamilt. 646
 ferox 646
Trachystylis S.T.Blake 540
Tragia luzoniensis Merr. 76
Trapaceae 6: 982; 4: 43-44
Tremandraceae 135
Trentepohlia Boeck. 633, 634
 bifoliata Boeck. 633
Treubia Pierre ex Boerl. 89
 combretocarpa Pierre ex Boerl.
 91
Trianoptiles 666
Trianthema portulacastrum L.
 133
Trichadenia Thw. 87
Trichelostylis Lestib. 542, 548,
 555
 complanata Nees 549

- filiformis* Nees 564
junciformis Nees 557
miliacea Nees 551, 552
quinquangularis Nees 552
sabundia Nees 553
tetragona Nees 551
Trichilia connaroides (W. & A.) Benth. 782
Trichophorum Pers. 502
Triclanthera corymbosa Raf. 822
Tricostularia Nees 436, 452, 453, 670
borneensis Ridl. 672
fimbristylodes Benth. 672
paludosa (R.Br.) Benth. 670, 672, 678
undulata (Thw.) Kern 440, 455, 670, 671*, 672
Trigonella foenum-graecum L. 655
Trigoniaceae 4: 58-60
Trigonobalanus Forman 267, 268, 271, 272, 273, 274, 276, 277, 280, 398, 403 map
doichangensis (A.Camus) Forman 267, 271, 403 map
verticillata Forman 267, 268, 270, 399*, 400*, 401*, 402*, 403 map
Trigonopleura malayanum Hook. f. 192
Trilepis 451
Triodon L.C.Rich. 712
Trisyngyne Baill. 274, 276, 278
Tryphostemma 405
Tunga Roxb. 489, 519
diandra Roxb. 490
laevigata Roxb. 521
Turneraceae 4: 235-238
Tylecarpus Engl. 45
carolinensis (Kaneh.) Kaneh. & Hatus. 47
coriifolius Sleum. 47
merrittii (Merr.) Sleum. 43
papuanus (Becc.) Engl. 46
peekelii Sleum. 47
sp. 46
Tylocarya Nelmes 540
Typhaceae 4: 242-244; 6: 982
Umbelliferae 4: 113-140, 595; 5: 555; 6: 983-984; 7: 830-831
Uncinia 435, 443, 444, 446, 447, 449, 452, 453, 455, 456, 823
riparia 440
rupestris 440
Urandra Thw. 2, 56
ammui Kaneh. 61
brassii Howard 62
capitata (Becc.) O.K. 60
celebica (Valet.) Howard 59
corniculata (Becc.) Foxw. 51
dolichophylla (Merr.) Howard 57
elliptica Schellenb. 60
evenii (Stapf) Howard 62
fuliginea Elm. 24
giingensis (Elm.) Sleum. 61
grandifolia (Becc.) O.K. 57
hallieri Merr. 62
lanceolata (Becc.) O.K. 60
luzoniensis Merr. 31
maingayi (Mast.) O.K. 34
monticola Schellenb. 62
nitida Howard 60
pauciflora (Merr.) Merr. 30
scorpioides (Becc.) O.K. 58
scorpioides (non (Becc.)) O.K.) Pulle 62
secundiflora Dahl 60
secundiflora (Bl.) O.K. 59
sp. 51
umbellata (Becc.) O.K. 62
umbellata (non Becc.) Pulle 62
umbellata (non (Becc.)) O.K.) Walker 65
Urceolaria Huth 261
Uromyces 458
Utricularia 135
Vaccinium 793
sect. Pachyanthum Sleum. 827
laurifolium (Bl.) Miq. 798
lucidum (Bl.) Miq. 798
sp. 805
Valerianaceae 4: 253-254
Vallisneria gigantea Graebn. 828
natans (Lour.) Hara 828
spiralis L. 828
Vareca Roxb. 180
lanceolata Roxb. 187
moluccana Roxb. 192
Vatica 212
Villaresia R. & P. 4
latifolia Merr. 6
macrocarpa Scheff. 16
philippinensis Merr. 7
scandens Hassk. 7
suaveolens (Bl.) Valet. 6
Vincentia Gaud. 691
anceps Hook. f. 694
crinita Stapf 694
falcata Stapf 694
maingayi Stapf 693
malesiaca Stapf 694, 696
robinsonii Merr. 694
Viola L. 179, 180, 198, 199*
sect. Dischidium Ging. 198
sect. Erpetion (Sweet) Becker 198
sect. Melanum Ging. 198
sect. Nominium Ging. 198
sect. Viola 198
adenothrix Hayata 210
alata Burgersd. 205
apoense (Elm.) D.M. Moore 202
arcuata Bl. 200, 205, 206*, 207
map
arcuata (non Bl.) Miq. 206
arcuata (non Bl.) Ooststr. & H.J.Lam 210
betonicifolia J.E.Smith 200, 202, 203, 204, 205
ssp. australis Becker 203
ssp. betonicifolia 203 map
ssp. nepalensis Becker 203
ssp. nova-guineensis D.M. Moore 203 map
biflora L. 198, 200, 201
burgersdijkii Oudem. 208, 209
f. nodosa Boissieu & Capit. 208
var. timorensis Ridl. 208
caespitosa D.Don 203
canescens (non Wall.) Boissieu & Capit. 208
celebica Beck. 208, 209
confusa (non Champ.) Boissieu & Capit. 208
confusa Champ. ex Benth. 203, 204
curvistylis Boissieu & Capit. 201, 209, 210 map
diffusa Ging. 201, 202
ssp. apoensis (Elm.) D.M. Moore 202 map
ssp. diffusa 202 map
ssp. tenuis (Benth.) Becker 202
distans Wall. 205
edanoi Becker 204
effusa Becker 210
enneasperma L. 197
glaucescens Oudem. 208
hamiltoniana D.Don 208
hederacea Labill. 198, 200, 211 map
herbivaga Ridl. 206
hossei Becker 209
inconspicua Bl. 200, 203, 204 map
japonica (non Langsd.) Korth. 205
javanica Becker 200, 201, 206, 207 map
jugalis Ridl. 209
kjellbergii Melch. 200, 209, 210 map
klossii Ridl. 211
korinchensis Ridl. 209
lagaiensis D.M. Moore 210
leconteana Beck. ex Gagnep. 210
lunata Ridl. 206
malvina Ridl. 210
mearnsii Merr. 200, 201, 205, 209 map
merrilliana Becker 200, 205 map, 210
mirabilis L. 179
odorata L. 180, 200, 201

- ovalifolia* Becker 210
palmaris Buch.-Ham. 207
papilionacea Pursh 180
papuana Beck. & Pulle 200,
 209, 211 map
patrinii (non DC.) Boissieu &
 Capit. 203
patrinii DC. 203
 var. *caespitosa* Ridl. 203
 var. *napaulensis* DC. 203
patrinii (non DC.) Merr. 203
philippica Cav. 200, 203, 204
 map, 212
 ssp. *malesica* Becker 204
 ssp. *munda* Becker 204
pilosa Bl. 200, 201, 205 map,
 207*, 208*, 209, 211
ramosiana Becker 212
robinsonii Ridl. 209
rupicola Elm. 201, 205, 210
 map
sarmentosa Burgersd. 208, 209
selkirkii (non Pursh) Boissieu
 & Capit. 204
semilunaris (Maxim.) Becker
 var. *philippinarium* Becker
 205, 206
serpens (non Wall.) Ridl. 203,
 209, 210
serpens Wall. ex Ging. 207
sikkimensis Becker
 var. *acuminatifolia* Becker
 209
sumatrana Miq. 201, 209 map
 var. *caerulescens* Boissieu
 & Capit. 209
tenuis Benth. 202
toppingii Elm. 205
tricolor L. 180, 198, 199*, 200,
 201
trinervis Korth. 203
 Violaceae 179–212, 831
 Vitaceae 755, 759, 760
Vitex cofassus Reinw. ex Bl. 794
Vitis sp. 782

Websteria S.H.Wright 447, 504
 limnophila S.H.Wright 505
 submersa Britten 505
Weinmannia 281, 289
Whitmorea Sleum. 1, 2, 4, 63
 grandiflora Sleum. 64*, 65
Wirtgenia 827
Wolffia Horkel ex Schleid. 219,
 220*, 221, 222, 223, 235
 sect. *Uniflorae*
 subsect. *Estipitatae* Hegelm.
 235
 arrhiza (non Wimmer) Mar-
 tens 220, 236
 arrhiza (L.) Horkel ex Wim-
 mer 235, 236*, 237
 var. *australiana* Benth.
 236*, 237

brasilensis 221
cylindracea Hegelm. 236
delilii (non Schleid.) Naves
 236
delilii Schleid. 237
 var. *schleidenii* (Miq.) Kurz
 236
globosa (Roxb.) Hartog &
 Plas 220, 235, 236*, 237
michelii Schleid. 237
microscopica (Griff.) Kurz
 220, 221, 235, 236*, 237
microscopica (non Kurz) Mat-
 sam. & Hayata 236
schleidenii Miq. 236, 237
 sp. 237
Wolffiella 219, 221, 222, 223
Wolffiopsis 219, 221, 223
Wormia Rottb. 826
 luzonensis Baill. 826
 luzoniensis Vidal 827
 papyracea Gilg. & Werderm.
 825
 pteropoda Miq. 825

Xanthomyrtus 289
 Xyridaceae 4: 366–376, 598; 5:
 557

Zizania terrestris L. 733
 Zygophyllaceae 4: 64