



Notes on Malesian *Fabaceae* (*Leguminosae-Papilionoideae*)

20. The genus *Brachypterum*

F. Adema¹, Y. Sirichamorn²

Key words

Brachypterum
conserving
Fabaceae
Flora Malesiana
new combinations
Solori

Abstract The history of the conservation of *Brachypterum* against *Solori* is briefly reviewed. Five new combinations in *Brachypterum* are made.

Published on 27 November 2019

INTRODUCTION

The genus *Brachypterum* (Wight & Arn.) Benth. was originally described as *Dalbergia* L. subg. *Brachypterum* Wight & Arn. (1834). As genus it was accepted by Bentham (1837, 1852), Miquel (1855) and Geesink (1984a). Earlier, Adanson (1763) described the genus *Solori* on the plate and description of *Noel valli* of Van Rheede tot Drakestein (1686). However, this genus name was never used and no species was ever based on it. Geesink (1984b) proposed to conserve the name *Brachypterum* against *Solori*. The Nomenclature Committee for Vascular Plants (NCVP) decided not to recommend *Brachypterum* for conservation (Brummitt 1987: 739). Sirichamorn et al. (2012), in a study on the phylogeny of *Derris*-like taxa based on chloroplast and nuclear DNA sequences, showed that the genus *Brachypterum* is distinct from the genera *Derris* Lour. and *Paraderris* (Miq.) R. Geesink. Again Sirichamorn et al. (2013) proposed to conserve *Brachypterum* against *Solori*. Also, this time the NCVP decided not to recommend *Brachypterum* for conservation (Applequist 2013: 1324). Consequently, Sirichamorn et al. (2014) synonymized *Brachypterum* with *Solori*. However, the General Committee of the IAPT in their review of proposals objected against the argumentation and asked the NCVP to reconsider the proposal. The NCVP discussed the proposal again and decided to recommend *Brachypterum* for conservation (Applequist 2017: 502). The nomenclatural session before the Botanical Congress in China, 2017, accepted the recommendation. *Brachypterum* is now a conserved name against *Solori*.

TAXONOMY

As a consequence of the decision to conserve *Brachypterum* several changes are needed for the treatment of the genus for Flora Malesiana. The name *Solori*, now rejected, is added to

the synonymy of *Brachypterum* and several new combinations in *Brachypterum* are made.

Brachypterum (Wight & Arn.) Benth.

Brachypterum (Wight & Arn.) Benth. (1837) 37, nom. cons.; (1852) 251, p.p.; Miq., (1855) 138; R. Geesink (1984a) 80. — *Dalbergia* L.f. subg. *Brachypterum* Wight & Arn. (1834) 264. — *Derris* Lour. sect. *Brachypterum* (Wight & Arn.) Benth. (1860) 101; Baker (1879) 240; Thoth. (1961) 175; R. Geesink (1981) 256. — *Deguelia* Aubl. sect. *Brachypterum* (Wight & Arn.) Taub. (1894) 345. — Type: *Brachypterum scandens* (Roxb.) Miq.
Solori Adans. (1763) 327, nom. rej.; Sirich. et al. (2014) 522. — Type: Van Rheede, Hortus Malabaricus 6 (1686) 39, t. 22, 'Noel valli' (= *Brachypterum scandens* (Roxb.) Miq.).

NEW COMBINATIONS

1. *Brachypterum cumingii* (Benth.) Adema & Sirich., *comb. nov.*

Derris cumingii Benth. (1860) 104; Merr. (1923) 299. — *Deguelia cumingii* (Benth.) Taub. (1891) 386. — *Pterocarpus cumingii* (Benth.) Kuntze (1891) 203. — Lectotype (designated here): *Cuming 1208* (lecto K000898356; isolecto K, L, MO), Philippines.

2. *Brachypterum koolgibberah* (F.M. Bailey) Adema & Sirich., *comb. nov.*

Derris koolgibberah F.M. Bailey (1884) 38; Merr. & L.M. Perry (1942) 403; Verdc. (1978) 469; (1979) 321; Adema (2003) 401. — Lectotype (designated here): *F.M. Bailey s.n.* (lecto BRI n.v.; isolecto K), Australia, Queensland, Mulgrave River.

3. *Brachypterum philippinensis* (Merr.) Adema & Sirich., *comb. nov.*

Derris philippinensis Merr. (1910) 104. — *Derris multiflora* Benth. var. *longifolia* Benth. (1860) 108; Merr. (1923) 300. — *Solori philippinensis* (Merr.) Sirich. & Adema (in Sirichamorn et al. 2014) 533. — Lectotype (designated by Sirich. & Adema in Sirichamorn et al. 2014): *Cuming 1162* (holo PNH lost; iso E, L), Philippines, Luzon.

Note — *Derris multiflora* var. *longifolia* is based on the same specimen that is selected as lectotype of *Brachypterum philippinensis*.

¹ Naturalis Biodiversity Center, P.O. Box 9517, 2300 RA Leiden, The Netherlands; corresponding author e-mail: frits.adema@naturalis.nl.

² Department of Biology, Faculty of Science, Silpakorn University, Sanam Chandra Palace, Campus, Nakhon Pathom 73000, Thailand; sirichamorn_y@silpakorn.edu; y.sirichamorn@gmail.com.

**4. *Brachypterum pseudoinvoluta* (Verdc.) Adema & Sirich.,
*comb. nov.***

Derris koolgibberah F.M.Bailey subsp. *pseudoinvoluta* Verdc. (1978) 469; (1979) 322. — *Derris pseudoinvoluta* (Verdc.) Adema (2000) 11; (2003) 402. — *Solori pseudoinvoluta* (Verdc.) Sirich. & Adema in Sirich. et al. (2014) 533. — Type: *NGF (Womersley) 15395* (holo K; iso L, Lae), Papua New Guinea, Lae.

**5. *Brachypterum submontana* (Verdc.) Adema & Sirich.,
*comb. nov.***

Derris montana Verdc. (1978) 465; (1979) 326. — Type: *Clemens 8162* (holo B; iso A, L), Papua New Guinea, Morobe district, Sattelberg, Boana.

REFERENCES

- Adanson M. 1763. Familles des plantes 3. Vincent, Paris.
- Adema F. 2000. Notes on Malesian Fabaceae xx. *Derris* in Thailand and Malesia. *Thai Forest Bulletin (Botany)* 28: 2–16.
- Adema F. 2003. Notes on Malesian Fabaceae (Leguminosae-Papilionoideae). 11. The genus *Derris*. *Blumea* 48: 393–419.
- Applequist WL. 2013. Report of the Nomenclature Committee for Vascular Plants: 65. *Taxon* 62: 1324.
- Applequist WL. 2017. (2121) To conserve *Brachypterum* (Wight & Arn.) Benth. against *Solori* Adans. *Taxon* 66: 502.
- Bailey FM. 1884. Botany. In: Meston A (ed.), Report of the Government Scientific Expedition to Bellenden-Ker Range upon the flora and fauna of that part of the colony. James C. Beal, Brisbane.
- Baker JG. 1879. *Derris* Lour. In: Hooker JD (ed.), *Flora of British India* 2: 240–248. Reeve & Co, Brook, near Ashford.
- Bentham G. 1837. *Commentationes de Leguminosarum Generibus*. SOLLINGER, WIEN.
- Bentham G. 1852. *Brachypterum*. In: Miquel FAW (ed.), *Plantae Junghuhnianae*: 248. Sijthoff, Leiden.
- Bentham G. 1860. Synopsis of Dalbergieae, a tribe of Leguminosae. *Journal of the Proceedings of the Linnean Society, Botany* 4, Supplement: 1–134.
- Brummitt RK. 1987. Report of the Committee for Spermatophyta: 33. *Taxon* 36: 734–762.
- Geesink R. 1981. Tribe 6. Tephrosieae (Benth.) Hutch. (1964). In: Polhill RM, Raven P (eds), *Advances in Legume Systematics, Part 1*: 245–260. Royal Botanic Garden, Kew.
- Geesink R. 1984a. *Scala Millettiarum*. *Leiden Botanical Series* 8.
- Geesink R. 1984b. Proposal to conserve 3838a *Brachypterum* against *Solori* (Leguminosae-Papilionoideae). *Taxon* 33: 743–744.
- Kuntze CEO. 1891. *Revisio Generum Plantarum* 1. Arthur Felix, Leipzig.
- Merrill ED. 1910. An enumeration of Philippine Leguminosae with keys to the genera and species. *Philippine Journal of Science, C* 5: 95–136.
- Merrill ED. 1923. Enumeration of Philippine flowering plants 2. Bureau of Printing, Manila
- Merrill ED, Perry LM. 1942. *Plantae Papuanae Archoldianae, X*. *Journal of the Arnold Arboretum* 23: 383–416.
- Miquel FAW. 1855. *Florae Indiae Batavae* 1. Van der Post, Utrecht.
- Sirichamorn Y, Adema FACB, Gravendeel B, et al. 2012. Phylogeny of palaetropic *Derris*-like taxa (Fabaceae) based on chloroplast and nuclear DNA sequences shows reorganization of (infra)generic classification is needed. *American Journal of Botany* 99: 1793–1808.
- Sirichamorn Y, Adema FACB, Roos MC, et al. 2014. Molecular and morphological phylogenetic reconstruction reveals a new generic delimitation of Asian *Derris* (Fabaceae): Reinstatement of *Solori* and synonymisation of *Paraderris* with *Derris*. *Taxon* 63: 522–538.
- Sirichamorn Y, Adema FACB, Van Welzen P. 2013. (2121) Proposal to conserve the name *Brachypterum* against *Solori* (Fabaceae). *Taxon* 62: 179–180.
- Taubert P. 1891. Zur Nomenclatur einiger Genera und Species der Leguminosen. *Botanisches Centralblatt* 47: 285–395.
- Taubert P. 1894. *Deguelia*. In: Engler HGA, Prantl KAE (eds), *Die natürlichen Pflanzenfamilien* 3, 3: 345. Engelmann, Leipzig.
- Thothathri K. 1961. Studies in Leguminosae. 1. A taxonomic revision of the genus *Derris* Lour. in India. *Bulletin of the Botanical Survey of India* 3: 175–200.
- Van Rheede tot Drakestein HA. 1686. *Hortus Indicus Malabaricus* 6. Van Someren & Van Dijk, Amsterdam.
- Verdcourt B. 1978. New taxa of Leguminosae from Papua New Guinea. *Kew Bulletin* 32: 455–473.
- Verdcourt B. 1979. *Manual of New Guinea Legumes*. Botany Bulletin No. 11. Office of Forests, Division of Botany, Lae.
- Wight R, Arnott GAW. 1834. *Prodromus Florae Peninsulae Indiae Orientalis*. Parbury, Allen & Co, London.