NOTE XLV.

REMARKS ON GYMNETIS KERREMANSI, V. D. POLL.

BY

J. R. H. NEERVOORT van de POLL.

(Plate 10, fig. 5).

In volume VIII (p. 231) of the »Notes", I have described a Cetonid from Panama, under the name of Gymnetis Kerremansi. This species belongs to the Central-American fauna and of course Mr. Bates has had to deal with it in the »Biologia Centrali-Americana". As I had recently the pleasure of visiting my distinguished friend, he told me that my G. Kerremansi had given him much trouble and that he was not at all sure, the species he had mentioned and figured in the above quoted work, was really referable to my Kerremansi. In as much as I could judge from memory, the specimens he showed me did not agree with my species, but not having looked at my Gymnetis for several months, I would not risk a decided opinion. However, I promised Mr. Bates to study the question as soon as I should be back at home, in order to make it possible to insert eventual corrections in the Supplement of the Scarabaeidae of Messrs Godman and Salvin's work.

Now, after having carefully studied and compared my insect and description with the figures and remarks published by Mr. Bates, I have not the least hesitation in considering my *G. Kerremansi* perfectly distinct. It is evident that Mr. Bates has endeavoured to make my description fit for the species that had come under his notice,

Notes from the Leyden Museum, Vol. XI.

therefore my terms »cervina" and »fallow" had to mean bluish-grey, therefore no attention has been paid to the coloration of the elytra, which is very characteristic, each elytron having in the middle a pale yellow large oval spot surrounded by a mixture of ochraceous rufous-brown and black, the latter colour even predominates. The glabrous parts of the underside and the legs, I described as brilliant black with a strong purple-bronze hue, which is also in contradiction with the figure in the Biologia, where legs of a greenish colour are represented.

I have added to these few words of friendly protest a very satisfactory figure of G. Kerremansi, which certainly will assist to remove all doubts better than a long description would be able to do. As to the species figured by Mr. Bates, I think to make no mistake in supposing that it will prove to be referable to G. Wollastonii Schaum (Trans. Ent. Soc. London. V (1848), p. 66; pl. 8, fig. 3), a Mexican species not recorded in the "Biologia".

Rectification. According to a lapsus calami, I have compared Moscheuma sebosum v. d. Poll (described in the same paper as Gymnetis Kerremansi), at the end of the description with M. costatum Oliv., a species which does not exist. Olivier's well-known species has been described under the name of Cetonia lobata.

Amsterdam, July 1889.

Notes from the Leyden Museum, Vol. XI.

224

Plate 10.



W.F.Jacobs ad nat. del. A.J.J. Wendel lith.

P.W. M. Trap impr.

5. Gymnetis Kerremansi v. d. Poll.